

HERBAL FORMULARIES FOR HEALTH PROFESSIONALS

VOLUMES 1–5

CUMULATIVE INDEX



DR. JILL STANSBURY, ND

Copyright © 2021 by Jill Stansbury.
All rights reserved.

Unless otherwise noted, all illustrations copyright © 2021 by Jill Stansbury.

No part of this book may be transmitted or reproduced in any form by any means without permission in writing from the publisher.

Editor: Fern Marshall Bradley
Indexer: Shana Milkie
Designer: Melissa Jacobson

ISBNs: volume 1, 978-1-60358-707-5; volume 2, 978-1-60358-798-3; volume 3, 978-1-60358-855-3; volume 4, 978-1-60358-856-0;
volume 5, 978-1-60358-857-7.

Library of Congress Cataloging-in-Publication Data

Names: Stansbury, Jill, author.

Title: Herbal formularies for health professionals. Volume I, Digestion and elimination, including the gastrointestinal system, liver and gallbladder, urinary system, and the skin / Dr. Jill Stansbury.

Other titles: Digestion and elimination, including the gastrointestinal system, liver and gallbladder, urinary system, and the skin

Description: White River Junction, Vermont : Chelsea Green Publishing, [2017] | Includes bibliographical references and index.

Identifiers: LCCN 2017044410 | ISBN 9781603587075 (hardcover) | ISBN 9781603587082 (ebook)

Subjects: | MESH: Formularies as Topic | Phytotherapy—methods | Digestive System Diseases—drug therapy | Urologic Diseases—drug therapy | Skin Diseases—drug therapy

Classification: LCC RM666.H33 | NLM QV 740.1 | DDC 615.3/21—dc23

LC record available at <https://lccn.loc.gov/2017044410>

Chelsea Green Publishing
85 North Main Street, Suite 120
White River Junction, Vermont USA

Somerset House
London, UK

www.chelseagreen.com

This cumulative index to *Herbal Formularies for Health Professionals* encompasses the content of the complete five-volume set:

VOLUME 1
Digestion and Elimination

VOLUME 2
Circulation and Respiration

VOLUME 3
Endocrinology

VOLUME 4
Neurology, Psychiatry, and
Pain Management

VOLUME 5
Immunology, Orthopedics,
and Otolaryngology

This comprehensive index allows users to find the full spectrum of information available on every herb and condition covered in these volumes.

— CUMULATIVE INDEX FOR —

Herbal Formularies for Health Professionals

VOLUMES 1–5

Note: Numerals in **bold** indicate the volume. Page numbers in *italics* refer to figures and illustrations. Page numbers followed by *t* refer to tables.

- 42 Cocktails (naturopathic formula), **1**:37
5α-dihydrotestosterone (DHT), **1**:147, 212, 216
5α-reductase, **1**:143–44
5α-reductase inhibitors, **1**:144, 145, 161, 216, 218; **3**:155, 161–62, 162*t*, 177
- A**
- α1-adrenoceptor antagonists, **1**:136, 137, 142
abdominal inflammation, topical protocols for, **4**:170, 196
abdominal pain
 Cinnamomum verum for, **5**:87
 Perilla frutescens for, **5**:45
 Rumex crispus for, **5**:140
Abies sibirica (Siberian fir), **1**:196
abscesses, skin
 herbs for, **1**:176, 244, 246, 249
 as symptom of healing crises, **1**:8
Acacia catechu (catechu, khadira), **5**:141
acai berry (*Euterpe oleracea*), **4**:50
Acanthopanax senticosus. *See Eleutherococcus senticosus* (Siberian ginseng, eleuthero, ciwuja)
acanthosides. *See eletherosides*
accentuated breath sounds, **2**:118
acemannan, **3**:110
acetylcholine, **4**:52, 53
acetylcholinesterase inhibitors, **4**:52
acetyl-L-carnitine, **4**:54, 119
Achillea millefolium (yarrow)
 for COPD, **2**:148
 for cystitis and pyelonephritis, **1**:116
 for digestive pain, **1**:26
 diuretic qualities, **1**:112
 energy dispersant qualities, **3**:21*t*
 for eye conditions, **5**:147*t*
 formulas containing
 acne, **1**:202
 anorexia, **1**:37
 autoimmune disorders, **5**:68, 122
 bronchitis, **2**:133
 colds, **5**:171
 coughs, **2**:119
 skin protection, **1**:228
 skin trauma, **1**:174
 spotting, **3**:122
 stasis ulcers, **2**:60
 ulcerated skin, **1**:231
 uterine fibroids, **3**:151
 vaginitis, **3**:106
 venous congestion, **2**:76
 wound healing, **1**:182
for fungal skin infections, **1**:195, 196
for hay fever, **5**:42
for *Helicobacter pylori* infections, **1**:43
for hematuria, **1**:115
diarrhea, **1**:54
ear pain, **4**:175
epistaxis, **5**:174
erythema multiforme, **1**:220
folliculitis, **1**:193
fungal skin infections, **1**:195
gastrointestinal bleeding, **1**:67
gastrointestinal hypersensitivity, **5**:37
GERD, **1**:40, 41
hemoptysis, **2**:126
irritable bowel syndrome, **1**:32
malabsorption, **1**:73
male infertility, **3**:164
menorrhagia, **3**:118, 119, 120
menstrual cramps, **3**:124
nasal polyps, **5**:173
otitis media, **5**:160, 161
pemphigus support, **1**:221
peripheral vascular insufficiency, **2**:61
postpartum hemorrhage, **3**:133
premenstrual backache, **4**:196
premenstrual syndrome, **3**:128
pyelonephritis, **1**:119
Raynaud's syndrome, **2**:67
reactive arthritis, **5**:72
respiratory allergies, **5**:44
short menstrual cycles, **3**:118
skin infections, **1**:176, 177, 179, 180
skin lesions, **5**:55
skin protection, **1**:228
skin trauma, **1**:174
spotting, **3**:122
stasis ulcers, **2**:60
ulcerated skin, **1**:231
uterine fibroids, **3**:151
vaginitis, **3**:106
venous congestion, **2**:76
wound healing, **1**:182
for fungal skin infections, **1**:195, 196
for hay fever, **5**:42
for *Helicobacter pylori* infections, **1**:43
for hematuria, **1**:115
for impetigo, **1**:179
for menorrhagia, **3**:115, 118, 119, 120, 165
for muscle pain and spasms, **5**:105
for otitis media, **5**:159
for pain, **4**:171*t*
for poor circulation, **2**:58, 63
for skin infections, **1**:176, 177, 179, 180
specific indications, **1**:81, 101, 156, 237–38; **2**:89, 156; **3**:165; **4**:201; **5**:131, 192
for urinary conditions, **1**:114
uterine hemostatic properties, **3**:133
as uterine sedative, **3**:124
for uterine vascular congestion, **3**:128
for vaginitis, **3**:105
for vascular support, **2**:35
as warming stimulant, **3**:21*t*
for wound healing, **4**:192*t*
acid reflux. *See* gastroesophageal reflux disorder (GERD)
acne
 Achillea millefolium for, **1**:238
 Arctium lappa for, **1**:81, 101, 202, 203, 239; **3**:166
 Berberis aquifolium for, **1**:245
 Centella asiatica for, **1**:240
 Chelidonium majus for, **1**:240
 Curcuma longa for, **1**:241
 formulas for, **1**:27, 201–3
 general protocol for, **1**:202
 Glycyrrhiza glabra for, **1**:243
 Helichrysum angustifolium for, **1**:244
 herbal specifics for, **1**:26, 202*t*
 Juglans spp. for, **1**:85, 244
 Melaleuca alternifolia for, **1**:245
 overview, **1**:170, 201
 premenstrual, **3**:128, 129
 Rosmarinus officinalis for, **1**:247
 Rumex crispus for, **1**:247
 Salix alba for, **1**:247
 sample cases, **1**:16, *16*; **2**:18, 18; **3**:18–19, 18; **4**:20–21, *21*; **5**:20–21, *21*
 Serenoa repens for, **1**:248
 Syzygium aromaticum for, **1**:248

- acne (*continued*)
Taraxacum officinale for, 1:248
Veratrum viride for, 1:249
Vitex agnus-castus for, 1:249; 3:180
- acne rosacea
Arctostaphylos uva ursi for, 1:239
Atropa belladonna for, 1:239
Cannabis sativa for, 1:240
Crataegus spp. for, 1:241
 formulas for, 1:204–8
Hypericum perforatum for, 1:244
Syzygium aromaticum for, 1:248
- aconite. *See Aconitum* spp.
- aconite, 4:138, 181
- Aconitum brachypodium* (aconite), 4:202
- Aconitum carmichaelii* (fu zhi), 2:89; 4:109, 138, 194
- Aconitum napellus* (aconite, wolfsbane), 4:181
 in calming formulas, 1:18; 2:20
 for dental procedures, 5:177
 for depression and anxiety, 4:101t
 formulas containing
 angina, 2:38
 coughs, 2:123
 depression and anxiety, 4:102
 dyspnea, 2:125
 ear pain, 4:174
 lung pain, 4:195
 metastatic pain, 4:195
 neuralgia, 4:35, 36, 180
 ovarian cysts, 3:144
 ovarian neuralgia, 4:196
 pancreatitis, 1:70
 panic disorder, 4:110
 restless legs syndrome, 4:33
 sciatica, 5:131
 shingles, 1:231
 sinus pain, 4:177
 trigeminal neuralgia, 4:39
 for muscle pain, 4:183t
 for neuralgia, 4:35, 74, 180t
 for pain, 4:17, 138, 156, 171t, 181, 202
 for peripheral neuropathy, 4:43t
 for pyelonephritis, 1:120t
 safety concerns, 1:18, 69, 156; 2:20; 3:20; 4:22, 35–36, 74, 101t, 102, 109, 110, 138–39, 177, 180, 181, 195, 201–2; 5:22, 131, 192
 serotonin-promoting qualities, 4:92
 specific indications, 1:156; 2:89, 156; 4:74, 138–39, 201–2; 5:131–32, 192
 for tempering adrenaline surges, 4:109
 for tongue conditions, 5:178t
 for trigeminal neuralgia, 4:37, 74
- Acorus calamus* (sweet flag, vacha), 1:37; 4:45, 74–75, 202
Acorus calamus var. *angustatus* (sweet flag, calamus), 4:68, 75
- Actaea* spp., for osteoporosis, 5:128
- Actaea cimicifuga* (shengma)
 for bone density, 5:126
- specific indications, 2:157
 for viral infections, 2:131
- Actaea heracleifolia*, 5:126
- Actaea racemosa* (black cohosh), 3:140
 anti-inflammatory qualities, 4:128; 5:97
 for anxiety, 4:17; 5:17
 for arthritis, 5:114
 breast cancer and, 3:156–57
 for breast conditions, 3:142
 for colds, 5:170t
 for dental conditions, 5:175
 for depression and anxiety, 4:92, 96, 101t
 dopaminergic qualities, 4:139
 for fibromyalgia, 5:110
 formulas containing
 adrenal disorders, 3:50
 alopecia, 1:216
 breast pain, 4:195
 coughs, 2:123
 depression and anxiety, 4:96, 98
 dyspnea, 2:125
 fibromyalgia, 5:110
 fracture-related pain, 4:184
 headaches, 4:164, 165
 hot flashes, 3:135
 hyperhidrosis, 1:226
 insomnia, 4:115, 116
 lymphatic pain and lymphedema, 4:201
 menopausal symptoms, 3:136, 138, 141; 4:100, 115
 menorrhagia, 3:119
 muscle aches with influenza, 4:186
 muscle pain, 4:183, 186; 5:106, 108, 109
 opiate withdrawal and musculoskeletal pain, 4:185
 Paget's disease, 5:130
 parturition, 3:132
 peripheral neuropathy, 4:46
 polycystic ovarian syndrome, 3:147
 polymyositis, 5:71
 premenstrual syndrome, 3:126, 127
 skeletal fractures and bone injuries, 5:101
 skin protection, 1:229
 tics and twitching, 5:106
 urinary conditions, 1:118
 withdrawal symptoms, 4:135, 136
 for fracture healing, 5:100
 for headaches, 4:158, 159
 for hyperventilation, 2:140
 for inflammatory bowel diseases, 5:79
 for insomnia, 4:114; 5:19
 for menopausal symptoms, 3:136t, 138t, 140, 156–57; 4:100
 for menorrhagia, 3:118
 for muscle pain, 4:183t, 202; 5:105
 for myositis conditions, 5:70
 nervine qualities, 4:91
 opiate agonist qualities, 4:134
 for pain, 4:154, 166t, 171t
- for peripheral neuropathy, 4:43t
 for poison ivy/oak dermatitis, 1:203, 237
 for premenstrual syndrome, 3:125
 for pyelonephritis, 1:120t
 for restless insomnia, 1:14; 2:16; 3:17; 4:20
 serotonin-promoting qualities, 4:92, 139
 specific indications, 1:238; 2:157; 3:165; 4:139, 202; 5:132
 for trigeminal neuralgia, 4:37
 as uterine sedative, 3:124
 as uterine tonic, 3:119
 for withdrawal symptoms, 4:128
 actions of herbs, categories of, 1:11–13; 2:13–16; 3:13–16; 4:16–17; 5:15–16, 26
 activated charcoal, 1:60, 170, 178
 acute bronchitis, 2:130
See also bronchitis
 acute conditions, guidelines for, 1:18–19, 21; 2:20–21, 23; 3:20, 23; 4:9, 23; 5:9, 23
See also specific conditions
 acute respiratory distress syndrome (ARDS)
Borago officinalis for, 2:91
Dracocephalum rupestre for, 2:163
Matricaria chamomilla for, 2:171
 overview, 2:153–54
Paeonia lactiflora for, 2:174
Persicaria tinctoria for, 2:175
 Adam's needle and thread (*Yucca filamentosa*), 4:46
 adaptive immune response, 5:29
 adaptogens
 for adrenal disorders, 3:46, 48, 53
 for allergies, 5:28
 for breast conditions, 3:142
 for colds, 5:170t
 for depression and anxiety, 4:95
 for hypothalamic-pituitary-adrenal axis support, 3:102
 for insomnia, 4:114
 for low libido, 3:151
 for mood disorders, 4:90
 for muscle weakness, 5:110
 overview, 3:3
 for panic disorder, 4:109
 for PTSD, 4:111
 for stress, 4:112
See also specific herbs
 addiction, 4:3–4
See also drug addiction
 Addison's disease, 3:46, 50–51, 53
See also adrenal insufficiency
 adenosine receptors, 4:120
adhatoda (*Justicia adhatoda*), 2:169
Adhatoda vasica (Malabar nut), 5:33t
Adiantum capillus-veneris (maidenhair fern), 1:215
 Adjuvant herbs. *See synergist herbs*
Adonis vernalis (pheasant's eye)
 for angina, 2:38
 specific indications, 2:89

- adrenal disorders
Avena sativa for, 3:55
Eleutherococcus senticosus for, 3:57, 93
Eschscholzia californica for, 3:57
 formulas for, 3:46–50
Ganoderma lucidum for, 3:58
Glycyrrhiza glabra for, 3:170
Humulus lupulus for, 3:171
Hypericum perforatum for, 3:59, 171
 overview, 3:25, 46–48
Panax ginseng for, 3:61, 96
Rhodiola rosea for, 3:176
Smilax ornata for, 3:98, 177
Vitex agnus-castus for, 3:63
Withania somnifera for, 3:63
 See also specific disorders
- adrenal dominance, 3:46
 adrenaline, 3:46
 adrenal insufficiency
 Glycyrrhiza glabra for, 3:53
 mechanisms of action for, 3:49
 overview, 3:46–48
 Panax ginseng for, 3:61
 See also Addison's disease
- adrenal-supporting herbs
 Dioscorea villosa as, 5:113, 136
 Eleutherococcus senticosus as, 5:136
 Glycyrrhiza glabra as, 5:90, 106, 111
 for lupus, 5:77
 for muscle weakness, 5:106t, 110–11, 111t
 Smilax ornata as, 5:94
 Withania somnifera as, 5:110
- adrenal virilism, 3:50
 aescin, 4:202
Aesculus hippocastanum (horse chestnut), 2:79
 alterative qualities, 1:27
 antispasmodic qualities, 1:135, 138t
 for digestive pain, 1:26
 formulas containing
 cardiopulmonary disease, 2:85
 endometriosis, 3:149
 esophageal disorders, 1:45
 hemorrhoids, 1:50; 4:198
 hyperlipidemia, 2:37
 muscle pain, 5:109
 pain, 4:172
 premenstrual backache, 4:196
 premenstrual syndrome, 3:128
 skin trauma, 1:174
 telangiectasias, 2:66
 throbbing pain, 4:200
 urinary colic, 1:139, 142
 urinary lithiasis, 1:140
 varicosities, 2:74, 75
 venous congestion, 2:76
 for hypertension, 2:44
 for menstrual cramps, 3:124
 for pain, 4:154, 166t, 170, 171t
 for renal failure, 1:154t
 for skin fissures, 1:235
- specific indications, 1:81, 101, 156; 2:89; 4:202; 5:132
 for uterine vascular congestion, 3:128
 for varicosities, 2:74
 for vascular pain, 4:200t
 for wound healing, 4:192t
- African geranium (*Pelargonium sidoides*), 2:131, 175
- African locust bean. See *Parkia biglobosa*
 (African locust bean)
- African plum tree. See *Prunus africana* (African plum tree)
- Agar-Agar "Jell-O" Squares, 3:85–86
- Agaricus* spp. (white button mushroom), 5:125
- Agaricus bisporus* (white button mushroom), 1:146, 149; 3:120
- Agathosma betulina* (buchu)
 formulas containing
 cystitis, 1:114
 prostatic diseases, 1:147
 pyelonephritis, 1:120
 irritant diuretic qualities, 1:109
 specific indications, 1:156
 for urinary conditions, 1:108, 114, 115, 116, 156
- Agave* spp., 5:128
- age spots, 1:222, 224, 246
- aging
 macular degeneration with, 5:158
 osteoporosis with, 5:124
 Reynoutria multiflora for, 2:102
 Schisandra chinensis for, 5:112, 141
 Withania somnifera for, 5:143
 See also elderly
- Agrimonia* spp.
 astringent qualities, 1:51, 52
 for IBD, 5:81
 for overactive bladder, 1:129
- Agrimonia eupatoria* (agrimony)
 astringent qualities, 1:54
 for benign prostatic hypertrophy, 1:147
- formulas containing
 benign prostatic hypertrophy, 3:164
 bladder cancer, 1:134
 gastritis and gastroenteritis, 1:62
 SIBO, 1:76
 urinary conditions, 1:115
 for fungal skin infections, 1:196, 197
- for pain, 4:166t
 specific indications, 1:156; 4:202–3
 for thick and cloudy urine, 1:116, 139
- Agrimonia pilosa* (agrimony)
 for benign prostatic hypertrophy, 1:147
 for bladder cancer, 1:132, 134
- agrimony. See *Agrimonia* spp.
- Agropyron* spp. See *Elymus repens* (couch grass)
- Aqua de Manzana (Apple Water), 3:87–88
- airway disorders, allergic
 Angelica sinensis for, 5:85
 Astragalus membranaceus for, 5:86
 Cordyceps sinensis for, 5:88
 Cornus officinalis for, 5:88
- Ephedra sinica* for, 5:89
 formulas for, 5:44–49
Ganoderma lucidum for, 5:90
Lobelia inflata for, 5:92
 See also hay fever
- airway inflammation
 Ammi visnaga for, 2:146
 Eucalyptus globulus for, 2:112
 herbs for, 2:144t, 149t
 Inula helenium for, 2:168
 Neopcrorhiza scrophulariiflora for, 2:154
 Ocimum sanctum for, 2:173
 Ophiopogon japonicus for, 2:174
 Picrorhiza kurroa for, 2:176
 Rheum palmatum for, 2:178
 rhonchi from, 2:118, 120
 Scutellaria baicalensis for, 2:150
 stimulating expectorants for, 2:131
 Syzygium aromaticum for, 2:181
 Tylophora asthmatica for, 2:183
 See also allergic rhinosinusitis; asthma;
 bronchitis; chronic obstructive pulmonary
 disorder (COPD); emphysema
- Ajuga forrestii* (ajuga), 5:80
- alafe chai (*Hypericum scabrum*), 4:71
- Albizia julibrissin* (silk tree, mimosa)
 for depression and anxiety, 4:101t, 103t
 for menopausal symptoms, 3:138t
 nervine qualities, 4:91
 serotonin-promoting qualities, 4:92
 specific indications, 2:157; 4:139
- Albizia lebbeck* (siris, lebbeck tree)
 antiallergic qualities, 5:33t
 bronchodilating properties, 2:108t
 mast-cell stabilizing effects, 2:144t; 5:31t
 for menopausal symptoms, 3:138t
 specific indications, 2:157
- albuminuria, 1:113, 153, 154t, 159, 165
- Alcea rosea* (hollyhock)
 aromatase inhibitors in, 1:146
 minerals in, 5:100t
 specific indications, 1:156
 for urinary lithiasis, 1:142
- Alchemilla vulgaris* (lady's mantle), 3:118, 120, 133
- alcohol abstinence
 formula for, 4:132
- Pueraria montana* var. *lobata* for, 4:150
- alcohol withdrawal seizures
 formulas for, 4:71, 132
 herbs for, 4:128
- alder. See *Alnus serrulata* (alder)
- alder buckthorn. See *Rhamnus frangula*
 (alder buckthorn)
- alfalfa. See *Medicago sativa* (alfalfa)
- alginate, 1:39, 42; 4:47
- Alisma orientale*. See *Alisma plantago-aquatica*
 (Asian Water Plantain)
- Alisma plantago-aquatica* (Asian water plantain)
 specific indications, 2:90
 for strokes, 2:65

- Alisma plantago-aquatica* subsp. *orientale*, 5:33t
 alkalinizing the urine, 1:114, 149–150
 alkylamides, 4:40
 allergens
 common, 5:28, 47, 53
 haptoins vs., 5:52
 allergic (eosinophilic) esophagitis, 1:44, 45
 allergic airway disorders. *See* airway disorders, allergic
 allergic dermatitis
 herbs for, 1:240, 242, 245
 protocol options, 1:188
 allergic hypersensitivity. *See* hypersensitivity
 immune response
 allergic rhinitis
 Allium cepa for, 5:85
 Angelica sinensis for, 5:192
 formulas for, 5:40, 42–43
 overview, 5:171
 Perilla frutescens for, 5:92
 Petasites hybridus for, 5:41, 93
 allergic rhinosinusitis
 Achillea millefolium for, 2:156
 Allium cepa for, 2:157
 Ammi visnaga for, 2:157
 Angelica dahurica for, 2:158
 Armoracia rusticana for, 2:159
 Cnidium monnieri for, 2:161
 Crataegus spp. for, 2:162
 Curcuma longa for, 2:162
 Eclipta prostrata for, 2:163
 Ephedra sinica for, 2:163–64
 Euphrasia officinalis for, 2:165
 Foeniculum vulgare for, 2:166
 formulas for, 2:127–130
 Inula helenium for, 2:168
 Juniperus communis for, 2:169
 Ligusticum striatum for, 2:169
 Linum usitatissimum for, 2:169
 Magnolia officinalis for, 2:171
 nebulized essential oils for, 2:137
 Oenothera biennis for, 2:173
 Ophiopogon japonicus for, 2:174
 overview, 2:127–28
 Pelargonium sidoides for, 2:175
 Picrorhiza kurroa for, 2:176
 Pinus pinaster for, 2:176
 Rosmarinus officinalis for, 2:179
 Scutellaria baicalensis for, 2:180
 Tanacetum parthenium for, 2:182
 Terminalia chebula for, 2:182
 Thymus vulgaris for, 2:182
 Tinospora cordifolia for, 2:182
 allergic skin conditions. *See* skin allergic conditions
 allergies
 Alstonia scholaris for, 2:157
 Andrographis paniculata for, 5:85
 Angelica dahurica for, 2:158
 Angelica sinensis for, 1:81, 238; 2:158; 3:90;
 5:85, 132
 Apis mellifica for, 5:85–86, 192
 Apium graveolens for, 5:86, 133
 Astragalus membranaceus for, 1:239; 3:84, 90;
 5:86, 193
 Avena sativa for, 5:86
 Azadirachta indica for, 2:160
 Bacopa monnieri for, 2:160
 Camellia sinensis for, 2:160; 5:86–87
 Centella asiatica for, 5:87
 Cnidium monnieri for, 5:87, 135
 Coleus forskohlii for, 2:177; 3:167; 5:88
 Commiphora mukul for, 5:88
 connection to skin health, 1:169
 Cordyceps sinensis for, 5:88
 Crataegus spp. for, 5:89, 136
 Curcuma longa for, 5:89
 definition of, 5:27
 Eleutherococcus senticosus for, 5:89
 Eugenia caryophyllata for, 5:89
 Euphorbia spp. for, 2:165
 Euphrasia officinalis for, 5:89, 196
 factors contributing to, 5:30
 Foeniculum vulgare for, 5:90
 Ginkgo biloba for, 3:58, 94; 5:90
 Glycyrrhiza glabra for, 5:90, 197
 Grifola frondosa for, 5:91
 guidelines for alleviating, 2:128
 herbs for, 1:33; 5:31, 32, 33–34t
 Hippophae rhamnoides for, 2:96
 with irritable bowel syndrome, 1:33
 leukotrienes, 5:35
 Ligusticum striatum for, 2:169
 Linum usitatissimum for, 2:169; 5:91
 Magnolia officinalis for, 4:145
 migraines and, 4:159
 Oenothera biennis for, 5:92
 overview, 5:27–28
 pain from, 4:174
 Perilla frutescens for, 2:175; 4:148; 5:45, 92
 Petasites hybridus for, 2:175; 5:93
 Petroselinum crispum for, 2:175
 Picrorhiza kurroa for, 1:246; 2:176; 5:93
 Pinus pinaster for, 2:176
 Rehmannia glutinosa for, 5:93
 role of mast cells and histamine, 5:31–32
 Rosmarinus officinalis for, 2:179
 Salvia miltiorrhiza for, 5:93
 schizophrenia with, 4:125
 Scutellaria baicalensis for, 1:247; 2:103, 180;
 4:215; 5:93, 141
 seasonal, 5:170
 skin conditions, 5:34–35
 Solidago canadensis for, 5:201
 Tanacetum parthenium for, 1:248; 2:182;
 4:216; 5:94, 142, 202
 treating with botanicals, 5:32, 34
 types of immune responses, 5:29
 understanding allergic disorders, 5:28–31
 urinary, 1:109
Urtica spp. for, 5:94
Vitis vinifera for, 2:184
Zingiber officinale for, 2:184; 5:94
See also airway disorders, allergic; food allergies and sensitivities; gastrointestinal hypersensitivity; oral allergic reactivity; urinary tract reactivity; vascular reactivity
Allium cepa (onion)
 allergies to, 5:43
 for altered breath sounds, 2:118
 antimicrobial qualities, 1:71
 for atherosclerosis, 2:32
 for burns, 1:173; 4:192–93
 for colds, 5:170t
 for CREST, 5:84
 for digestive pain, 1:26
 for ear pain, 4:175–76, 175t
 for eye conditions, 5:148
 fibrinolytic properties, 2:73
 formulas containing, 1:181–82; 2:117
 for headaches, 4:159
 for heavy metal neuropathy, 4:51
 for herpes simplex viral infections, 5:181
 histamine-blocking qualities, 5:32t
 for hypertension, 2:41
 hypoglycemic effects, 3:73, 89
 for interstitial cystitis, 1:123
 lipid-lowering effects, 3:82
 mast-cell stabilizing effects, 2:144t; 5:31t
 as medicinal food, 3:69
 for nasal polyps, 5:173
 for oral allergic reactivity, 5:50
 for otitis media, 5:159
 PAF inhibiting properties, 2:77
 for prostatitis, 1:151
 for respiratory allergies, 5:40
 for respiratory infections, 2:130
 specific indications, 1:156, 238; 2:157;
 3:89; 5:85
 sulfur donating qualities, 2:143
 for tuberculosis, 2:155
 for varicosities, 2:81
 for vascular support, 2:31, 34
 for wound healing, 1:181
Allium sativum (garlic), 1:122; 2:34; 5:43
 allergies to, 5:43
 for altered breath sounds, 2:118
 antimicrobial qualities, 1:56, 61, 71
 antiparasitic qualities, 1:54
 for arrhythmias, 2:55, 56
 for atherosclerosis, 2:32
 for bladder cancer, 1:132
 for bladder mucosal lesions, 1:123
 for cerebral vascular insufficiency, 2:62
 for colds, 5:170t
 for COPD, 2:148, 149t
 for cor pulmonale, 2:155
 for CREST, 5:84
 for cystitis and pyelonephritis, 1:116

- Allium sativum* (garlic) (*continued*)
- for dermatologic conditions, 1:170
 - for digestive pain, 1:26
 - for eye conditions, 5:147, 148
 - fibrinolytic properties, 2:73
 - formulas containing
 - adrenal disorders, 3:49
 - anginal coronary spasm, 4:201
 - arrhythmias, 2:53
 - asthma, 2:147
 - bladder cancer, 1:132, 134
 - bronchitis, 2:132, 133
 - cardiopulmonary disease, 2:85
 - colds, 5:169, 170, 171
 - COPD, 2:150, 151
 - CREST, 5:84
 - cystic fibrosis, 2:135
 - dental conditions, 5:177
 - depression and anxiety, 4:100
 - diarrhea, 1:54, 55
 - dry mouth, 5:185
 - endocarditis, 2:72
 - enteritis, 1:61
 - esophageal disorders, 1:45, 46
 - fungal skin infections, 1:195
 - gastroenteritis, 1:61
 - heavy metal detoxification, 4:51
 - hyperlipidemia, 2:35, 36, 37, 47
 - hypertension, 2:42, 44, 45, 46
 - hypothyroidism, 3:36
 - inflammatory bowel diseases, 5:80
 - labyrinthitis, 5:162
 - laryngitis, 5:190
 - menopausal cardiac symptoms, 3:141
 - metabolic conditions, 3:71
 - otitis media, 5:160, 161
 - peripheral vascular insufficiency, 2:58
 - pharyngitis, 5:189
 - phlebitis, 2:81
 - pleurisy, 2:139
 - pneumonia, 2:141, 142
 - polycystic ovarian syndrome, 3:145
 - prostatic diseases, 1:147
 - prostatitis, 1:151
 - renal failure, 1:155
 - respiratory allergies, 5:43
 - retinopathies, 5:157
 - skin infections, 1:177, 178, 179, 180
 - stomatitis and gingivitis, 5:182
 - upper respiratory infections, 2:119
 - venous congestion, 2:76
 - vertigo, 5:168
 - wound healing, 1:181
 - for fungal skin infections, 1:195, 196, 197
 - for hay fever, 5:17
 - for headaches, 4:159
 - for heavy metal neuropathy, 4:51
 - for herpes simplex viral infections, 5:181
 - for hyperlipidemia, 2:34, 35, 36, 37, 47
 - for hypertension, 2:41, 44, 46
 - hypoglycemic effects, 3:73
 - immunomodulating qualities, 1:78
 - for inflammatory bowel diseases, 5:79t
 - for interstitial cystitis, 1:122, 123, 126
 - lipid-lowering effects, 3:82
 - as medicinal food, 3:69
 - for nasal polyps, 5:173
 - for neurological conditions, 4:28
 - for opportunistic lung infections, 2:134
 - for oral allergic reactivity, 5:50
 - for otitis media, 5:159
 - PAF inhibiting properties, 2:77
 - pill form, 1:54
 - for pleurisy, 2:138
 - for polycystic ovarian syndrome, 3:145
 - for poor circulation, 2:58
 - preparation of cloves, 2:33
 - for prostatitis, 1:151
 - for pyelonephritis, 1:119
 - for renal failure, 1:152
 - for respiratory allergies, 5:40
 - for respiratory infections, 2:121, 130
 - for retinopathies, 5:156
 - for scabies, 1:198
 - for skin hypersensitivity, 1:232
 - specific indications, 1:81, 156, 238; 2:90, 157; 3:90; 5:85, 192
 - sulfur donating qualities, 2:143
 - sulfur in, 1:122
 - for throat pain, 5:191t
 - for tongue conditions, 5:178t
 - for tuberculosis, 2:155
 - for vaginitis, 3:105
 - for varicosities, 2:81
 - for vascular infections, 2:72
 - for vascular reactivity, 5:60
 - for vascular support, 2:31, 34
 - as warming stimulant, 3:21t
 - for warts, 1:199
 - for wound healing, 4:192t
 - all-purpose vascular support, 2:27–31
 - allyl isothiocyanate, 3:157
 - Alnus rubra* (red alder)
 - for dermatologic conditions, 1:171t
 - for fungal skin infections, 1:197
 - for hematuria, 1:115
 - for poison ivy/oak dermatitis, 1:203
 - Alnus serrulata* (alder), 1:237, 238
 - Aloe barbadensis* (aloe), 3:110
 - demulcent qualities, 1:19t; 3:21t
 - as irritant laxative, 1:47
 - specific indications, 4:75, 203; 5:132
 - topical uses, 3:110
 - Aloe vera* (aloe)
 - for bowel reactivity, 5:39t
 - for burning tongue syndrome, 5:182
 - for burns, 1:172
 - for contractures, 5:104
 - demulcent qualities, 3:21t
 - for dermatologic conditions, 1:171t, 191
 - for dry mouth, 5:185
 - for eye conditions, 5:147t
 - formulas containing
 - acne rosacea, 1:207
 - angioedema, 5:57
 - aphthous ulcers, 5:183
 - burns, 1:172
 - cold sores, 5:184
 - dry mouth, 5:186
 - esophageal disorders, 1:45
 - eye drops, 5:149
 - eye pain, 4:174
 - genital herpes, 3:111
 - GERD, 1:43
 - headaches, 4:165
 - Henoch-Schönlein purpura, 5:75
 - herpetic neuralgia, 4:41
 - inflammatory bowel diseases, 5:81
 - itching skin, 1:186
 - lichen planus, 1:212
 - oral allergic reactivity, 5:52
 - oral erythema multiforme, 5:187
 - oral pain, 4:176
 - shingles, 1:231; 4:182
 - Sjögren's syndrome, 5:69
 - skin fissures, 1:234
 - skin lesions, 5:55t
 - skin protection, 1:229
 - stomatitis and gingivitis, 5:183
 - vascular reactivity, 5:63
 - for GERD, 1:39, 43
 - glutamine in, 1:55
 - for Henoch-Schönlein purpura, 5:75
 - for herpetic neuralgia, 4:40
 - immunomodulating qualities, 1:78
 - for inflammatory bowel diseases, 1:34, 35
 - for lymphatic tissue protection, 2:83
 - for mouth conditions, 5:146
 - mucous-enhancing qualities, 1:64
 - for musculoskeletal trauma, 5:96
 - for oral allergic reactivity, 5:50
 - for pain, 4:154, 166t, 170t
 - for skin allergic conditions, 5:54t
 - for skin fissures, 1:234, 235
 - in smoothies, 1:35
 - specific indications, 1:81, 101, 238; 4:75, 203; 5:132, 192
 - for stomatitis, 5:50, 179
 - for tongue conditions, 5:178t
 - for topical skin products, 1:228
 - topical uses, 3:110
 - for traveler's diarrhea prevention, 1:53
 - for wound healing, 4:192t
 - alopecia
 - Camellia sinensis* for, 1:216, 218, 240
 - Capsicum annuum* for, 1:240
 - formulas for, 1:212–19
 - Hypericum perforatum* for, 1:244
 - alopecia areata, 1:213, 215
 - alpha-lipoic acid, 3:68; 4:154–55, 179

- Alpinia galanga* (Thai galanga)
 formulas containing
 fracture-related pain, 4:185
 tuberculosis, 2:156
 for neurogenic bladder, 1:127
 specific indications, 3:165; 4:203
- Alpinia officinarum*, 5:80
- Alstonia scholaris* (dita wood), 2:108t, 157
 alteratives
 for acne, 1:201
 for allergies, 5:32, 34
 for colds, 5:170t
 for constipation, 1:46, 48
 contraindications, 1:26, 31
 cooling remedies, 1:19t; 2:21t; 3:21t; 4:24t; 5:24t
 for depression and anxiety, 4:95–96
 for dermatologic conditions, 1:169
 for ear conditions, 5:159
 formula basics, 1:25, 90
 for gastroenteritis, 1:59
 for GERD, 1:39
 for halitosis, 1:50
 for hypertension and hyperlipidemia, 2:35
 importance of, 1:26
 for liver support, 1:89–90
 for malabsorption, 1:73
 for muscle pain, 5:105, 106t
 for otitis media, 5:159
 overview, 1:27; 3:3
 for poor circulation, 2:63
 for premenstrual syndrome, 3:125
 for reproductive endocrine conditions, 3:101–2
 role in formulas, 5:14, 16, 17
 role in treating respiratory conditions, 2:10
 for upper respiratory infections, 5:170t
 See also specific herbs
- altered breathing, 2:114–123
- Althaea officinalis* (marshmallow)
 for allergic pain in the gut, 5:39t
 antispasmodic qualities, 1:138t
 for bursitis and tendinitis, 5:102
 for cystitis and pyelonephritis, 1:116
 demulcent qualities, 1:24, 51; 5:34
 for dermatitis, 1:189
 for dry mouth, 5:185
 for dysuria, 1:116
 for enuresis, 1:131
 for eye conditions, 5:149t
 for eye injuries, 5:154
 formulas containing
 anorexia, 1:36, 38
 bladder pain, 4:199
 conjunctivitis, 5:150
 cystitis, 1:114; 4:199
 dry mouth, 5:186
 enuresis, 1:131
 GERD, 1:42
 interstitial cystitis, 1:123, 124
 neurogenic bladder, 1:127
 oral allergic reactivity, 5:51
- overactive bladder, 1:130
 Paget's disease, 5:130
 pyelonephritis, 1:119, 120
 scratchy throat, 5:191
 Sjögren's syndrome, 5:69
 tea for nursing mothers, 3:134
 throat pain, 4:178
 ulcers, 1:66
 urinary colic, 1:138
 urinary conditions, 1:111, 115
 urinary tract infections, 3:136
 vaginitis, 3:106, 107
 for GERD, 1:39, 42
 for hot symptoms, 1:13
 for interstitial cystitis, 1:126
 for malabsorption, 1:73
 mucous-enhancing qualities, 1:64
 for oral allergic reactivity, 5:50
 osmotic diuretic qualities, 1:109
 for pain, 4:154
 for prostatitis, 1:151
 for pyelonephritis, 1:119, 120
 for pyuria, 1:115
 specific indications, 1:156; 2:157
 for stomatitis, 5:50, 179
 for urinary conditions, 1:108, 111, 114–15, 136
 alveolar osteitis, *Aloe vera* for, 5:132
- Alzheimer's disease
Bacopa monnieri for, 4:76
 bee-venom therapy for, 4:75
 caffeine for, 4:120
Crocus sativus for, 4:78
Erigeron brevifolius for, 4:79
Huperzia serrata for, 4:81
Leonurus cardiaca for, 4:145
 memory improvement formula for, 4:56
 molecular strategies, 4:29
 overview, 4:28, 52
Panax ginseng for, 4:84
Salvia miltiorrhiza for, 4:151
Valeriana officinalis for, 4:87
See also dementia
- amala. *See Phyllanthus emblica* (amlaki, amalaki, Indian gooseberry)
- Amanita muscaria* (fly agaric mushroom)
 formulas containing, 4:35, 182
 for muscle pain, 4:183t
 for peripheral neuropathy, 4:43t
 specific indications, 4:203
- amenorrhea
Avena sativa for, 3:166
Commiphora Mukul for, 3:168
Corydalis yanhusuo for, 3:168
 formulas for, 3:122–23
Glycyrrhiza glabra for, 3:170
 herbs for, 3:115, 122
Leonurus cardiaca for, 3:172
Matricaria chamomilla for, 3:173
Petroselinum crispum for, 3:174
 types and causes of, 3:116
- Verbena* spp. for, 3:179
Viburnum spp. for, 3:180
Vitex agnus-castus for, 3:180
- American Association of Naturopathic Physicians, 5:1
- American Institute for Homeopathy, 5:2
- American linden, American basswood (*Tilia americana*), 4:86–87
- American Medical Association (AMA), 5:2, 3
- American wild mint (*Mentha canadensis*), 5:80
- amino acids, 4:50, 51, 118
- amiodarone, 3:41
- amlaki. *See Phyllanthus emblica* (amlaki, amalaki, Indian gooseberry)
- Ammi visnaga* (khella, bishop's weed), 2:146
 for airway inflammation, 2:146
 for allergies, 5:62, 62
 for altered breath sounds, 2:118
 for angina, 2:38
 antispasmodic qualities, 1:135, 138t
 for enuresis, 1:131
 formulas containing
 allergic airway disorders, 5:49
 asthma, 2:145, 146, 147
 cardiopulmonary disease, 2:85
 coughs, 2:119
 dyspnea, 2:125
 hyperthyroidism, 3:44
 lower urinary epithelial dysfunction, 1:125
 overactive bladder, 1:129
 pigmentation disorders, 1:226
 renal colic, 4:199
 respiratory allergies, 5:43
 urinary colic, 1:139
 urinary tract reactivity, 5:57
- for hyperlipidemia, 2:34
- for hypertension, 2:46
- for interstitial cystitis, 1:123
- for itching skin, 1:187
- khellin in, 3:41; 5:46
- as mast cell stabilizer, 2:144t
- mast-cell stabilizing effects, 5:31t
- for multiple sclerosis, 5:82
- for overactive bladder, 1:129
- photosensitizing qualities, 1:225, 238
- for skin allergic conditions, 5:54t
- specific indications, 1:156–57, 238; 2:90, 157–58; 5:85
- for urinary colic, 1:139
- for urinary tract reactivity, 5:58
- for vascular support, 2:29
- amoebic dysentery, 1:54, 81, 102
- amphetamine cessation
Cannabis sativa for, 4:140
 formula for, 4:135
Lobelia inflata for, 4:133–34
- amrita. *See Tinospora cordifolia* (guduchi, amrita)
- Amur cork tree. *See Phellodendron amurense*
 (Amur cork tree)
- amyloidosis, *Colchicum autumnale* for, 5:73, 88

- anabasine, 4:83
- anal fissures
Atropa belladonna for, 1:82
Collinsonia canadensis for, 1:83
herbs for, 1:235
Hydrastis canadensis for, 1:85, 235, 244
- Ananas comosus* (pineapple)
anti-inflammatory qualities, 4:75; 5:97
bromelain from, 4:195; 5:108
fibrinolytic properties, 2:73
in juice cleanses, 5:117
for peripheral neuropathy, 4:43t
specific indications, 2:158; 5:132
for varicosities, 2:81
for vascular support, 2:31
- atabrine, 4:83
- Anderson, Paul, 5:5
- androgenetic alopecia (AGA), 1:212–13, 217–18
androgen-promoting herbs, for low libido, 3:152–53
- androgen receptors, 3:154–55
- Andrographis paniculata* (king of bitters)
for bladder cancer, 1:132
for COPD, 2:149t
for cystitis and pyelonephritis, 1:116
for eye conditions, 5:147
formulas containing
autoimmune disorders, 5:68, 122
Bell's palsy, 4:37
bladder cancer, 1:134
COPD, 2:150, 151
cor pulmonale, 2:155
cystitis, 1:114
diabetes, 3:71
enteritis, 1:61
fungal skin infections, 1:195
gastrointestinal hypersensitivity, 5:37
genital herpes, 3:110
herpetic neuralgia, 4:40
inflammatory bowel diseases, 1:35; 5:80
multiple sclerosis, 5:83
pelvic inflammatory disease, 3:108, 109
prostatitis, 1:151
PTSD, 4:113
pyelonephritis, 1:120
skin infections, 1:178
thyroiditis, 3:30
for hepatitis, 1:94t
for human papillomavirus, 3:113
for hypertension, 2:42
immune modulating properties, 2:23
for inflammatory bowel diseases, 1:34; 5:79t
for lithotripsy recovery, 1:138, 157
for liver support, 1:89
for multiple sclerosis, 5:82
for otitis media, 5:159
for pelvic inflammatory disease, 3:108
for sinusitis, 5:171
specific indications, 1:101, 157, 238; 2:158; 3:54, 90; 5:85, 132
for thyroiditis, 3:31
for urinary conditions, 1:114
for vascular infections, 2:72
- andropause, *Lepidium meyenii* for, 4:145
- anemarrhena. *See Anemarrhena asphodeloides* (zhi mu)
- Anemarrhena asphodeloides* (zhi mu), 1:34; 5:32t
anemia
Arctium lappa for, 2:90
Camellia sinensis for, 2:91
dyspnea with, 2:124
formulas for, 2:68–70
Mentha pulegium for, 2:99
overview, 2:68
Paeonia spp. for, 1:86, 105
Stellaria media for, 2:104
Terminalia arjuna for, 2:104
- Anemone pratensis* (small pasque flower, true meadow anemone, mall meadow anemone), 4:199
- Anemone pulsatilla* (pulsatilla, pasque flower)
for depression and anxiety, 4:101t
formulas containing
eye pain, 4:174
panic disorder, 4:109
for pain, 4:154
for panic disorder, 4:109
specific indications, 4:139, 203
as uterine sedative, 3:124
- anemonin, 4:139
- Anemopsis californica* (yerba mansa), 2:158; 4:176
- Anethum graveolens* (dill), 2:29
- Angelica* spp.
for atherosclerosis, 2:32
for enuresis, 1:131
for erectile dysfunction, 3:15, 16, 161
for hormonal support, 3:137
for hypertension, 2:46
for overactive bladder, 1:128, 129
for renal failure, 1:152
for urinary conditions, 1:115
for vascular support, 2:29
- Angelica archangelica* (garden angelica)
for epilepsy and seizural disorders, 4:67
formulas containing
anorexia, 1:37
arrhythmias, 2:56
dyspepsia, 1:29–30
gastroparesis, 1:77
irritable bowel syndrome, 1:31
venous congestion, 2:80
- Angelica dahurica* (bai zhi), 2:144t, 158
- Angelica sinensis* (dong quai), 2:59; 4:173; 5:61
for allergies, 1:33; 5:33t, 39t, 62
antifibrotic qualities, 1:91
antispasmodic qualities, 1:135, 138t
for arrhythmias, 2:55
- Astragalus membranaceus* combined with, 5:86
for atherosclerosis, 2:32
for autoimmune disorders, 5:65
for Behçet's disease, 5:74
blood moving qualities, 5:61, 85
cardiovascular benefits, 2:59
for congestive heart failure, 2:48t
for cystic fibrosis, 2:135
for depression, 4:103t
for dermatologic conditions, 1:169, 238
for digestive pain, 1:26
for epilepsy and seizural disorders, 4:67
for eye conditions, 5:149t
flavonoids in, 2:33
formulas containing
acne rosacea, 1:205
alcohol abstinence, 4:132
allergic airway disorders, 5:49
alopecia, 1:218
amenorrhea, 3:122, 123
angina, 2:38, 39
arthritic pain, 4:185
arthritis, 5:122
asthma, 2:145
autoimmune disorders, 5:66
biliousness, 4:105
chest pain, 4:193
congestive heart failure, 2:50
contact dermatitis, 5:54
coronary artery disease, 2:40
dementia, 4:57
dermatitis, 1:183, 184, 192
endocarditis, 2:72
endometriosis, 3:149
enuresis, 1:131
esophageal disorders, 1:45
food allergies, 5:40
fracture-related pain, 4:184
frostbite, 1:237
gastrointestinal hypersensitivity, 5:39
goiter, 3:33
gout, 5:123, 124
headaches, 4:164, 165
hepatitis, 1:92, 95
hormone-related infertility, 3:130
hyperhidrosis, 1:226
hyperlipidemia, 2:37
hypertension, 2:44, 45
hyperthyroidism, 3:44
inflammatory bowel diseases, 5:80
insomnia, 4:115
irritable bowel syndrome, 1:33
itching skin, 1:186
lower urinary epithelial dysfunction, 1:125
lupus, 5:77, 78
macular degeneration, 5:158
menopausal symptoms, 3:139
menopause-related hypertension, 3:141
menorrhagia, 3:119
menstrual cramps, 3:117, 124
multiple sclerosis, 5:83

- Angelica sinensis* (dong quai) (*continued*)
- muscle pain, 5:109
 - neurogenic bladder, 1:127
 - oral allergic reactivity, 5:50
 - ovarian cysts, 3:144
 - overactive bladder, 1:130
 - pain, 4:172
 - pancreatitis, 1:70
 - Parkinson's disease, 4:61
 - pelvic inflammatory disease, 3:108
 - pemphigus support, 1:221
 - peripheral vascular insufficiency, 2:58, 61
 - phlebitis, 2:81
 - pigmentation disorders, 1:226
 - premenstrual symptoms, 3:126, 128, 129; 4:195, 196
 - psoriasis, 1:210, 211
 - Raynaud's syndrome, 2:67
 - renal failure, 1:154, 155
 - retinopathies, 5:157
 - schizophrenia, 4:125
 - skeletal fractures and bone injuries, 5:101
 - skin protection, 1:228
 - urinary conditions, 1:111, 112, 118
 - urinary lithiasis, 1:140
 - urinary tract reactivity, 5:57
 - vaginitis, 3:107
 - varicosities, 2:75
 - vascular damage, 3:74
 - vascular reactivity, 5:60, 62
 - vascular support, 2:27, 29, 30; 3:78
 - vasculitis, 2:82
 - venous congestion, 2:76
 - vertigo, 5:166
 - for fracture healing, 5:100
 - GABAergic qualities, 4:110
 - for gingivitis, 5:184, 185
 - for gout, 5:123
 - for headaches, 4:159, 173
 - for hepatitis, 1:90
 - for hormone-related infertility, 3:129, 131t
 - for hypertension, 2:42, 44, 45
 - for inflammatory bowel diseases, 5:79t
 - for itching skin, 1:185, 187
 - for neurogenic bladder, 1:126, 127
 - PAF inhibiting properties, 2:77
 - for pain, 4:154, 166t, 171t, 173
 - for poor circulation, 2:58
 - for premenstrual syndrome, 3:125
 - for renal failure, 1:153, 154t
 - for retinopathies, 5:156
 - for skin allergic conditions, 5:54t
 - for skin eruptions, 1:190
 - for skin infections, 1:183
 - specific indications, 1:81, 157, 238; 2:90, 158; 3:90, 165–66; 4:203; 5:85, 132–33, 192
 - for stasis ulcers, 2:60
 - for strokes, 2:65
 - for urinary tract reactivity, 5:58
 - as uterine sedative, 3:124
 - as uterine tonic, 3:119
 - for uterine vascular congestion, 3:128
 - for varicosities, 2:74, 81
 - for vascular headaches, 2:27
 - for vascular pain, 4:200t
 - for vascular reactivity, 5:60
 - for vascular support, 2:27, 29, 30
 - Angell, Marcia, 5:1, 2
 - angitis. *See* vasculitis
 - angina
 - Alpinia galanga* for, 4:203
 - Ammi visnaga* for, 2:90
 - Angelica sinensis* for, 2:90
 - Ardisia japonica* for, 2:158
 - Arnica montana* for, 2:91
 - Asclepius tuberosa* for, 2:159
 - Bryonia dioica* for, 2:160
 - Cinnamomum camphora* for, 2:161
 - Eupatorium perfoliatum* for, 2:165
 - formulas for, 2:38; 4:200t
 - herbs for, 2:38; 4:200t
 - Iris versicolor* for, 2:168
 - Lobelia inflata* for, 2:98; 4:211
 - nitroglycerin patches for, 2:113
 - overview, 2:38
 - Petasites hybridus* for, 2:175
 - Pueraria montana* var. *lobata* for, 2:101
 - Terminalia arjuna* for, 2:104
 - Viscum album* for, 2:106
 - anginal coronary spasm, formula for, 4:201
 - angioedema
 - Astragalus membranaceus* for, 5:86
 - Eugenia caryophyllata* for, 5:89
 - formulas for, 5:57
 - overview, 5:56–57
 - Urtica* spp. for, 5:94
 - angiotensin-converting enzyme (ACE), 1:41, 107
 - angiotensin I and II, 1:107, 110, 152
 - animal studies on herbal medicines, 3:1
 - anise. *See* *Pimpinella anisum* (anise)
 - an lu (*Artemisia keiskeana*), 2:144t
 - anorexia
 - formulas for, 1:36–39, 38
 - Gentiana lutea* for, 1:84
 - Hydrastis canadensis* for, 1:104
 - Morella cerifera* for, 1:86, 105
 - Rumex crispus* for, 1:105
 - Syzygium aromaticum* for, 1:248
 - Taraxacum officinale* for, 1:106
 - anovulatory cycles, formula for, 3:123
 - anthocyanidins, 3:72, 157
 - anthocyanins, 4:28, 50
 - Anthoxanthum odoratum* (sweet vernal grass), 2:79, 90
 - antiallergy herbs
 - actions of, 5:28, 32, 33–34t
 - for conjunctivitis, 5:149
 - for eye, ear, nose, mouth, and throat conditions, 5:145
 - for hay fever, 5:42, 159
 - for muscle pain, 5:106t
 - for nasal polyps, 5:172
 - for otitis externa, 5:162–63
 - for otitis media, 5:159
 - See also* specific herbs
 - anticoagulants, herbal, 2:73, 79, 80
 - Antifungal House-Cleaning Spray, 5:36
 - antihistamines
 - botanical, 5:32, 32t
 - pharmaceutical, 5:31–32
 - Tripterygium* powder, 4:189
 - anti-inflammatories
 - for allergies, 5:33–34t
 - antispasmodic herbs vs., 5:97
 - for arthritis, 5:113–14, 117
 - for bowel reactivity, 5:37
 - for bursitis and tendinitis, 5:102
 - for conjunctivitis, 5:148, 149
 - for CREST, 5:84
 - for dental conditions, 5:176, 177
 - for diarrhea, 1:51
 - for epilepsy and seizure disorders, 4:67
 - for gastroenteritis, 1:59
 - for itching, 5:54
 - for mood disorders, 4:91
 - for multiple sclerosis, 5:83
 - for muscle pain, 5:106, 108, 109
 - for musculoskeletal and connective tissue, 5:96, 97, 121
 - for myositis, 5:70
 - for neuralgia, 4:34
 - for neurological conditions, 4:27, 28
 - for opiate addiction, 4:128
 - for osteitis deformans, 5:130
 - for otitis externa, 5:162
 - for otitis media, 5:161
 - overview, 1:12
 - for pain, 4:156
 - for pancreatic diseases, 1:68
 - for peripheral neuropathy, 4:43t
 - for trigeminal neuralgia, 4:37
 - for ulcers, 1:62–63
 - for vasculitis, 5:62
 - See also* inflammation; specific herbs
 - Anti-Inflammatory Smoothie, 4:173
 - antimicrobials
 - for diarrhea, 1:51, 52, 53, 54
 - for diverticulitis and diverticulosis, 1:71
 - for gastroenteritis, 1:59, 60, 61
 - in gastrointestinal formulas, 1:24, 39
 - for *Helicobacter pylori* infections, 1:43
 - liver and gallbladder formula basics, 1:91
 - for neurogenic bladder, 1:126
 - for pancreatic diseases, 1:68
 - seeds and spices, 1:56
 - for ulcers, 1:62
 - for urinary conditions, 1:108–9, 114, 116
 - warming and cooling, 1:19t; 2:21t; 3:21t; 4:23t, 24t; 5:23t, 24t
 - See also* infections

- antinuclear antibody tests, 5:64
 antioxidants
 in beets, 5:129
 for bowel reactivity, 5:39t
Camellia sinensis as, 5:86–87, 194
 for cataracts, 5:152
Crataegus oxyacantha as, 5:195
Curcuma longa as, 5:89, 121, 195
Fucus vesiculosus as, 5:90
 for multiple sclerosis, 5:82, 83
 for otitis media, 5:159
Pinus pinaster as, 5:139
Schisandra chinensis as, 5:112
Vaccinium myrtillus as, 5:143, 203
 antipruritics, topical, 5:54
 See also itching skin
 antispasmodics
 anti-inflammatory herbs vs., 5:97
 biliary, 1:90–91
 as category of action, 1:11–12
 for explosive diarrhea, 1:24, 56
 gastrointestinal formula basics, 1:24–25
 for muscle spasms and myalgia, 5:105,
 106t, 109
 for overactive bladder, 1:129
 role in formulas, 5:16, 97
 urinary, 1:135, 138t
 See also specific herbs
 antitussives, herbal, 2:117
 See also coughs
 anuria
 definition of, 1:152
 formulas for, 1:111, 155
Petroselinum crispum for, 1:163
Solidago canadensis for, 1:111, 165
 anxiety
 Aconitum napellus for, 4:181
 Actaea racemosa for, 2:157; 3:165
 actions of formulas for, 4:16
 Albizia julibrissin for, 4:139
 Albizia lebbeck for, 2:157
 Cannabis sativa for, 4:140
 definition of, 4:99
 dual diagnosis, 4:3
 with dyspnea, 2:125
Elaeocarpus serratus for, 2:163
 energetic considerations, 4:17
Eschscholzia californica for, 2:95; 3:57, 169;
 4:142
 formula for, 3:48
Gelsemium sempervirens for, 4:143, 209
Glycyrrhiza glabra for, 4:143
 herbal specifics for, 4:101t
Humulus lupulus for, 3:171; 4:143, 209
Hypericum perforatum for, 3:2, 171
 hyperventilation with, 2:140
 increasing use of psychiatric medications
 for, 4:2
Jasminum grandiflorum for, 4:144
Lavandula spp. for, 2:97; 4:82, 144
Leonurus cardiaca for, 3:59, 172; 4:145
Lepidium meyenii for, 4:145
Lycopus virginicus for, 3:172
Magnolia officinalis for, 4:145
Matricaria chamomilla for, 3:173; 4:146, 211
Melissa officinalis for, 2:99, 172; 3:60, 173; 4:82
 menopause-related, 3:138–39
 monoamine hypothesis, 4:3
Nelumbo nucifera for, 4:147
Nepeta cataria for, 2:173
Ocimum tenuiflorum for, 4:148, 212
Panax ginseng for, 4:148
Passiflora spp. for, 2:175; 4:148
Piper methysticum for, 3:175; 4:149, 213
 potential ayahuasca benefits, 4:138
Rauvolfia serpentina for, 4:150
Rhodiola rosea for, 4:151
Schisandra chinensis for, 4:151
Scutellaria lateriflora for, 3:177; 4:151
Tilia × europaea for, 2:105
 tonics for, 3:48
Turnera diffusa for, 3:179
Valeriana officinalis for, 3:62; 4:152, 217
Verbena spp. for, 3:179
Vitex agnus-castus for, 3:63
Withania somnifera for, 2:184; 3:63
 working with anxious patients, 4:99
Ziziphus jujuba for, 4:152
 See also depression and anxiety;
 panic disorder
 apamin, 4:63, 75
 aphrodisiacs
 Eurycoma longifolia, 3:169
 “sexy” herbs, 3:152–53
 tea and bath ritual, 3:153–54
 tincture, 3:154
Turnera diffusa, 3:153, 179
 See also libido, low; sexual function
 aphthous ulcers
 Echinacea purpurea for, 5:196
 formulas for, 5:183, 184
Glycyrrhiza glabra for, 5:90, 197
 mouthwash for, 4:177
 overview, 5:180
 Apiaceae herbs
 for allergies, 5:52, 62
 antispasmodic qualities, 1:135
 for arrhythmias, 2:56
 for atherosclerosis, 2:32
 coumarins in, 2:78
 for hyperlipidemia, 2:34
 PAF inhibiting properties, 2:77
 photosensitizing qualities, 1:225
 for psoriasis, 1:210
 seeds from, 2:29
 for urinary tract reactivity, 5:58
 apigenin, 2:113; 3:157; 5:77
 apiol, 4:75
Apis mellifica (honey bee)
 for bites and stings, 1:171t
 for burns, 1:173t
 for cramping pain in the bladder, 1:124
 for dermatologic conditions, 1:171t, 191
 for eye conditions, 5:147t
 for eye injuries, 5:154
 formulas containing, 4:188, 189; 5:57
 for pain, 4:170t
 for painful itching, 4:189t
 for skin allergic conditions, 5:54t
 specific indications, 4:75; 5:85–86, 192–93
 apitherapy, 4:63–64, 75; 5:86, 192–93
 Apitox, 5:86
 apitoxin, 5:86
Apium graveolens (celery)
 antimicrobial qualities, 1:53
 antispasmodic qualities, 1:135, 138t
 for arthritis, 5:114
 bronchodilating qualities, 5:62
 for connective tissue support, 5:105
 for crawling and tingling sensations, 1:232
 for depression and anxiety, 4:101t
 for dermatitis, 1:188
 for dermatologic conditions, 1:171t
 diuretic qualities, 1:112; 3:21t; 5:123
 formulas containing
 arrhythmias, 2:56
 arthritis, 5:119
 asthma, 5:47
 cerebral vascular insufficiency, 2:65
 contact dermatitis, 5:55
 gout, 5:124
 hyperlipidemia, 2:35
 hypertension, 2:42
 interstitial cystitis, 1:124
 muscle weakness, 5:111
 osteoarthritis, 5:116
 Paget's disease, 5:130
 skin pain, 4:190
 urinary colic, 1:139, 142
 urinary lithiasis, 1:140
 urinary tract reactivity, 5:57, 59
 for heavy metal neuropathy, 4:50
 for hyperlipidemia, 2:34, 35
 for hypertension, 2:42, 46
 for itching skin, 1:185, 187
 in juice cleanses, 5:117
 for migraines, 4:173
 for neuralgia, 4:34
 for painful itching, 4:189t
 for prostatitis, 1:151
 for renal failure, 1:154t
 for skin allergic conditions, 5:54t
 for skin fissures, 1:235
 for skin hypersensitivity, 1:232
 for skin ulcers, 1:231
 specific indications, 1:157, 238; 2:90, 158;
 4:75–76; 5:86, 133
 for urinary tract reactivity, 5:58
 for vascular support, 2:29, 31

- Apocynum cannabinum* (dogbane)
 cardiac glycosides from, 2:49
 for congestive heart failure, 2:48
 formulas containing
 congestive heart failure, 2:50
 endocarditis, 2:72
 muscle pain, 5:109
 for pyelonephritis, 1:120t
 for renal failure, 1:154t
 specific indications, 1:157; 2:90
 for urinary retention, 1:142
apomorphine, 4:129–130, 147–48
aporphine alkaloids
 in *Actaea racemosa*, 4:100, 139
 in *Eschscholzia californica*, 4:79
 in *Nelumbo nucifera*, 4:129, 147
 in *Nymphaea noucuali* var. *caerulea*, 4:147–48
 appendicitis, 1:67–68, 84
 appetite, lack of. *See* anorexia
 appetite, observing, 1:9; 2:11; 3:11
 appetite stimulants
 Gentiana lutea, 1:84
 Rumex acetosella, 1:87
 Syzygium aromaticum, 1:88
 Zanthoxylum clava-herculis, 1:88
 apple. *See* *Malus domestica* (apple)
 apple pectin
 in Apple Pectin Truffles, 1:49
 fiber from, 1:76
 health benefits, 2:39
 hypolipidemic properties, 2:99
 for leaky gut, 1:79
 in smoothies, 1:35, 47
Apple Water (Agua de Manzana), 3:87–88
 Arabian jasmine (*Jasminum sambac*), 3:153
Arachis hypogaea (peanut), 2:31
 arbutin
 in *Arctostaphylos uva ursi*, 1:114, 157, 207, 223
 in *Chimaphila umbellata*, 1:159
 for hyperpigmentation, 1:222
 arctic rose. *See* *Rhodiola rosea* (arctic rose)
Arctium lappa (burdock)
 for allergies, 5:34
 alterative qualities, 1:25, 27, 46, 47, 48, 90;
 3:21t
 for anxiety, 4:17; 5:17
 for arthritis, 5:115
 for dermatologic conditions, 1:169
 for dysuria, 1:116
 for eye conditions, 5:147
 formulas containing
 acne, 1:202, 203
 arthritis, 5:120
 dermatitis, 1:184
 diabetes, 3:74
 eczema, 1:184
 hepatitis, 1:93
 hyperhidrosis, 1:227
 premenstrual acne, 3:129
 vascular support, 2:27
 for GERD, 1:39
 for halitosis, 1:50
 iron in, 2:70
 for liver support, 1:90
 for malabsorption, 1:73, 74
 for muscle pain and spasms, 5:105
 for pain, 4:166t
 for premenstrual syndrome, 3:125
 for renal failure, 1:154t
 for restless insomnia, 1:15; 2:17; 3:18;
 4:20; 5:20
 specific indications, 1:81, 101, 157, 239;
 2:90; 3:54, 90, 166
 for urinary lithiasis, 1:137
 for vascular support, 2:27, 35
Arctopus echinatus (flat thorn), 4:110
Arctostaphylos uva ursi (uva ursi), 4:154
 arbutin in, 1:222
 for cramping pain in the bladder, 1:124
 for cystitis and pyelonephritis, 1:116
 diuretic qualities, 1:112
 for dysuria, 1:116
 formulas containing
 acne rosacea, 1:207
 cystitis, 1:114
 neurogenic bladder, 1:127
 pigmentation disorders, 1:223
 prostatic diseases, 1:147
 pyelonephritis, 1:119
 urinary conditions, 1:116
 for prostatitis, 1:151
 for pyuria, 1:115
 specific indications, 1:157, 239
 for urinary conditions, 1:108, 114, 116
Ardisia japonica (marlberry)
 formulas containing, 2:153
 specific indications, 2:158
 ARDS. *See* acute respiratory distress syndrome (ARDS)
Argania spinosa (argan tree), 5:48, 133
arjuna. *See* *Terminalia spp.*
Armillaria fungus (gastroidia mushroom), 2:95
Armoracia rusticana (horseradish)
 for altered breath sounds, 2:118
 for arthritis, 5:117
 for colds, 5:170t
 as counterirritant, 2:132
 for cystitis and pyelonephritis, 1:116
 formulas containing
 allergic rhinosinusitis, 2:128
 colds, 5:169, 171
 coughs, 2:117
 cystic fibrosis, 2:135
 dry mouth, 5:185
 emphysema, 2:137
 nasal polyps, 5:173
 respiratory allergies, 5:44
 sinusitis, 5:172
 sinus pain, 4:177
 stridor, 2:121
 for hay fever, 5:17, 42
 for nasal polyps, 5:173
 for nerve pain, 4:180t
 for peripheral neuropathy, 4:46
 for renal failure, 1:154t
 for sinusitis, 5:171
 specific indications, 1:158; 2:158–59; 5:193
 for thick and cloudy urine, 1:139
 for throat pain, 5:191t
 for urinary conditions, 1:114
 as warming stimulant, 3:21t
Arnica montana (leopard's bane)
 for angina, 2:38
 anti-inflammatory qualities, 5:97
 for bruising, 2:66
 for cramping pain in the bladder, 1:124
 for dental procedures, 5:146
 for depression and anxiety, 4:101t
 for dysuria, 1:116
 for eye conditions, 5:147t
 for eye injuries, 5:154
 formulas containing
 angina, 2:38
 bursitis and tendinitis, 5:103
 carpal tunnel syndrome, 4:48
 costochondritis, 2:123
 head injury-related seizures, 4:72
 muscle pain, 5:109
 musculoskeletal trauma, 5:96
 pain, 4:187
 sprains and strains, 4:186
 traumatic brain injury, 4:55
 for hematuria, 1:115
 for muscle pain, 4:183t, 204
 for musculoskeletal trauma, 5:96, 98
 for nerve pain, 4:180t
 for neuralgia, 4:34
 for pain, 4:154, 170t, 171t
 for peripheral neuropathy, 4:43t
 safety concerns, 4:204
 specific indications, 1:158, 239; 2:90–91;
 4:76, 203–4; 5:133, 193
 for throat pain, 5:191t
 for wound healing, 4:192t
 aromatase inhibitors, 1:143, 146, 156, 158, 216;
 3:120t
 aromatase promoters, 1:216
 aromatherapy
 for depression and anxiety, 4:102–4
 for epilepsy and seizural disorders,
 4:66–67, 72–73
 arrhythmias
 Adonis vernalis for, 2:89
 Convallaria majalis for, 2:93
 Crataegus spp. for, 2:93
 Digitalis purpurea for, 2:94
 formulas for, 2:52–57; 3:140–41
 herbs for, 2:55, 56–57; 3:41
 Leonurus cardiaca for, 2:98; 3:139
 Lycopus virginicus for, 2:98; 3:172

- arrhythmias (*continued*)
Melissa officinalis for, 3:60
 overview, 2:52–53
Rauvolfia serpentina for, 3:61
Viscum album for, 2:106
- Artemisia* spp.
 antimicrobial and astringent qualities, 1:51
 in Digestive Vinegar, 1:74
 in Fire Cider, 1:37
 formulas containing, 1:37
 for halitosis, 1:50
 for malabsorption, 1:73
 for urinary conditions, 1:114
- Artemisia abrotanum* (southernwood), 3:128
- Artemisia absinthium* (wormwood)
 antiparasitic qualities, 1:54
 for cystitis and pyelonephritis, 1:116
 as emmenagogue, 3:128
 for epilepsy and seizure disorders, 4:66
 formulas containing
 anorexia, 1:37, 38
 biliary insufficiency, 1:98
 diarrhea, 1:53, 55
 dyspepsia, 1:28–29
 gastritis and gastroenteritis, 1:61
 gastrointestinal bleeding, 1:67
 Helicobacter pylori infections, 1:65
 inflammatory bowel diseases, 1:35; 5:80
 malabsorption, 1:73
 SIBO, 1:76
 for inflammatory bowel diseases, 1:34; 5:79t
 for malabsorption, 1:74
 safety concerns, 5:193
 for schistosomiasis, 1:119
 for smoking cessation, 4:133
 specific indications, 1:81; 5:193
 for tongue conditions, 5:178t
- Artemisia afra* (wild artemisia), 4:110
- Artemisia annua* (sweet Annie)
 antimicrobial qualities, 1:61
 antiparasitic qualities, 1:54
 artemisinin in, 2:159; 5:77
 for exophthalmia, 3:45
 formulas containing, 1:74, 154
 for hepatitis, 1:90
 specific indications, 1:81, 102; 2:159; 3:54
 for thyroditis, 3:31
- Artemisia asiatica* (Indian wormwood), 5:32t
- Artemisia caerulescens* (artemisia), 2:108t
- Artemisia capillaris* (capillary wormwood), 1:90, 92, 102
- Artemisia dracunculus* (tarragon), 4:204
- Artemisia keiskeana* (an lu), 2:144t
- Artemisia scoparia* (redstem wormwood), 1:92
- Artemisia vulgaris* (mugwort)
 antimicrobial qualities, 1:61
 antiparasitic qualities, 1:54
 as emmenagogue, 3:128
 iron in, 2:70
 specific indications, 1:81, 102–3
- artemisinin
 in *Artemisia annua*, 2:159; 5:77
 artesunate from, 5:77
 immunomodulating qualities, 4:204
 inclusion in FDA's category 1 list, 5:4
 specific indications, 3:54
 for thyroditis, 3:30
 for tuberculosis, 2:155, 156, 159
 arterial insufficiency. *See* vascular insufficiency
- arteritis. *See* vasculitis
- arteresunate
 for hepatitis, 1:93
 for lupus nephritis, 5:77
 for tuberculosis, 2:155, 159
- arthralgia. *See* joint pain
- arthritis
Achillea millefolium for, 4:201
Aconitum napellus for, 4:202; 5:132
Ananas comosus for, 5:132
Andrographis paniculata for, 5:132
 apitherapy for, 5:192
Apium graveolens for, 5:133
Arctium lappa for, 5:133
Boswellia serrata for, 4:205; 5:86
Cannabis sativa for, 5:87
Capsicum annuum for, 5:134
Caulophyllum thalictroides for, 4:206
Centella asiatica for, 5:135
Cinnamomum verum for, 5:135
Colchicum autumnale for, 4:207
Commiphora mukul for, 5:135, 136
Conium maculatum for, 4:207
Curcuma longa for, 4:207; 5:121
Dioscorea villosa for, 4:207, 208
Eleutherococcus senticosus for, 5:89
 formulas for, 4:185–86; 5:114, 115–122
 guidelines for choosing herbs for, 5:114
Harpagophytum procumbens for, 4:209; 5:138
 herb baths for, 4:186–87
Mentha piperita for, 4:211
Mitragnya speciosa for, 4:211
Ocimum tenuiflorum for, 4:212
 overview, 5:113–15
Pinus pinaster for, 5:140
Salix alba for, 5:140
Schisandra chinensis for, 5:112, 141
Scutellaria baicalensis for, 4:215
Sesamum indicum for, 5:141
Strychnos nux-vomica for, 4:215
Tanacetum parthenium for, 4:86
Uncaria spp. for, 4:216
Urtica spp. for, 5:142
Viburnum opulus for, 4:217
Withania somnifera for, 4:218
Yucca schidigera for, 5:143
Zanthoxylum clava-herculis for, 5:143
Zingiber officinale for, 5:143
See also osteoarthritis; rheumatoid arthritis
- arthritis, reactive, 5:71–72
- Arthrospira maxima* (spirulina), 4:49
- artichoke. *See* *Cynara scolymus* (artichoke)
- art of herbal formulation, 1:7–21; 2:9–24; 3:9–24; 4:11–26; 5:11–26
- acne sample case, 1:16, 16; 2:18, 18; 3:18–19, 18; 4:20–21, 21; 5:20–21, 21
- asking the right questions, 1:7, 8–9; 2:9, 10–11; 3:9, 10–11; 4:11, 13–14; 5:11, 12–13
- components of a formula, 1:11; 2:13; 3:13; 4:15; 5:15
- importance of symptoms, 1:7–8; 2:9–10; 3:9–10; 4:11–12; 5:11–12
- insomnia sample case, 1:14–15, 14, 15; 2:16–17, 16, 17; 3:16–18, 16, 17; 4:18–20, 19; 5:18–20, 19
- mastering the actions of herbs, 1:11–14; 2:13–16; 3:13–16; 4:16–18; 5:15–17
- pharmacologic vs. physiologic therapy, 1:13; 2:15; 3:15; 4:18; 5:18
- rheumatoid arthritis sample case, 1:16–17, 17; 2:18–19, 19; 3:19–20, 19; 4:21–22, 22; 5:21–22, 21, 22
- supporting vitality vs. opposing disease, 1:12; 2:14; 3:14; 4:16; 5:16
- toxic herbs use, 1:18; 2:20; 3:20; 4:22–23; 5:22–23
- Triangle philosophy, 1:9–11, 9, 21; 2:11–13, 11, 23–24; 3:11–13, 12, 23–24; 4:14–16, 14, 26; 5:13–15, 14, 26
- types of herbal preparations, 1:19–21; 2:21–23; 3:22–23; 4:24–26; 5:24–26
- warming and cooling formulas, 1:18–19, 19; 2:20–21, 21t; 3:20–21, 21t; 4:23–24, 23t, 24t; 5:23–24, 23t, 24t
- Arvisol, 4:205
- Asclepius tuberosa* (pleurisy root)
 for altered breath sounds, 2:118
 for bronchitis, 2:131
 for colds, 5:170t
 formulas containing
 chest pain, 4:193
 coughs, 2:117, 119, 121
 pleurisy, 2:139
 for pain, 4:166t
 for pleurisy, 2:138, 139
 specific indications, 1:81; 2:159
- Ascophyllum nodosum* (kelp), 1:42
- ashwagandha. *See* *Withania somnifera* (ashwagandha)
- Asian knotweed. *See* *Polygonum cuspidatum* (Japanese knotweed)
- Asian water plantain. *See* *Alisma plantago-aquatica* (Asian water plantain)
- Asiatic dogwood. *See* *Cornus officinalis* (Japanese cornel, shan zhu yu)
- asiaticoside, 5:125
- asparagine, 1:114–15, 158
- Asparagus* spp., 1:108, 115, 151
- Asparagus cochinchinensis* (Chinese asparagus), 5:49
- Asparagus officinalis* (asparagus), 1:158

- Asparagus racemosus* (shatavari)
 for bursitis and tendinitis, 5:102
 formulas containing
 asthma, 5:49
 depression and anxiety, 4:106
 low libido, 3:154
 urinary and prostatic pain, 4:196
 urinary conditions, 1:115
 urinary tract infections, 3:136
 vaginitis, 3:107
 for interstitial cystitis, 1:126
 specific indications, 1:158; 3:166
 aspen. *See Populus spp.* (aspen)
- Aspidosperma quebracho* (quebracho), 2:131, 159
- Assistant herbs. *See* synergist herbs
 astaxanthin, 1:145
 asthma
Actaea racemosa for, 2:157
Albizia lebbeck for, 2:157
Ammi visnaga for, 2:157, 158; 5:85
Apium graveolens for, 2:158
Aspidosperma quebracho for, 2:159
Astragalus membranaceus for, 2:159; 5:86
Bacopa monnieri for, 2:160
Boswellia serrata for, 5:86
Cissampelos sympodialis for, 2:161
Cnidium monnieri for, 2:161
Coleus forskohlii for, 2:177
Cornus officinalis for, 5:88
Curcuma longa for, 2:162
Datura stramonium for, 2:163
Digitalis purpurea for, 2:163
 dyspnea with, 2:124
Eclipta prostrata for, 2:144, 163
Elaeocarpus serratus for, 2:163
Ephedra sinica for, 2:163; 5:89
Eriodictyon californicum for, 2:164
Eucalyptus globulus for, 2:164
Foeniculum vulgare for, 2:165
 formulas for, 2:142–47; 4:193–94; 5:44–46
Fucus vesiculosus for, 5:90
Ginkgo biloba for, 5:90
Grindelia spp. for, 2:167; 5:91
Hemidesmus indicus for, 2:167
 herbs for, 1:33
Inula helenium for, 2:168
Juniperus communis for, 2:169
Justicia adhatoda for, 2:169
 link to rhinosinusitis, 5:29
Lobelia inflata for, 2:170; 5:92
Marrubium vulgare for, 2:171
Medicago sativa for, 2:171
Mikania glomerata for, 2:172
Neopicrorhiza scrophulariiflora for, 2:172
Oenothera biennis for, 2:173
 overview, 2:142–43
Passiflora incarnata for, 2:175
Pelargonium sidoides for, 2:175
Perilla frutescens for, 5:92
- Petasites* spp. for, 2:129, 175; 5:41, 93
Phyllanthus emblica for, 2:176
Picrorhiza kurroa for, 2:176
Pinellia ternata for, 2:176
Pinus pinaster for, 2:176
Polygonum spp. for, 2:177
Raphanus sativus var. *niger* for, 2:178
Rehmannia glutinosa for, 5:93
Rosmarinus officinalis for, 2:179
Saussurea costus for, 2:179
Scutellaria baicalensis for, 2:180; 5:93
Stemona spp. for, 2:181
Sticta pulmonaria for, 2:181
Tephrosia purpurea for, 2:182
Thymus vulgaris for, 2:182
Tylophora asthmatica for, 2:183
 asthma weed. *See* *Euphorbia* spp.
Astragalus membranaceus (milk vetch, huang qi), 3:84
 for allergies, 5:28
 for arthritis, 5:115
 for Behçet's disease, 5:74
 for Bell's palsy, 4:36
 for bladder cancer, 1:132
 for bone density, 5:126
 for bronchitis, 2:132
 in Carob Milk, 3:89
 for colds, 5:170t
 for COPD, 2:148
 for cystic fibrosis, 2:135
 for digestive pain, 1:26
 for eye conditions, 5:149t
 formulas containing
 acne rosacea, 1:205
 adrenal disorders, 3:49
 allergic hypersensitivity, 5:35
 arthritis, 5:120, 122
 autoimmune disorders, 5:66, 67
 Behçet's disease, 5:74
 Bell's palsy, 4:37
 bladder cancer, 1:134
 childhood skin eruptions, 1:193
 colds, 5:169
 conjunctivitis, 5:148
 COPD, 2:150, 153
 cystic fibrosis, 2:135
 depression and anxiety, 4:99
 dermatitis, 1:190
 diarrhea, 1:58
 eczema, 1:184, 185
 erythema nodosum, 1:221
 esophageal disorders, 1:45
 goiter, 3:34
 Guillain-Barré syndrome, 4:49
 headaches, 4:164
 heart stress at high altitudes, 2:52
 Henoch-Schönlein purpura, 5:75
 hepatitis, 1:95
 herpes lesions, 1:232
 herpetic neuralgia, 4:40, 41
- hormone-related infertility, 3:130, 131
 hyperlipidemia, 2:36
 hyperthyroidism, 3:43
 inflammatory bowel diseases, 1:34
 insomnia, 4:116
 leaky gut syndrome, 1:78
 lichen planus, 1:211
 lipid health, 2:33
 lupus, 5:77, 78
 macular degeneration, 5:158
 metabolic conditions, 3:71
 muscle weakness, 5:111
 myositis conditions, 5:71
 osteoporosis, 5:127
 otitis media, 5:160, 161
 Parkinson's disease, 4:61
 pelvic inflammatory disease, 3:108
 pemphigus support, 1:221
 pneumonia, 2:142
 prostate cancer, 1:149; 3:164
 prostatitis, 1:151
 PTSD, 4:113
 reactive arthritis, 5:72
 renal failure, 1:153, 155
 retinopathies, 5:157
 schizophrenia, 4:125
 sore throat, 5:190
 thyroiditis, 3:30
 uterine fibroids, 3:150
 vascular support, 2:29; 3:78
 for glucose regulation, 3:84
 for Henoch-Schönlein purpura, 5:75
 for hepatitis, 1:90, 94t
 for herpes simplex viral infections, 5:180
 for herpetic neuralgia, 4:40
 hypoglycemic effects, 3:73, 90
 immunomodulating qualities, 1:78; 2:23; 5:32, 64
 for inflammatory bowel diseases, 1:34
 for insomnia, 1:14; 2:16; 3:16; 4:18, 23; 5:18, 23
 for insulin resistance, 3:70
 isoflavones in, 3:156
 for leaky gut syndrome, 1:79
 in Legume Truffle Superfood for
 Chemotherapy Patients, 3:159
 for lipid health, 2:32
 for myositis conditions, 5:70
 for neuralgia, 4:34
 for neurological conditions, 4:27
 in oatmeal, 3:83, 84
 for otitis externa, 5:163
 for otitis media, 5:159
 PAF inhibiting properties, 2:77
 for pelvic inflammatory disease, 3:108
 for peripheral neuropathy, 4:43t
 for renal failure, 1:152, 153
 in seaweed broth, 1:80
 for skin eruptions, 1:194
 in smoothies, 1:35
 in soup, 1:35

- Astragalus membranaceus* (milk vetch, huang qi) (*continued*)
 specific indications, 1:103, 239; 2:91, 159; 3:55, 90, 166; 5:86, 193
 for streptococcal infections, 1:180
 for strokes, 2:65
 for thyroiditis, 3:31, 32
 for traveler's diarrhea prevention, 1:53
 for warts, 1:199
 in Winter Tea for Metabolic Support, 3:86
 for wound healing, 1:181
Astragalus Oatmeal for Diabetes, 3:83–84
 astringents
 for bloody diarrhea, 1:32
 for cloudy urine or urinary stones, 1:139
 cooling remedies, 1:197; 2:21t; 3:21t; 4:24t; 5:24t
 for diarrhea, 1:51, 52
 for eye injuries, 5:154
 for fungal skin infections, 1:196
 for the GI tract, 1:54
 for glossitis, 5:179
 atherosclerosis
 Allium sativum for, 3:90
 Cinnamomum spp. for, 2:92
 Coptis chinensis for, 2:93
 coronary artery disease progression from, 2:38
 formulas for, 2:32–37
 Gymnema sylvestre for, 2:96; 3:95
 Hibiscus sabdariffa for, 2:96; 3:95
 Olea europaea for, 2:99
 overview, 2:32, 61
 Punica granatum for, 2:101
 Tanacetum parthenium for, 2:104
 Terminalia arjuna for, 2:104
 Trifolium pratense for, 3:178
 Trigonella foenum-graecum for, 3:99
 athlete's foot (*Tinea pedis*), 1:194–95, 238
 atooto (*Griffonia simplicifolia*), 4:92
 atopic dermatitis
 factors in, 5:34–35
 Hamamelis virginiana for, 5:91
 herbs for, 5:31
 Perilla frutescens for, 5:45, 92
 plant-based EFAs for, 5:48
 See also contact dermatitis; dermatitis
 atopy
 Cnidium monnieri for, 5:87
 Ganoderma lucidum for, 5:90
 genetic predisposition to, 5:30
 Hamamelis virginiana for, 5:91
 immunoglobulin E release with, 5:28
 Oenothera biennis for, 5:92
 Rehmannia glutinosa for, 5:67
 See also allergies
Atractylodes spp., 1:90
Atractylodes japonica (okera, Eastern ukera, ukira), 4:61
Atractylodes lancea (tractylodes)
 formulas containing
 dementia, 4:57
 gastroparesis, 1:77, 78
 for vascular reactivity, 5:60
Atractylodes macrocephala (tractylodes, bai zhu)
 formulas containing
 biliousness, 4:105
 COPD, 2:150
 gastrointestinal hypersensitivity, 5:37
 insomnia, 4:116
 specific indications, 2:91
 for strokes, 2:65
Atractylodes ovata (white attractylodes), 1:92
 atriacid acid, 1:145, 147
 atrial fibrillation
 formulas for, 2:53
 with hyperthyroidism, 3:40
Leonurus cardiaca for, 3:59
Rauvolfia serpentina for, 3:61
Valeriana officinalis for, 3:62
Atropa belladonna (belladonna, deadly nightshade), 1:141; 2:152
 antispasmodic qualities, 1:135
 for burns, 1:73t
 in calming formulas, 1:18; 2:20
 for cramping pain in the bladder, 1:124
 for dental procedures, 5:177
 for dermatologic conditions, 1:191
 for epilepsy and seizure disorders, 4:68
 for erysipelas, 1:180
 formulas containing
 arthritis, 5:119
 biliary colic and pain, 4:198
 delirium tremens, 4:132
 dental conditions, 5:176
 diarrhea, 1:56, 57
 eye drops, 5:155
 headaches, 4:161, 164
 hypertension, 2:44
 interstitial cystitis, 1:124
 metastatic pain, 4:195
 overactive bladder, 1:129
 pain, 4:172
 Parkinson's disease, 4:63
 renal colic, 4:199
 throat pain, 4:178
 throbbing pain, 4:200
 urinary colic, 1:139, 142
 for headaches, 4:159
 for overactive bladder, 1:128
 for pain, 4:156, 170t, 171t
 for Parkinson's disease, 4:60
 safety concerns, 1:18, 82, 158, 180; 2:20, 44; 3:20; 4:22, 63, 76, 172, 178, 195, 199, 204; 5:22, 119, 133, 193
 scopolamine from, 5:167
 specific indications, 1:82, 158, 239; 2:159; 4:76, 204; 5:133, 193
 for streptococcal infections, 1:180
 for tongue conditions, 5:178
 transdermal delivery of, 2:109
 tropane alkaloids from, 2:152
 for urinary colic, 1:137, 138t, 141
 for vascular pain, 4:200t
 atrophic vaginitis, 3:105, 107
 atropine
 for bronchospasms, 2:159, 167
 for lung conditions, 2:152
 specific indications, 4:76, 204
 transdermal delivery of, 2:109
 for urinary retention and bladder spasm, 1:128, 135, 136, 158
 for *Veratrum* overdose, 4:190
 attention deficit hyperactivity disorder (ADHD)
 adjunctive therapies for, 4:118
 Celastrus paniculatus for, 4:141
 formulas for, 4:119–122
 Ligusticum striatum for, 4:145
 overview, 4:117, 119
 autoimmune disorders
 alopecia from, 1:213, 215
 Andrographis paniculata for, 5:85
 Arctium lappa for, 5:133
 Astragalus membranaceus for, 1:239; 5:86
 bladder reactivity, 5:57
 Calendula officinalis for, 5:134
 Celastrus aculeatus for, 5:87
 Centella asiatica for, 1:82, 159; 5:87
 Colchicum autumnale for, 5:88
 Commiphora mukul for, 5:88
 Commiphora myrrha for, 1:241; 5:88
 Cordyceps sinensis for, 5:88
 Curcuma longa for, 5:121, 136
 definition of, 5:27
 Eleutherococcus senticosus for, 1:242; 5:89
 Equisetum arvense for, 1:160
 Eucalyptus globulus for, 1:242
 formulas for, 5:66–68, 122
 Ganoderma lucidum for, 1:220
 Glycyrrhiza glabra for, 1:243; 5:138
 Harpagophytum procumbens for, 5:138
 Hemidesmus indicus for, 4:81
 hygiene hypothesis considerations, 5:31
 immunomodulating herbs for, 5:64
 importance of reducing inflammation, 5:12
 neuropathy from, 4:34, 45, 48
 overview, 5:27–28, 63–65
 Panax ginseng for, 1:246
 pemphigus association, 1:221
 Pueraria spp. for, 1:164
 Rehmannia glutinosa for, 5:93
 renal failure connection, 1:153, 154
 Scutellaria baicalensis for, 5:141
 Tanacetum parthenium for, 5:142
 Tripterygium wilfordii for, 1:153; 4:216
 Urtica spp. for, 5:142
 Withania somnifera for, 5:143
 See also specific disorders
 autoimmune hepatitis, 1:95
 autoimmune nephritis, 1:154
 autoimmune thyroid diseases, 3:29
 See also Graves' disease; Hashimoto's disease

autumn crocus. *See Colchicum autumnale*
 (autumn crocus)

avaram senna. *See Cassia auriculata*
 (avaram senna)

Avena sativa (oats)

- adrenal-supporting qualities, 5:11t
- for anxiety, 4:16, 17, 94; 5:17
- for arthritis, 5:115
- Astragalus* Oatmeal for Diabetes, 3:83–84
- baths with, 5:54, 54t
- as bulk laxative, 1:48
- carminative qualities, 1:31
- chromium in, 3:80t
- for cramping pain in the bladder, 1:124
- for depression, 4:94, 103t
- for dermatitis, 1:189
- for dermatologic conditions, 1:171t
- for eczema and allergic dermatitis, 1:188
- formulas containing
 - Addison's disease, 3:51
 - adrenal disorders, 3:48, 49
 - anorexia, 1:38
 - arthritis, 5:116
 - crankiness in children, 4:104
 - hypertension, 2:43
 - insomnia, 4:114
 - irritable bowel syndrome, 1:33
 - itching skin, 1:187
 - lipid health, 2:33
 - muscle pain, 5:107
 - muscle tension, 5:107
 - muscle weakness, 5:111
 - osteoporosis, 5:128
 - Parkinson's disease, 4:61, 63
 - premenstrual syndrome, 3:126
 - PTSD, 4:111, 113
 - withdrawal symptoms, 4:135
- for hyperventilation, 2:140
- for insomnia, 3:17, 18, 136t
- for itching skin, 1:187
- for menopausal symptoms, 3:136t, 138t
- minerals in, 5:100t
- nerve qualities, 1:51; 4:91
- nourishing qualities, 1:37
- for panic disorder, 4:109
- for Parkinson's disease, 4:60
- for pityriasis, 1:212
- for poison ivy/oak dermatitis, 1:237
- for restless insomnia, 1:14, 15; 2:16, 17; 4:19, 20; 5:19, 20
- for schizophrenia, 4:123, 125
- specific indications, 1:82, 158, 239; 2:91; 3:55, 90, 166; 4:140; 5:86, 133–34
- for withdrawal symptoms, 4:128
- for wound healing, 1:181

Avicennia marina (white mangrove), 1:218; 3:162

ayahuasca, 4:4, 5, 137–38

Ayurveda, doshas system, 1:12; 2:14; 3:14; 4:17; 5:17

Azadirachta indica (neem)

- antiparasitic qualities, 1:54

formulas containing

- alopecia, 1:213
- enteritis, 1:61
- esophageal disorders, 1:46
- genital herpes, 3:111
- for fungal skin infections, 1:196
- for genital warts, 3:112
- for *Helicobacter pylori* infections, 1:43
- mast-cell stabilizing effects, 2:144t; 5:31t
- for scabies and lice, 1:198
- specific indications, 1:82, 239; 2:159–160; 5:193
- for ulcers, 1:63
- for warts, 1:200
- azelaic acid, 1:205, 222, 239
- azotemia, 1:152
- azraqi. *See Strychnos nux-vomica*
 (poison nut, azraqi)

B

b-adrenoceptor agonists, 1:136, 137

b-lactam antibiotics, 1:114, 157

Bach Flower Remedies, 4:110

Bacillus Calmette-Guerin (BCG), 1:131, 134, 156

back pain

- Actaea racemosa* for, 4:136
- Aesculus hippocastanum* for, 5:132
- Dioscorea villosa* for, 5:136
- Eupatorium perfoliatum* for, 5:137
- formula for, 4:185
- Mitrangyna speciosa* for, 4:211
- Panax ginseng* for, 5:139
- Piscidia piscipula* for, 4:167
- Stellaria media* for, 5:141
- Sticta pulmonaria* for, 4:215
- Viburnum* spp. for, 5:143
- See also* low back pain

Bacopa monnieri (brahmi), 4:56

- for asthma, 2:144
- for attention deficit hyperactivity disorder, 4:119
- for childhood immunization support, 4:71
- for cognitive function, 4:56, 76
- for dementia, 4:52
- for depression and anxiety, 4:95, 101t, 103t
- for epilepsy and seizure disorders, 4:72
- formulas containing
 - asthma, 2:147
 - attention deficit hyperactivity disorder, 4:121
 - dementia, 4:55, 57
 - depression and anxiety, 4:102
 - Parkinson's disease, 4:60, 61
 - schizophrenia, 4:124
- mast-cell stabilizing effects, 2:144t; 5:31t
- for neurological conditions, 4:28, 30, 76
- specific indications, 2:160; 4:76
- for wound healing, 4:192t

bacosides, 4:56, 76

bacterial infections

- Armoracia rusticana* for, 2:158
- cystitis from, 1:112, 114

Hydrastis canadensis for, 1:244

Origanum vulgare for, 1:246

Pinus pinaster for, 2:176

Rheum palmatum for, 2:178

secondary, 2:120, 130, 133, 140

Thuja spp. for, 1:248

Thymus vulgaris for, 1:249

traveler's diarrhea from, 1:51

See also specific types

bacterial vaginosis, 1:117–18

bagflower (*Clerodendron serratum*), 2:108t, 161

bahupatra. *See Phyllanthus amarus* (chanca piedra, bahupatra, hurricane weed)

bai bu (*Stemonax* spp.), 2:180–81

baical. *See Scutellaria baicalensis* (huang qin)

baicalein, 1:34, 90, 93

baicalin, 5:70, 76

bai shao yao. *See Paeonia lactiflora*
 (white/red peony)

bai zhi. *See Angelica dahurica* (bai zhi)

bai zhu. *See Atractylodes* spp.

baking soda compresses, 4:188, 189t

bakuchi (*Cullen corylifolium*), 4:141–42

bala (*Sida cordifolia*), 4:61

Balancer herbs. *See synergist herbs*

baldness, 1:164, 212–19

Banisteriopsis caapi (yagé), 4:137

Ban Xia Hou Po, 5:44–45

Baptisia tinctoria (wild indigo)

- alterative qualities, 1:27
- antimicrobial qualities, 1:60
- formulas containing, 5:190
- for otitis media, 5:159
- for pain, 4:166t, 170t
- for skin infections, 1:176
- specific indications, 4:204; 5:193
- for throat pain, 5:191t
- for tongue conditions, 5:178t
- in ulcerated veins formula, 4:201
- for vascular pain, 4:200t
- for warts, 1:199

barbed skullcap. *See Scutellaria barbata*
 (barbed skullcap)

barberry. *See Berberis vulgaris* (barberry)

barley green juice, 5:81

Barosma betulina. *See Agathosma betulina*
 (buchu)

Barrett's esophagus, formulas for, 1:43

basal cell carcinoma, 1:236

base herbs, 1:9–10, 9, 11; 2:11, 11, 12, 13; 3:11–13, 12; 4:14, 14, 15, 17; 5:13–14, 14, 15, 16

basil. *See Ocimum* spp.

bastard teak. *See Butea monosperma* (flame of the forest, bastard teak)

baths

- aphrodisiac, 3:153–54
- oatmeal, 5:54, 54t
- for osteoarthritic hand pain, 4:186–87

bayberry. *See Morella cerifera* (bayberry)

BCPs (birth control pills), 3:142

- bed-wetting. *See* enuresis
- beeswax
- in plaster base, 2:110
 - topical protocols, 2:112
- beet. *See Beta vulgaris* (beet)
- beetroot juice, for bone health, 5:129
- bee venom, 5:86
- See also* apitherapy
- beggarticks (*Bidens parviflora*), 5:31t
- behavioral therapy, for obsessive-compulsive disorder, 4:117
- Behçet's disease
- formulas for, 5:72, 74
 - Ganoderma lucidum* for, 5:90
 - mouthwash for, 5:52
 - overview, 5:72
- belladonna. *See Atropa belladonna* (belladonna, deadly nightshade)
- Bellis perennis* (lawn daisy), 4:186
- Bell's palsy
- bromelain for, 4:75
 - Colchicum autumnale* for, 4:78
 - formulas for, 4:36–37
 - Gelsemium sempervirens* for, 4:209
 - overview, 4:36
- benign paroxysmal vertigo, 5:166
- See also* vertigo
- benign prostatic hyperplasia (BPH)
- Agathosma betulina* for, 1:156
 - Chimaphila umbellata* for, 1:159
 - Conium maculatum* for, 1:159
 - Cucurbita* spp. for, 1:160; 3:162, 168
 - formulas for, 1:142–47; 3:162, 164
 - herbs for, 1:147
 - Leonurus cardiaca* for, 3:139
 - Lepidium meyenii* for, 1:162
 - Medicago sativa* for, 1:163
 - overview, 3:161–62
 - prostate cancer connection, 1:142, 147
 - Prunus africana* for, 3:162, 175
 - Pygeum africanum* for, 1:165
 - Serenoa repens* for, 1:165; 3:162, 177
 - Urtica* spp. for, 3:162, 164, 179
- Benincasa hispida* (wax gourd), 3:162
- bentonite clay, 1:184; 2:75
- berberine
- alkaloids of, 1:56
 - in *Berberis* spp., 1:158; 3:55; 5:194
 - in *Coptis trifolia*, 3:56; 5:195
 - for diabetes, 3:74
 - for excessive dopamine, 4:123
 - for fatty liver, 1:96
 - for gallbladder support, 1:99
 - for genital warts, 3:112
 - in *Hydrastis canadensis*, 5:189
 - for infectious diarrhea, 1:56
 - for inflammatory bowel diseases, 1:35; 5:79
 - for leaky gut syndrome, 1:79
 - for liver support, 1:93
 - for lupus, 5:76
- MAO inhibition, 4:94
- for metabolic syndrome, 3:75, 76
- for multiple sclerosis, 5:83
- for nasal polyps, 5:173t
- for neuropathic pain, 4:179
- for pelvic inflammatory disease, 3:109
- for prostatitis, 1:151
- for reducing insulin resistance, 3:71
- for SIBO, 1:76
- for traveler's diarrhea, 1:53, 54
- Berberis aquifolium* (Oregon grape, mahonia)
- for allergies, 5:34
 - alterative qualities, 1:25, 27, 46, 48, 90; 3:21t
 - antimicrobial qualities, 1:51, 56, 61, 71
 - for anxiety, 4:17; 5:17
 - for arthritis, 5:115
 - for cystic fibrosis, 2:135
 - for cystitis and pyelonephritis, 1:116
 - for dermatologic conditions, 1:169
 - for digestive pain, 1:26
 - in Digestive Vinegar, 1:74
 - dopamine-reducing effects, 4:123
 - in Dr. Stansbury's General Alterative Tea, 1:27
 - for dysuria, 1:116
 - for eye conditions, 5:147, 147t
 - for eye injuries, 5:154
- formulas containing
- acne, 1:201, 203
 - anorexia, 1:37
 - arthritis, 5:118, 120
 - biliousness, 4:105
 - cholestasis, 1:98
 - cirrhosis of the liver, 1:96
 - cystic fibrosis, 2:135
 - cystitis, 1:114
 - diabetes, 3:74
 - diarrhea, 1:53, 54, 55, 57, 58
 - eczema, 1:189
 - endometriosis, 3:150
 - esophageal disorders, 1:45
 - eye drops, 5:148
 - fatty liver, 1:96
 - folliculitis, 1:193
 - fungal skin infections, 1:195
 - gastroenteritis, 1:61, 62
 - gastrointestinal bleeding, 1:67
 - gastrointestinal hypersensitivity, 5:37, 38
 - GERD, 1:41
 - headaches, 4:164
 - Helicobacter pylori* infections, 1:65
 - hormone-related infertility, 3:130
 - hyperlipidemia, 2:35
 - hypertension, 2:42
 - hyperthyroidism, 3:42
 - inflammatory bowel diseases, 1:36; 5:80
 - itching skin, 1:186
 - menorrhagia, 3:118
 - metabolic conditions, 3:71
 - muscle pain, 5:107
 - nasal polyps, 5:173, 173t
- otitis media, 5:161
- pelvic inflammatory disease, 3:108
- pemphigus support, 1:221
- pharyngitis, 5:189
- phlebitis, 2:81
- polycystic ovarian syndrome, 3:145
- premenstrual acne, 3:129
- premenstrual syndrome, 3:126
- PTSD, 4:113
- pyelonephritis, 1:119
- reactive arthritis, 5:72
- skin infections, 1:177, 178, 179, 180
- stomatitis and gingivitis, 5:182
- thrush, 5:181
- ulcers, 1:63
- urinary conditions, 1:116, 117
- vaginitis, 3:106, 107
- vascular support, 2:27
- wounds, 1:173
- for fungal skin infections, 1:195
- for genital fungal infections, 1:197
- for GERD, 1:39
- for heart infections, 2:72
- for *Helicobacter pylori* infections, 1:43, 65
- for hematuria, 1:115
- for human papillomavirus, 3:113
- hypoglycemic effects, 3:73
- for increasing deficient adrenergic tone, 4:94
- for inflammatory bowel diseases, 5:79
- for insulin resistance, 3:71
- lipid-lowering effects, 3:82
- for liver support, 1:90
- for malabsorption, 1:74
- for muscle pain and spasms, 5:105
- for oral infections, 5:146
- for otitis media, 5:159
- for pelvic inflammatory disease, 3:108
- pill form, 1:54
- for polycystic ovarian syndrome, 3:145
- for poor circulation, 2:63
- for premenstrual syndrome, 3:125
- for pyuria, 1:115
- for reproductive endocrine conditions, 3:101–2
- specific indications, 1:85–86, 105, 163, 245; 2:91, 160; 3:55, 90, 166–67; 5:134, 194
- for stasis ulcers, 2:60
- stimulant qualities, 1:51
- for thick and cloudy urine, 1:139
- for urinary conditions, 1:114
- for vaginitis, 3:105
- for varicosities, 2:74
- Berberis vulgaris* (barberry), 1:115, 139, 158
- bergamot. *See Citrus bergamia* (bergamot)
- Bergenia crassifolia* (winter-blooming bergenia), 1:222
- berries
- in Berry Water Spritzer, 3:88
 - beverages from, 5:157
 - flavonoids in, 2:33
 - formulas containing, 2:35

- berries (*continued*)

 in Herbal Sipping-Vinegar Spritzers, 3:89

 as medicinal food, 3:69
- berry powders, 1:44, 45, 117, 205, 231
- Berry Water Spritzer, 3:88–89
- beta blockers, 2:47, 152; 3:41
- beta-carotene, 1:43, 188, 196, 202
- beta cell regenerators

 formulas containing, 3:76

 Galega officinalis, 3:94

 Gymnema sylvestre, 3:75

 Momordica charantia, 3:96

 Pterocarpus marsupium, 3:97

 Punica granatum, 3:97

 Tamarindus indica, 3:99

 types of, 3:74
- betaine, 1:92, 93, 99, 103
- Beta vulgaris* (beet), 1:92, 103; 2:31; 3:80
- Better Butter, 3:84–85
- Betula* spp., 5:54t, 55t
- Betula pendula* (silver birch), 1:171t, 188, 231; 4:43t
- bhadrasey. *See Elaeocarpus serratus* (bhadrasey)
- bhringraj. *See Eclipta prostrata* (eclipta, bhringraj, yerba de tago)
- Biancaea sappan*. *See Caesalpinia sappan* (su mu)
- bias, in medical research, 3:4–5
- bibhitaki. *See Terminalia* spp.
- Bidens parviflora* (beggarticks, Spanish needles), 5:31t
- Bi-Est Bio-Identical hormone supplements, 5:182
- biguanide drugs, 3:68, 94
- bilberry. *See Vaccinium myrtillus* (bilberry, blueberry)
- biliary atresia, 1:100
- biliary colic, 1:88, 99, 105
- biliary congestion

 Chelidonium majus for, 1:83, 103

 formulas for, 1:98
- biliary disorders

 Arctium lappa for, 1:101

 Chelidonium majus for, 1:82–83, 103

 Curcuma longa for, 1:104

 formulas for, 1:97–100

 herbs for, 1:100t, 101–6

 Leptandra virginica for, 1:104

 overview, 1:97

 Silybum marianum for, 1:88, 106

 Tinospora cordifolia for, 1:106

 See also specific disorders
- biliary dyskinesia, 1:97
- biliary insufficiency

 Artemisia annua for, 1:102

 Berberis aquifolium for, 1:105

 Chelidonium majus for, 1:82, 103

 formulas for, 1:98

 Gentiana lutea for, 1:104

 herbs for, 1:25, 74

 Iris versicolor for, 1:104
- malabsorption from, 1:72, 73
- Morella cerifera* for, 1:86, 105
- Podophyllum peltatum* for, 1:105
- Raphanus sativus* var. *niger* for, 1:87, 105
- Rumex crispus* for, 1:87, 105
- Taraxacum officinale* for, 1:88, 106
- biliary pain

 Chelidonium majus for, 4:206

 Dioscorea villosa for, 4:207

 formulas for, 4:197–98

 herbal therapies for, 4:197

 Hyoscyamus niger for, 4:210

 Mentha piperita for, 4:211

 Phyllanthus amarus for, 4:212
- biliary spasms

 Foeniculum vulgare for, 1:84

 Raphanus sativus var. *niger* for, 1:87

 Viburnum prunifolium for, 1:88
- biliary supportive herbs

 for diarrhea, 1:52

 for malabsorption, 1:72, 73
- biliousness, tea for, 4:105
- biochemical terrain, 1:7–8; 2:9–10; 3:9–10; 4:11–12; 5:11–12
- biofilms, 2:137
- bioflavonoids

 for bowel reactivity, 5:39t

 for traumatic injuries, 5:97

 See also specific types
- birth control pills (BCPs), 3:142
- biscuitroot. *See Lomatium dissectum* (biscuitroot)
- bishop's hat. *See Epimedium* spp.
- bishop's weed (*Ammi visnaga*), 4:199
- bismuth, 1:63
- bites and stings

 formulas for, 1:170–75; 4:188–89

 herbs for, 1:241, 245, 249; 4:189t
- bitter almond (*Prunus dulcis*), 2:154
- bitter apple, bitter cucumber. *See Citrullus colocynthis* (cocoynth, bitter apple, bitter cucumber)
- bitter melon. *See Momordica charantia* (bitter melon)
- bitter orange. *See Citrus aurantium* (bitter orange)
- bitter principles, 1:25
- bitter root. *See Gentiana lutea* (gentian, bitter root)
- bitters

 for anorexia, 1:36

 cautions for irritable bowel syndrome, 1:31

 cholagogue action, 1:25

 cooling remedies, 1:19t; 2:21t; 3:21t; 4:24t; 5:24t

 digestive stimulant qualities, 1:25

 for gastroenteritis, 1:59

 for halitosis, 1:50

 for malabsorption, 1:73

 overview, 1:25
- bitter taste in the mouth

 Hydrastis canadensis for, 1:244

 Morella cerifera for, 1:86, 105

 Silybum marianum for, 1:106
- blackbean tree. *See Castanospermum australe* (blackbean tree)
- blackberry. *See Rubus* spp.
- blackboard tree. *See Alstonia scholaris* (dita wood)
- black cherry. *See Prunus serotina* (black cherry)
- black cohosh. *See Actaea racemosa* (black cohosh)
- black cumin. *See Nigella sativa* (black cumin, black seed, love-in-a-mist)
- black currant. *See Ribes nigrum* (black currant)
- black elder. *See Sambucus nigra* (elderberry)
- black eyes, formulas for, 5:98, 155
- black false hellebore (*Veratrum nigrum*), 4:67
- blackhawk. *See Viburnum prunifolium* (blackhawk)
- black maidenhair fern. *See Adiantum capillus-veneris* (maidenhair fern)
- Black medical schools, 5:3
- black mustard. *See Brassica nigra* (black mustard)
- black myrobalan. *See Terminalia chebula* (black myrobalan, chebulic myrobalan)
- black pepper. *See Piper nigrum* (black pepper)
- black salves, 3:114–15, 177; 4:215
- black seed. *See Nigella sativa* (black cumin, black seed, love-in-a-mist)
- black sesame seed. *See Sesamum indicum* (sesame seed, black sesame seed)
- black Spanish radish. *See Raphanus sativus* var. *niger* (black Spanish radish)
- black walnut. *See Juglans nigra* (black walnut)
- black zeera. *See Carum carvi* (caraway, black zeera)
- bladder cancer

 Allium spp. for, 1:156

 Cantharis vesicatoria for, 1:159

 formulas for, 1:131–34

 Ganoderma lucidum for, 1:161

 Grifola spp. for, 1:161

 herbs for, 1:132

 photodynamic therapy for, 1:133, 162

 Piper nigrum for, 1:164

 Pygeum africanum for, 1:165

 Rubia tinctorum for, 1:165

 Viscum album for, 1:167
- bladder disorders

 Apocynum cannabinum for, 1:157

 from benign prostatic hyperplasia, 3:161, 164

 Cantharis vesicatoria for, 1:159

 Centella asiatica for, 1:159

 Curcuma longa for, 1:104

 Hypericum perforatum for, 3:59, 96, 171

 Juniperus communis for, 1:162; 3:172

 Prunus africana for, 3:175

 Serenoa repens for, 1:165

 sulfur for, 1:122

 See also specific disorders

- bladder irritation
Apis mellifca venom for, 1:157
Atropa belladonna for, 1:158
Equisetum spp. for, 1:160
Eucalyptus globulus for, 1:160
Eupatorium purpureum for, 1:161
Galium aparine for, 1:161
Gaultheria procumbens for, 1:161
Hypericum perforatum for, 1:162
Verbascum thapsus for, 1:167
bladder mucosal lesions, therapies for, 1:123
bladder pain
 Cantharis vesicatoria for, 1:159
 Convallaria majalis for, 1:160
 Eupatorium purpureum for, 4:208
 formula for, 4:199
 Hyoscyamus niger for, 4:210
 Ulmus fulva for, 1:166
bladder reactivity. *See* urinary tract reactivity
bladder spasms
 Avena sativa for, 1:158
 Dioscorea villosa for, 1:160
 Uncaria tomentosa for, 1:166
bladder tone
 Hypericum perforatum for, 1:162
 Rhus aromatica for, 1:165
 Serenoa repens for, 1:165
 Verbascum thapsus for, 1:166
bladderwrack. *See* *Fucus vesiculosus*
(bladderwrack)
bleeding. *See* hemorrhage
bleeding, gastrointestinal. *See* gastrointestinal bleeding
blepharitis, 5:153
blessed thistle. *See* *Cnicus benedictus*
(blessed thistle)
blisters
 Azadirachta indica for, 1:239
 Grindelia squarrosa for, 1:243
bloating
 carminative herbs for, 1:25, 31
 Elettaria cardamomum for, 1:84
 Foeniculum vulgare for, 1:84, 242
 formulas for, 1:28, 29, 30, 32
 herbs for, 4:170t
 Matricaria chamomilla for, 1:86
 Mentha spp. for, 1:86, 105
blood clots
 nattokinase for, 2:80
 tea for, 2:81
 Trifolium pratense for, 2:105
blood composition alterations
 Eclipta alba for, 1:104
 Gymnema sylvestre for, 1:243
 Paeonia spp. for, 1:86, 105
 Silybum marianum for, 1:88, 106
blood in the urine. *See* hematuria
blood movers
 Angelica sinensis as, 2:59, 61, 90
 for angina, 2:39
cardiovascular benefits, 2:32, 46, 61
for cold extremities, 2:76
for Raynaud's disease, 2:67
for stasis ulcers, 2:60
for weak circulation, 2:58
 See also circulatory-enhancing herbs
blood pressure, high. *See* hypertension
blood pressure, low. *See* hypotension
blood reactivity
 Angelica sinensis for, 5:61, 85
 herbs for, 5:60
 See also vascular reactivity
bloodroot. *See* *Sanguinaria canadensis*
(bloodroot)
bloody stools
 Achillea millefolium for, 1:81
 Cinnamomum verum for, 1:83
 Quercus spp. for, 1:247
blueberry. *See* *Vaccinium myrtillus*
(bilberry, blueberry)
blueberry Dressing and Marinade, 3:76–77
blueberry juice, 1:224
blueberry powder, 1:45
blue cohosh. *See* *Caulophyllum thalictroides*
(blue cohosh)
blue flag. *See* *Iris versicolor* (wild iris, blue flag, vegetable mercury)
blue fleabane (*Erigeron annuus*), 4:79
blue mint bush (*Ziziphora clinopodioides*), 3:109
blue water lily. *See* *Nymphaea nouchali* var. *caerulea* (blue water lily, sacred lotus)
Boericke, William, 1:113
boils
 Achillea millefolium for, 1:237
 Alnus serrulata for, 1:238
 Arctium lappa for, 1:239
 Azadirachta indica for, 1:239
 Berberis aquifolium for, 1:245
 Chelidonium majus for, 1:240
 formula for, 1:179
 Harpagophytum procumbens for, 4:209
 herbs for, 1:176
 Juglans spp. for, 1:244
 Lobelia inflata for, 4:211
 Phytolacca spp. for, 1:246
 Smilax ornata for, 1:248
 as symptom of healing crises, 1:8
 Veratrum viride for, 1:249
boldo. *See* *Peumus boldo* (boldo)
bone-building effects
 Angelica sinensis, 3:165
 Epimedium grandiflorum, 3:57
 Medicago sativa, 3:173
 Pueraria spp., 3:97, 137, 176
 tea to prevent osteoporosis, 3:141
 Trifolium pratense, 3:178
bone density
 herbs for, 5:125
 legumes and isoflavones for, 5:126, 126
bone health
 Cnidium monnierii for, 5:135
 Epimedium brevicornu for, 5:137
 Equisetum spp. for, 5:101, 137
 Ginkgo biloba for, 5:138
 kidney health linked to, 5:127
 Medicago sativa for, 5:139
 Pinus pinaster for, 5:139
 Pueraria montana var. *lobata* for, 5:140
 Symphtum officinale for, 5:142
 Trifolium pratense for, 5:142
 Ulmus fulva for, 5:142
 Urtica spp. for, 5:142
bone injuries, formulas for, 5:100–101
bone-kidney axis, as term, 5:127
bone loss, with Graves' disease, 3:41–42
bone pain
 Dioscorea villosa for, 4:208
 Eupatorium perfoliatum for, 4:208; 5:137
 formulas for, 4:186, 188
 Gelsemium sempervirens for, 5:137
 Harpagophytum procumbens for, 4:209
 herbs for, 4:166t, 183t
 Stillingia sylvatica for, 5:141
boneset. *See* *Eupatorium perfoliatum*
(boneset, feverweed)
bone wounds, herbs for, 4:192t
Borago officinalis (borage)
 for allergies, 5:48
 formulas containing, 2:43
 for peripheral neuropathy, 4:43, 43t
 serotonin-promoting qualities, 4:92
 specific indications, 2:91; 4:76–77
boric acid
 for bacterial vaginosis, 1:117–18
 formulas containing, 3:105; 4:188
 for fungal skin infections, 1:195
 for genital fungal infections, 1:197
 for vaginitis, 1:194; 3:105
 washes with, 4:167–68, 175t
Boswellia spp.
 for inflammatory bowel diseases, 5:79t
 for multiple sclerosis, 5:82
Boswellia papyrifera (Sudanese frankincense), 5:83
Boswellia serrata (frankincense), 5:118
 anti-inflammatory qualities, 4:128; 5:97
 for arthritis, 5:114, 118
 for bursitis and tendinitis, 5:102
 formulas containing
 appendicitis recovery, 1:68
 arthritis, 5:117, 118, 120
 bursitis and tendinitis, 5:102
 connective tissue support, 5:121
 inflammatory bowel diseases, 1:35; 5:80
 joint pain, 4:185
 lupus, 5:76
 menopausal symptoms, 3:141
 menstrual cramps, 3:117
 multiple sclerosis, 5:83

- Boswellia serrata* (frankincense) (*continued*)
- musculoskeletal trauma, 5:97
 - opiate withdrawal and musculoskeletal pain, 4:185
 - polymyositis, 5:71
 - inclusion in FDA's category 1 list, 5:4
 - for inflammatory bowel diseases, 1:34
 - leukotriene-inhibiting qualities, 5:44
 - for muscle pain, 4:183t
 - for musculoskeletal pain, 5:118
 - for myositis conditions, 5:70
 - for pain, 4:166t
 - specific indications, 4:204–5; 5:86
 - botulinum toxin, 1:128–29
 - bowel movement straining
 - Collinsonia canadensis* for, 1:83
 - Rheum palmatum* for, 1:87, 105
 - Taraxacum officinale* for, 1:106 - bowel reactivity
 - Boswellia serrata* for, 5:86
 - Foeniculum vulgare* for, 5:90
 - formula for, 5:37
 - supplements for, 5:39t
 - See also* gastrointestinal hypersensitivity - brahmi. *See Bacopa monnieri* (brahmi); *Centella asiatica* (gotu kola, brahmi)
 - brain hubs, 4:5
 - brain plasticity, 4:3
 - Brant's oak (*Quercus brantii*), 3:110
 - Brassica* spp., 1:132, 148
 - Brassica alba*. *See Sinapis alba* (mustard seed, white mustard)
 - Brassica nigra* (black mustard), 2:111, 160
 - Brassica rapa* (canola), 3:38–39
 - Brazil nuts, juice of, 4:46
 - breadseed poppy. *See Papaver somniferum* (opium poppy, breadseed poppy)
 - breast cancer
 - Arctium lappa* for, 3:166
 - Phellodendron amurense* for, 3:174
 - phytoestrogens and, 3:156–58
 - Raphanus* spp. for, 3:176
 - Turnera diffusa* for, 3:179 - breast conditions
 - formulas for, 3:142–43
 - Hypericum perforatum* for, 3:171
 - Lepidium meyenii* for, 3:172
 - Phytolacca americana* for, 3:175
 - Pueraria* spp. for, 3:176 - breast cysts
 - Ceanothus americanus* for, 3:167
 - formulas for, 3:142–43
 - Glycyrrhiza glabra* for, 3:170
 - herbs for, 3:143
 - link to unopposed estrogen, 3:102
 - Vitex agnus-castus* for, 3:143, 180 - breastfeeding. *See* lactation
 - breast milk, passage of herbs into, 3:129
 - breast pain
 - Bryonia dioica* for, 4:205

- Conium maculatum* for, 4:207
- formula for, 4:195
- herbs for, 4:166t
- Phytolacca americana* for, 4:213
- Vitex agnus-castus* for, 4:218
- breast tenderness

 - Ceanothus americanus* for, 3:167
 - formulas for, 3:126–27, 143
 - Phytolacca americana* for, 3:175
 - with premenstrual syndrome, 3:125, 126, 142
 - Vitex agnus-castus* for, 3:148, 180

- breathing, altered, 2:114–123
- brezel wood. *See Caesalpinia sappan* (su mu)
- bromelain

 - from *Ananas comosus*, 2:158
 - anti-inflammatory qualities, 4:75; 5:97
 - for appendicitis recovery, 1:67–68
 - for arthritis, 5:114
 - for bladder mucosal lesions, 1:123
 - for bruising, 2:66
 - for bursitis and tendinitis, 5:102
 - for contractures, 5:104
 - for dental procedures, 5:177
 - for diarrhea, 1:55
 - in escharotic treatments, 3:115
 - formulas containing

 - arthritis, 5:120
 - asthma, 2:147
 - bronchitis, 2:132–33
 - emphysema, 2:138

 - immunomodulating qualities, 1:78
 - for intestinal parasites, 1:55
 - for leaky gut syndrome, 1:79
 - for musculoskeletal conditions, 5:96, 108, 132
 - PAF inhibiting properties, 2:77
 - for pelvic pain, 4:195–96
 - for peripheral neuropathy, 4:43t
 - for pyelonephritis, 1:119, 120
 - for traveler's diarrhea prevention, 1:53
 - for trigeminal neuralgia, 4:39
 - for varicosities, 2:81

- bronchial asthma

 - Ephedra sinica* for, 5:89
 - formula for, 5:46
 - Perilla frutescens* for, 5:92
 - See also* asthma

- bronchitis

 - Achillea millefolium* for, 2:156
 - Aconitum napellus* for, 2:156
 - Albizia lebbeck* for, 2:157
 - Allium sativum* for, 2:157
 - Ananas comosus* for, 2:158
 - Anemopsis californica* for, 2:158
 - Apium graveolens* for, 2:158
 - Aspidosperma quebracho* for, 2:159
 - Cinnamomum verum* for, 2:161
 - Cissampelos sympodialis* for, 2:161
 - Commiphora myrrha* for, 2:162
 - Curcuma longa* for, 2:162
 - Eucalyptus globulus* for, 2:164

 - formulas for, 2:130–34
 - Grindelia* spp. for, 2:167
 - Hydrastis canadensis* for, 2:167
 - Hyoscyamus niger* for, 2:168
 - Hyssopus officinalis* for, 2:168
 - Inula helenium* for, 2:168
 - Justicia adhatoda* for, 2:169
 - Ligusticum porteri* for, 2:169
 - Lomatium dissectum* for, 2:170
 - Lonicera japonica* for, 2:170
 - Lophatherum gracile* for, 2:170
 - Marrubium vulgare* for, 2:171
 - Melilotus suaveolens* for, 2:172
 - overview, 2:130–31
 - Panax ginseng* for, 2:174
 - Pelargonium sidoides* for, 2:175
 - Polygala* spp. for, 2:177
 - Prunus serotina* for, 2:177
 - Raphanus sativus* var. *niger* for, 2:178
 - Rosmarinus officinalis* for, 2:179
 - Scutellaria baicalensis* for, 2:180
 - Stellaria media* for, 2:104
 - Sticta pulmonaria* for, 2:181
 - Stillingia sylvatica* for, 2:181
 - Thymus vulgaris* for, 2:182
 - bronchodilators, herbal

 - for allergic airway disorders, 5:44, 46–47
 - Ammi visnaga* as, 5:62, 85
 - lists of, 2:108t, 143t
 - Lobelia inflata* as, 5:92

 - bronchodilators, pharmaceutical, 2:142, 143t
 - bronchospasms

 - Ammi visnaga* for, 2:157
 - Atropa belladonna* for, 2:159
 - Datura stramonium* for, 2:163
 - Foeniculum vulgare* for, 2:166
 - Hyoscyamus niger* for, 2:167
 - Lepidium meyenii*, 2:169
 - Mentha piperita* for, 2:172
 - Petroselinum crispum* for, 2:175
 - Picrorhiza kurroa* for, 2:176
 - Pimpinella anisum* for, 2:176
 - Prunus serotina* for, 2:177
 - Vitex negundo* for, 2:184

 - broths

 - for electrolyte replacement, 1:57–58
 - herbs for, 1:34
 - seaweed, 1:80

 - brown algae (Phycophyta), 1:206
 - brucine, 4:215
 - bruising

 - Arnica montana* for, 5:133
 - Crataegus* spp. for, 5:136
 - Curcuma longa* for, 5:136
 - formula for, 5:98
 - Hamamelis virginiana* for, 4:209; 5:138
 - herbs for, 2:66t; 4:170t
 - Hypericum perforatum* for, 2:97, 168; 3:95–96; 4:143, 210
 - therapies for, 2:66

- bruising (*continued*)
Vaccinium myrtillus for, 3:99; 5:143
Valeriana officinalis for, 4:217
- Bryonia alba* (white bryony)
 formulas containing
 ovarian cysts, 3:144
 pleurisy, 2:139
 pneumonia, 2:141
 for pain, 4:156, 205
 specific indications, 2:160; 4:205
- Bryonia dioica* (bryony)
 for altered breath sounds, 2:118
 formulas containing
 breast pain, 4:195
 chest pain, 4:193
 costochondritis, 2:123
 coughs, 2:121, 123
 gouty arthritic pain, 4:185
 lymphatic pain and lymphedema, 4:201
 ovarian neuralgia, 4:196
 pain, 4:172
 for nerve pain, 4:180t
 for ovarian cysts, 3:144
 for pain, 4:166t
 for pleurisy, 2:138
 specific indications, 2:160; 4:205
- bryony. *See Bryonia dioica* (bryony)
- buchu. *See Agathosma betulina* (buchu)
- buckwheat (*Fagopyrum esculentum*), 2:79
- Bufei Yishen granules, 2:153
- bugleweed. *See Lycopus virginicus* (bugleweed)
- bu gu zhi (*Cullen corylifolium*), 4:141–42
- bulimia, formulas for, 1:38–39
- bunge corydalism (*Corydalis bungeana*), 4:129
- Bupleurum* spp.
 for renal failure, 1:153
 for ulcers, 1:62
- Bupleurum chinense* (chai hu; Chinese thoroughwax)
 for adrenal disorders, 3:49
 antifibrotic qualities, 1:91
 for biliary pain, 1:100t
 formulas containing
 depression and anxiety, 4:105, 106
 gastrointestinal hypersensitivity, 5:38–39
 menstrual cramps, 3:117
 for hepatitis, 1:90
 specific indications, 1:103
 for urinary tract reactivity, 5:58
- Bupleurum falcatum* (Chinese thoroughwax)
 antifibrotic qualities, 1:91
 formulas containing
 hepatitis, 1:92, 95
 pancreatitis, 1:70
 renal failure, 1:154
- Bupleurum falcatum* (Chinese thoroughwax, saiko)
 for adrenal disorders, 3:49
 for depression, 4:103t
 for digestive pain, 4:197t
- for epilepsy and seizure disorders, 4:67
- formulas containing
 Addison's disease, 3:51
 alcohol abstinence, 4:132
 dementia, 4:57
 digestive organ pain, 4:197
 hyperthyroidism, 3:42, 44
 lupus, 5:77
 nephropathy, 3:73
 peripheral neuropathy, 4:47
 for neurological conditions, 4:27
 for oral leukoplakia, 5:187
 for peripheral neuropathy, 4:43t
 specific indications, 3:55, 90–91; 4:140
- burdock. *See Arctium lappa* (burdock)
- burning bush. *See Euonymus alatus*
 (burning bush)
- burning digestive symptoms
Iris versicolor for, 1:104, 244
Sanguinaria canadensis for, 1:87, 247
Ulmus spp. for, 1:88
- burning pain
Butea monosperma for, 4:205
 herbs for, 4:170t
- burning tongue syndrome, 5:182
- burning urination
Apis mellifica venom for, 1:157
Apocynum cannabinum for, 1:157
Berberis aquifolium for, 1:163
Elymus repens for, 1:160
Petroselinum crispum for, 1:163
Piper cubeba for, 1:164
Verbascum thapsus for, 1:166
Zingiber officinale for, 1:167
- burns
Allium cepa for, 1:173, 238
Aloe vera for, 1:172, 238; 4:203
Echinacea spp. for, 1:241
Foeniculum vulgare for, 1:242
 formulas for, 1:172–73
Grindelia squarrosa for, 1:243
Hamamelis virginiana for, 1:243; 4:209
Hippophae rhamnoides for, 1:244
Hypericum perforatum for, 4:143
Lavandula angustifolia for, 1:244; 4:210
Mentha piperita for, 4:211
 overview, 1:170
 poultices for, 4:190–91, 192–93
Symphytum officinale for, 1:248
- bursitis
 apitherapy for, 5:86
 formulas for, 5:102–3
Harpagophytum procumbens for, 5:138
Melaleuca alternifolia for, 5:139
 overview, 5:102
- bushmaster snake. *See Lachesis mutus*
 (bushmaster snake)
- butcher's broom. *See Ruscus aculeatus*
 (butcher's broom)
- Butea monosperma* (flame of the forest, bastard teak)
 for pain, 4:170t
 specific indications, 4:205
- butterbur. *See Petasites hybridus* (butterbur)
- butterfly weed. *See Asclepius tuberosa*
 (pleurisy root)
- butter substitute, 3:84–85
- butylphthalide, 4:75–76
- B vitamins. *See vitamin B family*
- C**
- cacao. *See Theobroma cacao* (cacao)
- Cactus grandiflorus*. *See Selenicereus grandiflorus* (night-blooming cactus)
- cadmium-induced neuropathy, formula for, 4:49
- Caesalpinia sappan* (su mu), 2:131, 160
- caffeine
 avoiding, with overactive bladder, 1:129
 chemopreventive effects, 3:157
 cognition benefits, 4:120
 diuretic qualities, 1:109, 112
 ergogenic effects, 5:111–12
 with ergotamine, for headaches, 4:161
 in skin and scalp products, 1:215
 for skin protection, 1:228, 230
- Calabar bean (*Physostigma venenosum*), 4:84
- calamus. *See Acorus calamus* var. *angustatus*
 (sweet flag, calamus)
- calcinoses, Raynaud's syndrome, esophageal dysfunction, sclerodactyly, and telangiectasia (CREST), 5:84
- calcitonin-gene-related peptide (CGRP), 4:157
- calcitriol, 5:127
- calcium
 for headaches, 4:165t
 for withdrawal symptoms, 4:128
- Calendula officinalis* (pot marigold)
 for allergic stomatitis, 5:181
 alterative qualities, 1:27
 for appendectomy recovery, 1:67
 for bladder mucosal lesions, 1:123
 for cheilosis and cheilitis, 5:183
 for CREST, 5:84
 for dental procedures, 5:146
 for dermatologic conditions, 1:170, 171t, 188
 for digestive pain, 1:26
 for dry eyes, 5:150
 for epistaxis, 5:174
 in escharotic treatments, 3:115
 for eye conditions, 5:147, 147t, 149t
 for eye injuries, 5:154
 for eye pain, 4:174
 formulas containing
 acne, 1:203
 acne rosacea, 1:205, 207
 aphthous ulcers, 5:183, 184
 appendicitis recovery, 1:68
 autoimmune disorders, 5:67
 bladder cancer, 1:134

- Calendula officinalis* (pot marigold) (*continued*)
- blepharitis, 5:153
 - burns, 1:172–73
 - capillary fragility, 2:66, 67
 - cellulite, 1:233
 - conjunctivitis, 5:150
 - CREST, 5:84
 - Cushing's syndrome, 3:54
 - cystitis, 1:114
 - dermatitis, 1:183, 184, 185, 190
 - diabetic cutaneous ulcerations, 3:74
 - ear pain, 4:175
 - eczema, 1:184, 186
 - endocarditis, 2:72
 - erythema multiforme, 1:220
 - eye drops, 5:148
 - gangrene, 1:236
 - genital herpes, 3:111
 - GERD, 1:42
 - hemorrhoids, 2:78
 - Henoch-Schönlein purpura, 5:75
 - herpetic neuralgia, 4:41
 - interstitial cystitis, 1:123
 - itching skin, 1:186
 - leaky gut syndrome, 1:78
 - lichen planus, 1:211
 - nasal polyps, 5:174
 - neurogenic bladder, 1:127
 - oral allergic reactivity, 5:51, 52, 186
 - oral erythema multiforme, 5:187, 188
 - otitis externa, 5:163
 - otitis media, 5:161, 162
 - pain, 4:168
 - painful mucous membranes, 4:167
 - pemphigus support, 1:221
 - phlebitis, 2:81
 - pyelonephritis, 1:119
 - reactive arthritis, 5:72
 - respiratory allergies, 5:42
 - shingles lesions, 1:231
 - Sjögren's syndrome, 5:69
 - skin fissures, 1:234
 - skin infections, 1:176, 177, 179
 - skin lesions, 5:55t
 - skin protection, 1:228, 229
 - skin trauma, 1:174
 - stasis ulcers, 2:60
 - superficial pain, 4:191
 - ulcerated skin, 1:231, 232
 - urinary conditions, 1:116, 117
 - urinary tract infections, 3:136
 - vaginal lubricant, 3:153
 - vaginitis, 3:106, 107
 - varicosities, 2:75
 - vascular reactivity, 5:63
 - warts, 1:200
 - wound healing, 1:181, 182
 - wounds, 1:173
 - for fungal skin infections, 1:197
 - for glossitis, 5:179
 - for heart infections, 2:72
 - for Henoch-Schönlein purpura, 5:75
 - for inflammatory bowel diseases, 1:34
 - for microvascular fragility, 2:66t
 - mucous-enhancing qualities, 1:64
 - for oral allergic reactivity, 5:50
 - for otitis externa, 5:163
 - for otitis media, 5:159
 - for pain, 4:166t, 170t
 - for peripheral neuropathy, 4:43t
 - for pityriasis, 1:212
 - as restorative, 1:43
 - for skin allergic conditions, 5:54t
 - for skin cancer, 1:236
 - for skin eruptions, 1:194
 - for skin fissures, 1:235
 - for skin infections, 1:176, 183
 - for skin protection, 1:230
 - for skin ulcers, 1:231
 - specific indications, 1:158, 239; 2:91; 3:55; 5:134, 194
 - for stasis ulcers, 2:60
 - for telangiectasias, 1:208
 - for topical skin products, 1:228
 - for urinary conditions, 1:114
 - for vaginitis, 3:105
 - for vascular infections, 2:72
 - for vascular pain, 4:200t
 - for vascular support, 2:65
 - for wound healing, 1:181; 4:192t
 - California poppy. *See Eschscholzia californica* (California poppy)
 - calming formulas, toxic herbs use, 3:20
 - Camellia sinensis* (green tea)
 - 5 α -reductase inhibition, 1:145, 218; 3:162
 - antiaging effects of, 1:228
 - antiallergic qualities, 5:33t
 - aromatase inhibitors in, 1:146, 158
 - for attention deficit hyperactivity disorder, 4:121
 - for beta cell regeneration, 3:74
 - for bladder cancer, 1:132
 - for COPD, 2:148, 150, 151
 - for cor pulmonale, 2:155
 - for dental conditions, 5:175
 - for dermatitis, 1:188, 189
 - in electrolyte beverages, 5:113
 - ergogenic effects, 5:113
 - for fatty liver, 1:96
 - fluoride in, 5:175, 176
 - formulas containing
 - acne, 1:203
 - alopecia, 1:216, 218
 - benign prostatic hyperplasia, 3:164
 - bladder cancer, 1:134
 - cellulite, 1:233
 - conjunctivitis, 5:149
 - COPD, 2:150, 151
 - dementia, 4:56
 - dental conditions, 5:175
 - emphysema, 2:138
 - gastrointestinal hypersensitivity, 5:37, 38
 - hirsutism, 1:214
 - hormonal cancers, 3:158
 - hypertension, 2:42
 - mouth sores, 4:177
 - multiple sclerosis, 5:83
 - prostate cancer, 1:149
 - prostatic diseases, 1:146
 - renal failure, 1:153
 - Sjögren's syndrome, 5:69
 - skin protection, 1:229
 - vascular support, 2:28, 29
 - GABAergic qualities, 4:110
 - for hemochromatosis, 2:71
 - for human papillomavirus, 3:113
 - for hypertension, 2:42
 - for inflammatory bowel diseases, 5:79t
 - iron chelation properties, 2:71
 - iron in, 2:70
 - mast-cell stabilizing effects, 2:144t
 - minerals in, 5:100t
 - for neurological conditions, 4:28
 - neuroprotective effects, 4:30
 - for oral leukoplakia, 5:187
 - for otitis media, 5:159
 - polyphenols in, 1:223
 - for prostatic diseases, 1:143
 - for renal failure, 1:152
 - for respiratory conditions, 2:108
 - for skin protection, 1:230
 - specific indications, 1:158, 240; 2:91, 160; 3:55, 91; 5:86–87, 194
 - for thyroiditis, 3:32
 - for topical skin products, 1:228
 - for uterine fibroids, 3:150
 - for warts, 1:200
 - cAMP (cyclic adenosine monophosphate), 5:135
 - campesterol, 1:144
 - camphor. *See Cinnamomum camphora* (camphor)
 - camphorated castor oils, 2:112
 - camphor crystals, 2:112
 - camphor essential oil, for joint pain, 4:187
 - Canada fleabane, Canada horseweed. *See Erigeron canadensis* (Canada fleabane, Canada horseweed)
 - Canada mint (*Mentha canadensis*), 5:80
 - cancer
 - Alpinia galanga* for, 3:165
 - Artemisia dracunculus* for, 4:204
 - Astragalus membranaceus* for, 3:166
 - Cannabis sativa* for, 4:205
 - Citrullus colocynthis* for, 4:206
 - Conium maculatum* for, 4:207
 - Curcuma longa* for, 4:207
 - Dioscorea villosa* for, 4:208
 - hedgehog signaling and, 4:191
 - Medicago sativa* for, 3:96
 - Petasites hybridus* for, 4:212

- cancer (*continued*)
Phytolacca americana for, 3:175
Podophyllum peltatum for, 3:175
Punica granatum for, 3:97
Raphanus spp. for, 3:176
Ricinus communis for, 4:214
Scutellaria baicalensis for, 4:215
Smilax ornata for, 3:177
Thuja spp. for, 3:178
Uncaria spp. for, 4:216
See also metastatic pain; specific types
- cancer-related conditions
Boswellia serrata for, 5:86
Cordyceps sinensis for, 5:88
Fucus vesiculosus for, 5:90
Ganoderma lucidum for, 5:90
Gelsemium sempervirens for, 5:137
candleberry (*Myrica cerifera*), 2:133, 172
candytuft. *See Iberis amara* (candytuft)
canker sores. *See* aphthous ulcers
cannabidiol. *See CBD* (cannabidiol)
cannabinoid pathways, 1:32
cannabinoid receptors, 1:125
cannabinoids
activation of TRP channels and, 4:178
for neuropathic pain, 4:180
for pain, 4:205
for seizures, 4:73–74
for withdrawal symptoms, 4:140
Cannabis sativa (marijuana, hemp), 4:73
activation of TRP channels and, 4:178
for depression, 4:103t
for fibromyalgia-related insomnia, 4:116
for GI symptoms, 1:32
for glaucoma, 5:156
for inflammatory bowel diseases, 1:34; 5:79t
for motion sickness, 5:167
for multiple sclerosis, 5:83
for nerve pain, 4:180t
for neuropathic pain, 4:179–180
for seizures, 4:73–74
specific indications, 1:240; 4:77, 140–41, 205; 5:87
canola (*Brassica rapa*), 3:38–39
cantharidin, 1:158–59
Cantharis vesicatoria (Spanish fly)
for bites and stings, 1:171t
for bladder cancer, 1:132
for burns, 1:173t
for dermatologic conditions, 1:191
for dysuria, 1:116
for eye conditions, 5:147t
for eye injuries, 5:154
formulas containing, 1:132
specific indications, 1:158–59
cape jasmine. *See Gardenia jasminoides*
(cape jasmine)
capillary fragility, 2:65–67
capillary wormwood. *See Artemisia capillaris*
(capillary wormwood)
- capsaicin
for arthritis, 5:117
in *Capsicum* spp., 4:38, 178; 5:194
formulas containing, 4:166
for musculoskeletal conditions, 5:134
for neuralgia, 4:35, 77
for pain, 4:155, 166, 170t
for peripheral neuropathy, 4:43t
for trigeminal neuralgia, 4:37, 39
Capsella bursa-pastoris (shepherd's purse), 1:33, 82; 3:133; 5:32t
Capsicum spp., 4:38
activation of TRP channels and, 4:178
formulas containing
bronchitis, 2:134
constipation, 1:48
coughs, 2:119
neuralgia, 4:182
liniments containing, 2:111
lipid-lowering effects, 3:82
for malabsorption, 1:73
for neuropathic pain, 4:38
for osteoarthritic hand pain, 4:187
warming qualities, 1:59
as warming stimulant, 3:21t
Capsicum annuum, *C. frutescens* (cayenne)
for anorexia, 1:36
for arthritis, 5:117
avoiding, with overactive bladder, 1:129
for copulmonare, 2:155
as counterirritant, 2:132
digestive stimulant qualities, 1:25
for emphysema, 2:136
fibrinolytic properties, 2:73
formulas containing
bursitis and tendinitis, 5:103
dyspepsia, 1:29
emphysema, 2:137
gout, 5:124
headaches, 4:164
hyperlipidemia, 2:37
malabsorption, 1:74
muscle pain, 4:183; 5:109
peripheral neuropathy, 4:44
peripheral vascular insufficiency, 2:61
pharyngitis, 5:189
skin infections, 1:177
throat pain, 4:178
trigeminal neuralgia, 4:39
for nasal polyps, 5:173t
for neuralgia, 4:35, 77, 205
PAF inhibiting properties, 2:77
plasters containing, 2:110
for renal failure, 1:154t
for respiratory conditions, 2:115
for skin hypersensitivity, 1:232
specific indications, 1:82, 159, 240; 2:160; 4:77, 205; 5:134, 194
for streptococcal infections, 1:180
for throat pain, 5:190
for trigeminal neuralgia, 4:37
for vascular reactivity, 5:60
for wound healing, 1:181
capsules
dosage strategy, 1:21; 2:23; 3:22, 23; 4:26; 5:26
encapsulated herbs for seizures, 4:72
herbal teas vs., 1:26
pros, cons, and indications, 1:20; 2:22; 3:22; 4:24–25; 5:24–25
caraway. *See Carum carvi* (caraway, black zeera)
cardamom. *See Elettaria cardamomum* (cardamom)
cardiac cough
Digitalis purpurea for, 2:163
formula for, 2:85
Lobelia inflata for, 2:98
Urginea maritima for, 2:105
cardiac glycosides
for cardiomyopathy, 2:49
for congestive heart failure, 2:47–50
from *Convallaria majalis*, 2:51
cardiac inflammation
Adonis vernalis for, 2:89
Ammi visnaga for, 2:90
cardiac muscle spasms, *Lobelia* for, 1:11, 136; 2:13; 4:16; 5:16
cardiomyopathy
Angelica sinensis for, 3:165
Apocynum cannabinum for, 2:90
Astragalus membranaceus for, 2:91
benefits of early intervention, 2:7
Borago officinalis for, 2:91
cardiac glycosides for, 2:49
Castanospermum australe for, 2:92
Convallaria majalis for, 2:93
Crataegus spp. for, 2:93, 162
Digitalis purpurea for, 2:94
Foeniculum vulgare for, 3:94
formulas for, 2:47–51, 52
Glycyrrhiza glabra for, 2:96
Ligusticum porteri for, 2:169
Medicago sativa for, 3:96
overview, 2:47
Paeonia lactiflora for, 2:100, 174
Panax ginseng for, 2:174
Stevia rebaudiana for, 2:104
Syzygium cumini for, 3:99
Terminalia arjuna for, 2:104
Tribulus terrestris for, 3:178
Viscum album for, 2:106
Ziziphus spinosa for, 2:106
cardiopulmonary disease
Desmodium styracifolium for, 2:94
formulas for, 2:83–85
Gastrodia elata for, 2:95
herbs for, 2:89–106
Ligusticum striatum for, 2:98
Withania somnifera for, 2:106

- cardiovascular disorders
- Allium sativum* for, 2:90
 - Andrographis paniculata* for, 2:158; 3:90
 - Angelica sinensis* for, 2:90
 - Astragalus membranaceus* for, 5:86
 - Berberis aquifolium* for, 2:91
 - Coleus forskohlii* for, 3:167
 - Convallaria majalis* for, 1:159
 - Coptis chinensis* for, 2:93
 - Coptis trifolia* for, 3:92
 - Crataegus* spp. for, 1:160; 2:93
 - Digitalis purpurea* for, 2:94
 - Echinacea* spp. for, 2:94
 - Equisetum* spp. for, 2:95
 - gingivitis linked to, 5:184, 185, 201
 - herbs for, 2:89–106
 - Hibiscus sabdariffa* for, 2:96; 3:95
 - Lepidium meyenii* for, 3:96
 - Ligusticum striatum* for, 2:98
 - Linum usitatissimum* for, 2:98
 - Lycopus virginicus* (bugleweed), 2:98
 - Olea europaea* for, 2:99
 - overview, 2:25–27
 - Panax ginseng* for, 2:100
 - Pinus pinaster* for, 5:139
 - Pueraria montana* var. *lobata* for, 2:177
 - Punica granatum* for, 2:101
 - Rheum palmatum* for, 2:102
 - Rhodiola rosea* for, 2:102; 4:150
 - Rosa canina* for, 2:102
 - Rosmarinus officinalis* for, 4:85
 - Salvia miltiorrhiza* for, 5:201
 - Schisandra chinensis* for, 2:180; 5:141, 201
 - Scutellaria baicalensis* for, 2:103
 - Stevia rebaudiana* for, 3:98
 - Terminalia* spp. for, 1:106
 - Ziziphus spinosa* for, 2:106
 - See also* vascular disorders; specific disorders
- cardiovascular pain, herbs for, 4:203
- See also* vascular pain
 - Carica papaya* (papaya)
 - antimicrobial qualities, 1:56
 - for burns, 4:190–91
 - for intestinal parasites, 1:55
 - for traveler's diarrhea prevention, 1:53
 - carminative herbs, 1:12, 25, 31
 - See also* specific herbs
 - Carnegie, Andrew, 5:3
 - Carnegie Foundation, 5:3
 - L-carnitine, 4:43
 - carnitine deficiency, 4:70
 - carob. *See Ceratonia siliqua* (carob)
 - Carob Milk, 3:89
 - carotenoids
 - chemopreventive effects, 3:157
 - for diabetic retinopathy, 5:157
 - for macular degeneration, 5:158
 - in *Perilla frutescens*, 5:45 - carpal tunnel syndrome
 - bromelain for, 4:75
- Centella asiatica* for, 4:77
- Colchicum autumnale* for, 4:78
- formulas for, 4:47
- heat therapy for, 4:48
- herbs for, 4:42
- Hypericum perforatum* for, 4:81
- Mentha piperita* for, 4:83
- topical protocol for, 4:48
- carrot. *See Daucus carota* (wild carrot)
- Carthamus tinctorius* (safflower)
- 5 α -reductase inhibition, 3:162
 - for alopecia, 1:218
 - seed oil for salad dressing, 4:57
 - serotonin-promoting qualities, 4:92
- Carum carvi* (caraway, black zeera)
- for digestive pain, 4:197t
 - for epilepsy and seizure disorders, 4:67, 77
 - for *Helicobacter pylori* infections, 1:43
 - in Mouthwash for Halitosis, 1:51
 - for pain, 4:166t, 170t
 - specific indications, 1:82; 2:160; 4:77
- Carum copticum* (ajwain), 2:105
- carvacrol, 5:199
- cascara. *See Rhamnus purshiana* (sacred bark, cascara)
- Cashew Custard with a Nut Crust, 3:86
- Cassia* spp., 1:46; 47
- Cassia auriculata* (avaram senna), 1:152, 154
- cassia cinnamon. *See Cinnamomum cassia* (cassia cinnamon, Chinese cinnamon)
- Cassia senna* (senna), 1:47, 48
- Castanospermum australe* (blackbean tree), 2:92
- castor oil. *See Ricinus communis* (castor oil)
- catalpol, 5:67, 93
- cataracts
- Crataegus* spp. for, 5:195
 - formulas for, 5:152
 - Ginkgo biloba* for, 5:197
 - Panax ginseng* for, 5:200
 - Vaccinium myrtillus* for, 5:203
- catechins
- antiaging effects of, 1:228
 - antiallergic qualities, 5:28
 - in *Camellia sinensis*, 1:158; 5:33t, 69, 80, 175, 194
 - for chemo brain, 4:58
 - cholagogue action, 1:99
 - for dental conditions, 5:175
 - for HPV, 1:200
 - for neurological conditions, 4:28
- catecholamine, 4:94, 117
- catechu (*Acacia catechu*), 5:141
- categories of actions of herbs, 1:11–12; 2:13–14; 3:13; 4:16–17; 5:15–16, 26
- caterpillar fungus. *See Cordyceps* spp.
- Catharanthus roseus* (periwinkle, Madagascar periwinkle), 4:88
- catheterization, herbs for support of, 1:126
- catnip. *See Nepeta cataria* (catnip)
- cat's claw. *See Uncaria* spp.
- Caulophyllum thalictroides* (blue cohosh)
- as emmenagogue, 3:128
 - formulas containing
 - arthritis, 5:118
 - menorrhagia, 3:119
 - parturition, 3:132
 - uterine prolapse, 3:153
 - varicosities, 2:75
- for pain, 4:171t
- safety concerns, 4:206; 5:134
- specific indications, 4:206; 5:134
- as uterine sedative, 3:124
 - as uterine tonic, 3:119
 - for vascular pain, 4:200t
- caulosaponins, 4:206
- Causticum hahnemannii*, 1:173t
- cayenne. *See Capsicum* spp.
- CBD (cannabidiol)
- for fibromyalgia-related insomnia, 4:116
 - formulas containing, 5:80
 - for glaucoma, 5:156
 - for motion sickness, 5:167
 - for multiple sclerosis, 5:83
 - for musculoskeletal trauma, 5:98
 - for pain, 4:205
 - for seizures, 4:73–74
 - specific indications, 5:87
- ceanothic acid/ceanothenic acid, 5:175
- Ceanothus americanus* (red root, New Jersey tea)
- alterative qualities, 1:27
 - for biliary pain, 1:100t
 - for breast conditions, 3:142
 - for breast cysts, 3:143
 - cholagogue action, 1:98
 - for dental conditions, 5:175
 - for digestive pain, 4:197t
 - formulas containing
 - breast conditions, 3:143
 - breast pain, 4:195
 - cellulite, 1:233
 - lymphatic pain and lymphedema, 4:201
 - peripheral vascular insufficiency, 2:58
 - phlebitis, 2:81
 - premenstrual syndrome, 3:127
 - vaginitis, 3:107
- for pain, 4:166t
- for poor circulation, 2:58
- specific indications, 1:82, 103, 240; 2:92; 3:91, 167
- cedar. *See Thuja* spp.
- Cedrus deodara* (Himalayan cedar, deodar cedar), 5:31t
- celandine. *See Chelidonium majus* (celandine)
- Celastraceae family, 5:65
- celastrol, 5:65, 87
- Celastrus aculeatus* (celastrus, staff vine, staff tree), 4:186, 206; 5:87

- Celastrus paniculatus* (jyotishmati, malkangani)
 formulas containing
 metastatic bone pain, 4:186
 schizophrenia, 4:127
 neuroprotective effects, 4:30, 77
 specific indications, 4:77, 141
celery. *See Apium graveolens* (celery)
 celiac disease, 1:72, 191
 cell cultures, limitations of, 3:1–2
 cell-mediated immune response, 5:29
 cellulite, 1:233, 242, 249
 cellulitis
 Echinacea spp. for, 2:94
 Equisetum spp. for, 2:95
 Phytolacca decandra for, 2:100
 censorship of natural medicine, 5:1–6
Centella asiatica (gotu kola, brahmi),
 1:182; 2:62
 for altered breath sounds, 2:118
 for angioedema, 5:56
 for arthritis, 5:115
 for autoimmune disorders, 5:65
 for Behçet's disease, 5:74
 for bladder mucosal lesions, 1:123
 for bone density, 5:125
 for bronchitis, 2:132
 for cardiopulmonary disease, 2:83
 for carpal tunnel syndrome, 4:42
 for connective tissue support, 5:105
 for contractures, 5:104
 for COPD, 2:148, 151
 for CREST, 5:84
 for dental procedures, 5:146
 for depression and anxiety, 4:101t
 for dermatitis, 1:189
 for dermatologic conditions, 1:170, 171t, 182
 for detoxification, 3:67
 for digestive pain, 1:26
 for dry eyes, 5:150
 for exophthalmia, 3:45
 for eye conditions, 5:147t
 for eye injuries, 5:154
 for fibrosis, 2:62
 flavonoids in, 2:33
 formulas containing
 acne rosacea, 1:205
 angioedema, 5:57
 aphthous ulcers, 5:184
 arthritis, 5:116, 120
 Behçet's disease, 5:74
 black eyes, 5:155
 burns, 1:173
 bursitis and tendinitis, 5:102
 capillary fragility, 2:66
 cardiopulmonary disease, 2:84, 85
 cataract prevention, 5:152
 cerebral vascular insufficiency, 2:62–63, 64
 connective tissue weakness, 5:99
 COPD, 2:151
 corneal ulcers, 5:152
 coughs, 2:120
 CREST, 5:84
 Cushing's syndrome, 3:54
 cystitis, 4:199
 dementia, 4:55
 dental conditions, 5:175
 dermatitis, 1:183, 184, 185, 190, 192
 diabetic cutaneous ulcerations, 3:74
 diarrhea, 1:58
 eczema, 1:184, 185, 186
 emphysema, 2:138
 endocarditis, 2:72
 erythema multiforme, 1:220
 esophageal disorders, 1:46
 GERD, 1:42
 gingivitis, 5:184
 Guillain-Barré syndrome, 4:49
 head injury-related seizures, 4:71
 hemoptysis, 2:126
 hyperthyroidism, 3:42, 45
 inflammatory bowel diseases, 1:36
 interstitial cystitis, 1:123
 joint pain, 4:185
 leaky gut syndrome, 1:78
 lymphedema, 2:83
 macular degeneration, 5:158
 metastatic bone pain, 4:188
 muscle pain, 5:107
 musculoskeletal trauma, 5:98
 myositis conditions, 5:71
 neuralgia, 4:35
 neurogenic bladder, 1:127
 oral erythema multiforme, 5:188
 oral leukoplakia, 5:186
 oral ulcers, 5:184
 osteoporosis, 3:141; 5:128, 129
 otitis media, 5:161, 162
 overactive bladder, 1:130
 Paget's disease, 5:130
 pain, 4:187
 pancreatitis, 1:70
 Parkinson's disease, 4:60
 pelvic inflammatory disease, 3:108
 pemphigus support, 1:221
 peripheral neuropathy, 4:45
 phlebitis, 2:81
 primary sclerosing cholangitis, 1:100
 reactive arthritis, 5:72
 renal failure, 1:153
 Sjögren's syndrome, 5:69
 skin fissures, 1:234
 skin protection, 1:228, 229
 skin trauma, 1:174, 175
 stasis ulcers, 2:60
 steroids, withdrawal from, 1:188
 streptococcal infections, 1:233
 traumatic brain injury, 4:55
 ulcerated skin, 1:231
 ulcers, 1:66
 urinary tract infections, 3:136
 vaginitis, 3:107
 varicosities, 2:74, 75
 vascular reactivity, 5:63
 vasculitis, 2:82
 vertigo, 5:166
 wound healing, 1:181, 183
 for heart infections, 2:72
 for interstitial cystitis, 1:123
 for malabsorption, 1:73
 minerals in, 5:100t
 mucous-enhancing qualities, 1:64
 for muscle pain, 4:183t
 for musculoskeletal trauma, 5:96
 nerve qualities, 4:91
 for neuralgia, 4:34
 for neurogenic bladder, 1:126, 127
 for neurological conditions, 4:27, 28
 neuroprotective effects, 4:30
 nourishing qualities, 1:37
 for oral leukoplakia, 5:187
 for osteoarthritic hand pain, 4:187
 for otitis externa, 5:163
 for pelvic inflammatory disease, 3:108
 for peripheral neuropathy, 4:43t
 as restorative, 1:43
 for skin allergic conditions, 5:54t
 for skin eruptions, 1:190
 for skin fissures, 1:235
 for skin protection, 1:230
 for skin ulcers, 1:231
 in soup, 1:35
 specific indications, 1:82, 159, 240; 2:92, 161;
 3:55–56, 91; 4:77; 5:87, 134–35, 194
 for stasis ulcers, 2:60
 for stomatitis, 5:179
 with tincture for fracture, 4:184
 for ulcers, 1:63
 for vascular reactivity, 5:60
 for vascular support, 2:65
 for venous insufficiency, 2:74
 for weak fingernails, 1:236
 for wound healing, 1:181, 182; 4:192t
 Centers for Disease Control and Prevention
 (CDC), 4:2, 3, 70; 5:2
 central sensitization syndrome, 4:32
 ceramides, 5:35
Ceratonia siliqua (carob), 3:130
 in Carob Milk, 3:89
 for hormone-related infertility, 3:130
 inositol in, 3:70
 for schistosomiasis, 1:119
 specific indications, 3:91
 for supporting fertility, 3:132
 cerebral ischemia, 2:61
 cerebral vascular insufficiency
 formulas for, 2:61–65
 Ginkgo biloba for, 2:95
 cerebrovascular disorders
 Rosmarinus officinalis for, 4:85
 Salvia miltiorrhiza for, 4:151

- Cereus grandiflorus*. See *Selenicereus grandiflorus* (night-blooming cactus)
- cervical dysplasia, 3:114–15
- cevanine ester-alkaloids, 4:191
- Ceylon cinnamon. See *Cinnamomum verum* (Ceylon cinnamon, cinnamon)
- CGRP (calcitonin-gene-related peptide), 4:157
- chaga mushroom (*Inonotus obliquus*), 3:69
- chai hu. See *Bupleurum chinense* (chai hu, Chinese thoroughwax)
- Chai Hu Shu Gan San, 4:105
- chalazions, 5:153
- See also* styes
- Chamaelirium luteum* (false unicorn), 3:167
- chamomile. See *Matricaria chamomilla* (chamomile)
- chanca piedra (*Phyllanthus* spp.). See *Phyllanthus amarus* (chanca piedra, bahupatra, hurricane weed)
- chaparral. See *Larrea tridentata* (chaparral)
- chaste tree berry. See *Vitex agnus-castus* (chaste tree berry)
- chebulic myrobalan. See *Terminalia chebula* (black myrobalan, chebulic myrobalan)
- cheilosis and cheilitis
- herbs for, 5:196, 197
 - overview, 5:183
- Chelidonium majus* (celandine)
- alterative qualities, 1:27
 - antiallergic qualities, 5:33t
 - biliary support qualities, 1:72, 100t
 - cholagogue action, 1:25, 90
 - for dermatitis, 1:189
 - for digestive pain, 4:197t
 - for eye conditions, 5:147, 147t
 - for eye injuries, 5:154
 - formulas containing
 - cholestasis, 1:98
 - gastrointestinal hypersensitivity, 5:37
 - gastroparesis, 1:77 - for itching skin, 1:187
 - for malabsorption, 1:74
 - for pain, 4:166t
 - for skin infections, 1:183
 - specific indications, 1:82, 103, 240; 4:206; 5:194
 - for styes, 5:153
 - for tongue conditions, 5:178t
 - for vascular pain, 4:200t
 - for warts, 1:199
- Chelone glabra* (turtlehead), 1:83, 98, 103
- chemo brain, formula for, 4:58–59
- chemopreventive agents, 3:157
- chemotherapy side effects
- Agrimonia eupatoria* for, 4:203
 - Cannabis sativa* for, 4:205
 - formulas for, 1:36, 37; 4:45, 58–59
 - Matricaria chamomilla* for, 4:211
 - Uncaria* spp. for, 4:216
 - Chenopodium ambrosioides* (wormseed), 1:83
- chest pain
- Alpinia galangal* for, 4:203
 - Arnica montana* for, 4:203
 - Capsicum frutescens* for, 4:205
 - formulas for, 4:193–95, 201
 - Gaultheria procumbens* for, 4:208
 - herbs for, 4:166t
 - Lobelia inflata* for, 4:211
 - See also* angina
- chia. See *Salvia hispanica* (chia)
- Chia Chocolate Pudding, 3:80, 82
- chia seeds, 3:79, 80, 82, 97
- chickpea. See *Cicer arietinum* (garbanzo bean)
- chickweed. See *Stellaria media* (chickweed)
- chicory. See *Cichorium intybus* (chicory)
- children
- allergies in, 5:29, 36–37
 - attention deficit hyperactivity disorder in, 4:117–122
 - constipation in, 1:47
 - crankiness and anxiety in, 4:104, 146, 147
 - digestive issues, 1:86
 - enuresis in, 1:130, 131
 - Henoch-Schönlein purpura in, 5:74
 - immunization concerns, 4:70–71
 - otitis media in, 5:159, 160
 - overstimulated, 4:104–5
 - poor appetite in, 1:36–37
 - skin eruptions in, 1:193–94
 - upper respiratory infections in, 5:199
- chili pepper. See *Capsicum* spp.
- Chimaphila umbellata* (pipsissewa, prince's pine)
- for cystitis and pyelonephritis, 1:116, 120
 - formulas containing
 - lung conditions, 2:123
 - prostatic pain, 4:199
 - pyelonephritis, 1:120 - for hematuria, 1:115
 - for pyuria, 1:115
 - for renal failure, 1:154t
 - specific indications, 1:159
 - for thick and cloudy urine, 1:116, 139
- Chinese asparagus. See *Asparagus cochinchinensis* (Chinese asparagus)
- Chinese chaste tree. See *Vitex negundo* (Chinese chaste tree)
- Chinese cinnamon. See *Cinnamomum cassia* (cassia cinnamon, Chinese cinnamon)
- Chinese club moss. See *Huperzia serrata* (Chinese club moss, qian ceng ta)
- Chinese cucumber. See *Trichosanthes kirilowii* (Chinese cucumber)
- Chinese date. See *Ziziphus jujuba* (Chinese date, jujube)
- Chinese foxglove. See *Rehmannia glutinosa* (di huang, Chinese foxglove)
- Chinese hibiscus. See *Hibiscus rosa-sinensis* (Chinese hibiscus, hibiscus)
- Chinese indigo. See *Persicaria tinctoria* (Chinese indigo)
- Chinese knotweed. See *Reynoutria multiflora* (fo ti, he shou wu, Chinese knotweed)
- Chinese licorice. See *Glycyrrhiza inflata*, *G. uralensis* (Chinese licorice)
- Chinese liverwort. See *Marsupella alpina* (Chinese liverwort)
- Chinese lovage root. See *Ligusticum striatum* (Chinese lovage root, Szechuan lovage, chuanxiong)
- Chinese prickly ash. See *Zanthoxylum bungeanum* (Chinese prickly ash)
- Chinese privet. See *Ligustrum lucidum* (Chinese privet)
- Chinese rhubarb. See *Rheum officinale*, *R. palmatum* (Chinese rhubarb, turkey rhubarb)
- Chinese thoroughwax. See *Bupleurum* spp.
- Chionanthus virginicus* (fringe tree)
- alterative qualities, 1:27
 - cholagogue action, 1:98
 - formulas containing, 1:96, 98
 - specific indications, 1:83, 103; 3:91; 5:194
 - for tongue conditions, 5:178t
- chi tonics, warming stimulants, 1:19t; 2:21t; 3:21t; 4:23t; 5:23t
- chlamydia, 3:104, 108, 109
- choking pain, herbs for, 4:171t
- cholagogues
- for anorexia, 1:37
 - for gastroenteritis, 1:59
 - gastrointestinal formula basics, 1:25
 - liver and gallbladder formula basics, 1:90
 - for liver protection, 1:98
 - for pancreatic diseases, 1:68
- cholelithiasis
- Arctium lappa* for, 1:101
 - Chelidonium majus* for, 1:82, 103
 - Cucurma longa* for, 1:104
 - formulas for, 1:98
 - Phyllanthus amarus* for, 4:212
 - protocol for, 1:98–99
- cholestasis, 1:98, 104
- cholesteatomas, 5:159–160, 161–62
- cholesterol, high. See high cholesterol choline
- biliary support qualities, 1:73
 - for cognitive function, 4:29
 - for fatty liver, 1:96
 - for malabsorption, 1:74
 - for strokes, 2:63
 - sulfur in, 1:122
- cholinergic herbs, 4:28, 30, 31, 53
- cholinesterase inhibitors, 4:53, 55–56
- chondroitin sulfate, 4:187; 5:104
- Chondrus crispus* (Irish moss), 1:206
- chopi. See *Zanthoxylum piperitum* (Japanese pepper)
- choto-ko. See *Uncaria rhynchophylla* (cat's claw, choto-ko, gou teng)
- chowder recipe, 3:160

- chromium
herbs containing, 3:80t
Hibiscus sabdariffa, 3:78, 79
for insulin resistance, 3:80
for supporting fertility, 3:132
- chronic bronchitis, 2:131
See also bronchitis
- chronic conditions
cooling remedies for, 1:18; 2:21; 3:21; 4:24; 5:24
principles of creating formulas for, 1:20; 2:20,
21; 3:23; 4:9, 25–26; 5:9, 25–26
warming stimulants for, 1:19; 2:20; 3:22;
4:23; 5:23
See also specific conditions
- chronic lymphocytic thyroiditis. *See*
Hashimoto's disease
- chronic obstructive pulmonary disorder (COPD)
Aspidosperma quebracho for, 2:159
from bronchitis, 2:132
Equisetum spp. for, 2:164
formulas for, 2:84, 147–153
Grindelia spp. for, 2:167
herbs for, 2:149t
Magnolia officinalis for, 2:171
Melilotus suaveolens for, 2:172
Neopicrorhiza scrophulariiflora for, 2:172
Origanum vulgare for, 2:174
overview, 2:147–48
Paeonia lactiflora for, 2:174
Petroselinum crispum for, 2:175
Scutellaria baicalensis for, 2:180
Stemonia spp. for, 2:181
Syzygium aromaticum for, 2:181
vascular protectants for, 2:83
- Chrysanthemum* spp., 1:188, 218; 3:162
- Chrysanthemum morifolium* (mum,
chrysanthemum)
formulas containing
dementia, 4:56
oral pain, 4:177
neuroprotective effects, 4:30
- Chrysopogon zizanioides* (vetiver), 4:67, 73
- chuanxiong. *See* *Ligusticum striatum* (Chinese lovage root, Szechuan lovage, chuanxiong)
- Cicer arietinum* (garbanzo bean), 1:146; 3:70, 83
- Cichorium intybus* (chicory), 1:27
- cidofovir, for venereal warts, 3:112
- cilantro. *See* *Coriandrum sativum* (coriander)
- Cimicifuga foetida*. *See* *Actaea cimicifuga*
(shengma)
- Cimicifuga racemosa*. *See* *Actaea racemosa*
(black cohosh)
- Cinchona officinalis* (Peruvian bark), 1:37, 83
- Cineraria maritima* (dusty miller,
silver ragwort), 5:152
- Cinnamomum* spp.
carminative qualities, 1:46
for dermatologic conditions, 1:170, 197
formulas containing
hemoptysis, 2:126
- hyperhidrosis, 1:227
- hyperlipidemia, 2:35
- miscarriage, 3:133
- peripheral vascular insufficiency, 2:58, 61
- postpartum hemorrhage, 3:133
urinary conditions, 1:116
- for headaches, 4:159
- for hypertension, 2:46
- lipid-lowering effects, 3:82
- for peripheral neuropathy, 4:43t
- for skin infections, 1:180, 183
- specific indications, 1:240; 2:92; 3:167
- stimulant qualities, 1:51
- uterine hemostatic properties, 3:133
- warming qualities, 1:59
as warming stimulant, 3:21t
- Cinnamomum burmannii* (Indonesian cinnamon), 1:195
- Cinnamomum camphora* (camphor)
for arthritis, 5:119
- for bursitis and tendinitis, 5:103
- for gout, 5:124
- for inflammatory bowel diseases, 5:80
- for myalgia, 5:109
- specific indications, 2:161
- Cinnamomum cassia* (cassia cinnamon,
Chinese cinnamon)
for dental procedures, 5:177
- formulas containing
allergic airway disorders, 5:46
- allergic rhinosinusitis, 2:130
- angina, 2:38
- arthritis, 5:120
- food allergies, 5:40
- uterine fibroids, 3:150, 151
- specific indications, 5:87
- Cinnamomum verum* (Ceylon cinnamon,
cinnamon)
astringent qualities, 1:54
- carminative qualities, 1:31
- in Dr. Stansbury's General Alterative Tea, 1:27
- formulas containing
anorexia, 1:37
- constipation, 1:48
- depression and anxiety, 4:106
- diabetes, 3:74
- epistaxis, 5:174
- headaches, 4:164
- hemoptysis, 2:126
- hyperlipidemia, 2:36
- lipid health, 2:33
- malabsorption, 1:73
- menorrhagia, 3:118, 120
- menstrual cramps, 3:117, 124
- metabolic conditions, 3:71
- pancreatitis, 1:70
- Parkinson's disease, 4:61
- phlebitis, 2:81
- premenstrual syndrome, 3:129
- Raynaud's syndrome, 2:67
- retinopathies, 5:157
- trigeminal neuralgia, 4:39
- uterine fibroids, 3:150
- vascular reactivity, 5:61
- vascular support, 2:27, 29
- venous congestion, 2:76
- for hypertension, 2:46
- in iced tea, 3:79
- for malabsorption, 1:74
- for menorrhagia, 3:115, 118
- in Mouthwash for Halitosis, 1:51
- for pain, 4:166t
- for poor circulation, 2:58
- in porridge, 1:66
- for retinopathies, 5:156
- specific indications, 1:83; 2:161; 3:91–92; 5:87,
135, 194–95
- for thrush, 5:181
- for vascular reactivity, 5:60
- in Winter Tea for Metabolic Support, 3:86
- Cinnamomum zeylanicum*. *See* *Cinnamomum*
verum (Ceylon cinnamon, cinnamon)
- circulation, poor
Aesculus hippocastanum for, 2:89
- Alisma plantago-aquatica* for, 2:90
- Arnica montana* for, 2:91
- Caesalpinia sappan* for, 2:160
- Ceanothus americanus* for, 2:92
- Cnicus benedictus* for, 2:92
- Cornus officinalis* for, 2:162
- Crataegus* spp. for, 2:93
- Desmodium styracifolium* for, 2:94
- Digitalis purpurea* for, 2:94
- Echinacea* spp. for, 2:94
- Epimedium brevicornu* for, 2:95
- Gastridria elata* for, 2:95
- herbs for, 2:58, 63
- Hydrastis canadensis* for, 2:97
- Juniperus communis* for, 2:97
- Lepidium latifolium* for, 2:98
- Medicago sativa* for, 2:171
- Paeonia lactiflora* for, 2:100
- Polygonum cuspidatum* for, 2:101
- Reynoutria multiflora* for, 2:102
- Sanguinaria canadensis* for, 2:179
- Urtica dioica* for, 2:105
- Vinca minor* for, 2:106
- Zingiber officinale* for, 2:106
- circulatory-enhancing herbs
alteratives, 1:26
- Angelica sinensis*, 3:166; 4:173; 5:132, 192
- Astragalus membranaceus*, 3:166
- Avena sativa*, 3:166
- Ceanothus americanus*, 3:167
- Cinnamomum* spp., 3:92, 167; 5:87
- Cistanche tubulosa*, 4:77
- Cnidium monnierii*, 5:87
- Crataegus* spp., 3:93, 168; 5:195
- for dermatologic conditions, 1:170, 182, 183
- for esophageal varices, 1:45

- circulatory-enhancing herbs (*continued*)
- Ginkgo biloba*, 3:94, 170; 4:80, 142–43; 5:138, 165
 - Huperzia serrata*, 4:81
 - Hypericum perforatum*, 3:95–96
 - for muscle weakness, 5:111
 - Nicotiana rustica*, 4:83
 - Paeonia* spp., 1:105
 - for peripheral neuropathy, 4:43t
 - Petroselinum crispum*, 3:174
 - Piper methysticum*, 4:85
 - Pueraria* spp., 1:164; 3:176
 - Rehmannia glutinosa*, 4:213
 - Rosmarinus officinalis*, 4:85
 - Rubia cordifolia*, 4:215
 - Salvia miltiorrhiza*, 1:247; 3:97, 176; 4:151; 5:201
 - Schisandra chinensis*, 5:201
 - for tinnitus, 5:165
 - Vaccinium myrtillus*, 1:249; 4:87; 5:203
 - Zanthoxylum clava-herculis*, 1:88; 5:143, 203
 - Ziziphus jujuba*, 4:152
- cirrhosis of the liver
- Echinacea* spp. for, 1:84
 - Eclipta alba* for, 1:104
 - formulas for, 1:96–97
 - overview, 1:89
 - Cirsium japonicum* (Japanese thistle), 2:32–33
 - Cissampelos sympodialis* (cissampelos), 2:161
 - Cistanche tubulosa* (rou cong-rong), 1:214; 4:77–78
 - citicoline, for strokes, 2:63
 - citral, 5:77
 - Citrullus colocynthis* (colocynth, bitter apple, bitter cucumber), 1:218; 3:162; 4:206
 - Citrus* spp.
 - flavonoids in, 2:26
 - for nerve pain, 4:180t
 - neuroprotective effects, 4:30
 - rutin from, 2:79
 - specific indications, 2:161
 - for vascular support, 2:29, 30 - Citrus aurantium* (bitter orange)
 - antiallergic qualities, 5:33t
 - for COPD, 2:151
 - for coughs, 2:117
 - in Dr. Stansbury's General Alterative Tea, 1:27
 - formulas containing
 - alcohol abstinence, 4:132
 - colds, 5:170
 - depression and anxiety, 4:99
 - gastroparesis, 1:77, 78
 - hepatitis, 1:93
 - hot flashes, 3:135
 - metabolic conditions, 3:71
 - sinusitis, 5:172
 - vascular reactivity, 5:61 - for hepatitis, 1:90
 - in hibiscus syrup, 3:78
 - for increasing deficient adrenergic tone, 4:94
 - in vag packs, 3:114

- Citrus bergamia* (bergamot)
- formulas containing
 - alopecia, 1:215
 - pigmentation disorders, 1:226
 - psoriasis, 1:210
 - photosensitizing qualities, 1:225, 226
 - specific indications, 1:240
- Citrus limon* (lemon)
- for epilepsy and seizure disorders, 4:67
 - formulas containing, 4:133
- Citrus paradisi* (grapefruit)
- antiparasitic qualities, 1:54
 - aromatherapy with, 4:103
 - for metabolic conditions, 3:71
 - specific indications, 2:161
 - zest of, 2:29
- Citrus reticulata* (mandarin), 3:33; 4:194
- Citrus sinensis* (orange), 3:56; 4:176; 5:160
- ciwujia. See *Eleutherococcus senticosus* (Siberian ginseng, eleuthero, ciwujia)
- Claviceps purpurea* (ergot fungus), 4:162
- Cleaning Spray, Antifungal, 5:36
- cleavers. See *Galium aparine* (cleavers)
- Clerodendrum serratum* (glorybower, bagflower, bharangi), 2:108t, 161; 5:31t
- clinical studies, 3:1, 2, 4, 5
- Clostridium difficile* infections, 1:40, 61, 82
- cloudforest magnolia (*Magnolia macrophylla* var. *dealbata*), 4:82
- clove nutmeg (*Cryptocarya aganthophylla*), 5:119
- cloves. See *Eugenia caryophyllata* (cloves); *Syzygium aromaticum* (cloves)
- club moss. See *Lycopodium* spp.
- Cnicus benedictus* (blessed thistle), 1:103, 240; 2:92; 3:56, 167; 5:135
- Cnidium monnieri* (osthole, snow parsley)
- antiallergic qualities, 5:33t, 62
 - for asthma, 2:144
 - for benign prostatic hyperplasia, 3:161
 - formulas containing
 - dementia, 4:57; 5:61
 - impotence, 2:87 - for hypertension, 2:42
 - mast-cell stabilizing effects, 2:144t; 5:31t
 - for neuralgia, 4:35
 - for painful itching, 4:189t
 - specific indications, 2:92, 161; 5:87–88, 135
 - for vascular support, 2:29, 87
- Cnidium officinale* (snow parsley), 1:153, 240
- Cochlearia armoracia*. See *Armoracia rusticana* (horseradish)
- cocklebur. See *Xanthium cavanillesii* (cocklebur)
- cocoa beverage, for attention deficit
- hyperactivity disorder, 4:120
 - cocoa powder
 - formulas containing, 2:33
 - for vascular support, 2:30
- coconut flakes, for lipid health, 2:33
- coconut oil
- formulas containing, 2:35
 - medium-chain triglycerides in, 3:39, 92
 - salad dressing recipe, 3:37
 - for vascular support, 2:31
- coconut water, electrolytes in, 5:112, 113
- Cocos nucifera* (coconut), 3:92; 4:57; 5:48
- cod liver oil, 2:35
- Codonopsis lanceolata* (todok), 1:90
- Codonopsis pilosula* (dang shen), 1:77
- coenzyme Q10 (CoQ10), 2:37, 48t; 4:54; 5:184, 185
- Coffea arabica* (coffee)
- avoiding, with overactive bladder, 1:129
 - bladder cancer cautions, 1:134
 - formulas containing, 1:215
 - for hormone-related infertility, 3:130
 - for skin protection, 1:230
 - specific indications, 1:240
- cognitive decline
- Huperzia serrata* for, 2:97
 - Ligusticum striatum* for, 2:98
 - Panax ginseng* for, 2:100
 - Vinca minor* for, 2:106
 - See also dementia
- cognitive function
- Apium graveolens* for, 4:75–76
 - Avena sativa* for, 4:140
 - Bacopa monnieri* for, 4:56, 76
 - caffeine for, 4:120
 - Celastrus paniculatus* for, 4:77, 141
 - Centella asiatica* for, 4:77
 - cholinergic herbs for, 4:53
 - Cistanche tubulosa* for, 4:78
 - Crocus sativus* for, 4:78
 - Cullen corylifolium* for, 4:141
 - Ginkgo biloba* for, 4:142, 143
 - Huperzia serrata* for, 4:81
 - Hypericum perforatum* for, 4:93
 - Magnolia officinalis* for, 4:82
 - Melissa officinalis* for, 4:83, 146
 - Nicotiana rustica* for, 4:83
 - nutrients for, 4:29
 - Panax ginseng* for, 4:84
 - Perilla frutescens* for, 4:148
 - Rodiola rosea* for, 4:151
 - Rosmarinus officinalis* for, 4:214
 - Salvia officinalis* for, 4:86
 - Urtica* spp. for, 4:87
 - Withania somnifera* for, 4:152
 - Ziziphus jujuba* for, 4:152
- Coix lacryma-jobi* (Job's tears), 1:146; 3:120
- colchicine
- for Behcet's disease, 5:72, 74
 - for contractures, 5:104
 - formulas containing, 5:105
 - for gout, 5:123, 135
 - for pain, 4:155
 - specific indications, 4:206–7; 5:73
- Colchicum autumnale* (autumn crocus), 5:73
- colchicine from, 5:72, 73
- for contractures, 5:104
 - formulas containing

- Colchicum autumnale* (autumn crocus)
(continued)
- contact dermatitis, 5:53–54
 - contractures, 5:105
 - gout, 5:123, 124
 - gouty arthritic pain, 4:185
 - metastatic bone pain, 4:188
 - oral allergic reactivity, 5:51
 - peripheral neuropathy, 4:47
 - for gout, 5:123
 - immunosuppressant qualities, 5:73
 - for muscle pain, 4:183t
 - for pain, 4:166t
 - safety concerns, 4:47, 78, 207; 5:105, 124, 135
 - specific indications, 4:78, 206–7; 5:88, 135
- cold constitutions
- Achillea millefolium* for, 1:101
 - Allium sativum* for, 1:81
 - Capsicum annuum* for, 1:82, 159
 - Cinnamomum verum* for, 1:83
 - Zanthoxylum clava-herculis* for, 1:88
- colds
- Cinnamomum verum* for, 5:87
 - Eupatorium perfoliatum* for, 5:196
 - formulas for, 5:169–171
 - Nepeta cataria* for, 5:199
 - overview, 5:168–69
- cold sensitivity, formula for, 5:59–60
- cold sores
- formulas for, 5:184
 - Hypericum perforatum* for, 5:198
 - overview, 5:180–81
- cold vs. hot presentations, 5:66–67
- coleus. *See Coleus forskohlii* (coleus, Indian coleus); *Plectranthus scutellarioides* (coleus)
- Coleus forskohlii* (coleus, Indian coleus)
- for adrenal disorders, 3:49
 - bronchodilating properties, 2:108t
 - for congestive heart failure, 2:47–48, 50
 - formulas containing
 - acne, 1:203
 - Addison's disease, 3:51
 - arrhythmias, 2:55
 - congestive heart failure, 2:50
 - depression and anxiety, 4:98
 - eczema, 1:189
 - hyperlipidemia, 2:37
 - hypotension, 2:86
 - hypothyroidism, 3:35, 36
 - impotence, 2:87
 - muscle pain, 5:108
 - muscle weakness, 5:111
 - polycystic ovarian syndrome, 3:147
 - psoriasis, 1:210
 - skin fissures, 1:234
 - for increasing deficient adrenergic tone, 4:94–95
 - mast-cell stabilizing effects, 2:144t; 5:31t
 - for poor circulation, 2:63
 - rosmarinic acid in, 3:43
 - specific indications, 1:240; 2:101, 177; 3:56, 92, 167; 4:78; 5:88, 135
- colic
- Foeniculum vulgare* for, 1:84
 - Iris versicolor* for, 1:104, 244
 - Matricaria chamomilla* for, 1:86
 - Mentha* spp. for, 1:86, 105
 - Nepeta cataria* for, 1:86
 - Pimpinella anisum* for, 1:86
 - Podophyllum peltatum* for, 1:105
 - Raphanus sativus* var. *niger* for, 1:105
 - Rheum palmatum* for, 1:87, 105
 - Taraxacum officinale* for, 1:106
 - Viburnum prunifolium* for, 1:88
 - Zingiber officinale* for, 1:88, 106
- colitis
- Atropa belladonna* for, 1:82
 - Cinnamomum cassia* for, 5:87
 - formulas for, 1:36
 - Grifola frondosa* for, 5:91
 - isoquinoline alkaloids for, 5:80
 - Matricaria chamomilla* for, 1:86
 - Picrorhiza kurroa* for, 5:93
 - Uncaria tomentosa* for, 1:166
 - YunNan BaiYao for, 5:80
- See also* ulcerative colitis
- collagen vascular diseases
- Calendula officinalis* for, 5:134
 - Crataegus* spp. for, 5:89
 - herbs for, 5:65
 - Salvia miltiorrhiza* for, 5:93
 - Scutellaria baicalensis* for, 5:141
 - Ulmus fulva* for, 5:142
 - Vaccinium myrtillus* for, 5:143
- See also specific diseases*
- Collinsonia canadensis* (stoneroot)
- antispasmodic qualities, 1:138t
 - astringent qualities, 1:54
 - for digestive pain, 1:26
 - for enuresis, 1:131
 - formulas containing
 - ulcers, 1:63
 - urinary lithiasis, 1:140
 - uterine prolapse, 3:153
 - varicoceles, 2:75
 - venous congestion, 2:76
 - vocal strain, 5:191
 - for pain, 4:171t
 - for renal failure, 1:154t
 - for skin eruptions, 1:194
- specific indications, 1:83, 159; 2:93, 161–62; 5:195
- for thick and cloudy urine, 1:116
 - for throat pain, 5:191t
 - for uterine vascular congestion, 3:128
 - for vascular pain, 4:200t
- colocynth. *See Citrullus colocynthis* (colocynth, bitter apple, bitter cucumber)
- coltsfoot. *See Tussilago farfara* (coltsfoot)
- comfrey. *See Symphytum officinale* (comfrey)
- Commiphora mukul* (guggul), 3:36
- for acne, 1:202t
- for altered breath sounds, 2:118
- for cerebral vascular insufficiency, 2:62
- for digestive pain, 1:26
- for erectile dysfunction, 3:16
- formulas containing
 - arrhythmias, 2:55
 - coughs, 2:119
 - eczema, 1:189
 - gastroparesis, 1:77
 - goiter, 3:32
 - hyperlipidemia, 2:35, 36–37, 47
 - hypertension, 2:45
 - hypothyroidism, 3:35, 36, 37
 - impotence, 2:87
 - polycystic ovarian syndrome, 3:145, 147
 - retinopathies, 5:157
 - stridor, 2:121
 - thyroiditis, 3:30
 - vaginitis, 3:106
 - vascular support, 2:28
- for goiter, 3:32
- for hemorrhoids, 2:74
- for hyperlipidemia, 2:32, 34
- for hypothyroidism, 3:34
- lipid-lowering effects, 3:82
- PAF inhibiting properties, 2:77
- for polycystic ovarian syndrome, 3:145
- for poor circulation, 2:63
- for retinopathies, 5:156
- specific indications, 1:83, 241; 2:93; 3:56, 92, 168; 5:88, 135–36, 195
- for thyroid function, 3:36
- Commiphora myrrha* (myrrh)
- for colds, 5:170t
 - for dental extractions, 4:177
 - formulas containing
 - arthritis, 5:119
 - colds, 5:170, 171
 - cold sores, 5:184
 - dental conditions, 5:177
 - impetigo, 1:179
 - itching skin, 1:186
 - lichen planus, 1:211
 - oral allergic reactivity, 5:51
 - pharyngitis, 5:189
 - skin infections, 1:176
 - skin lesions, 5:55t
 - stomatitis and gingivitis, 5:183
 - throat pain, 4:179
 - thrush, 5:181
 - for herpes simplex viral infections, 5:181
 - for oral infections, 5:146
 - for respiratory infections, 2:121
 - specific indications, 1:241; 2:162; 5:88, 195
 - for streptococcal infections, 1:180
 - for throat pain, 5:191t
 - for tonsillitis and pharyngitis, 5:188
 - for vaginitis, 3:105
- common carrot. *See Daucus carota* (wild carrot)

- common cold. *See* colds; upper respiratory infections (URIs)
- common grape vine (*Vitis vinifera*), 4:31
- common hop. *See* *Humulus lupulus* (hops)
- common lime, common linden. *See* *Tilia × europaea* (common lime, common linden)
- common madder. *See* *Rubia tinctorum* (common madder)
- common oak. *See* *Quercus robur* (common oak)
- common prickly ash. *See* *Zanthoxylum americanum* (northern prickly ash)
- common self-heal (*Prunella vulgaris*), 3:43
- Complete Herbal* (Culpeper), 1:13
- complexion, observing, 3:11
- compresses
- for aching veins, 4:200
 - for asthma, 5:47
 - for contact dermatitis, 5:53
 - for eye conditions, 5:153
 - for genital warts, 3:113
 - for headaches, 4:163–64
 - for hemorrhoids, 2:78
 - for Henoch-Schönlein purpura, 5:75
 - for insect bites, 4:188
 - for itchy fungal infections, 4:188
 - for IV-induced phlebitis, 5:63
 - for menstrual cramps, 3:124–25
 - for pain, 4:172–73
 - for sore throats, 5:188
 - for stasis ulcers, 2:60
 - for traumatic injuries, 5:97
- concentrated medicines, indications for, 1:20; 2:22; 3:22; 4:25; 5:25
- concomitant symptoms, 1:9; 2:11; 3:11; 4:13; 5:13
- coneflower. *See* *Echinacea* spp.
- conflicts of interest, in suppression of natural medicine, 5:2, 5
- congestion. *See specific types*
- congestive heart failure
- Apidosperma quebracho* for, 2:159
 - Cytisus scoparius* for, 2:94
 - folkloric herbs for, 2:50
 - formulas for, 2:47–51
 - herbs for, 2:48t
 - Lepidium meyenii* for, 2:98
 - overview, 2:47
 - Terminalia arjuna* for, 2:104
 - Thuja occidentalis* for, 2:105
 - Viscum album* for, 2:106
- coniine, 4:184, 207
- Conium maculatum* (poison hemlock), 4:184
- antispasmodic qualities, 1:135, 138t, 159
 - for benign prostatic hypertrophy, 1:147
 - for cramping pain in the bladder, 1:124
 - for depression and anxiety, 4:101t, 103t
 - formulas containing
 - muscle pain, 4:183
 - nerve suppression, 4:179
 - pain, 4:171
 - sciatica, 5:131
- for nerve pain, 4:180t
- for pain, 4:156, 166t, 184
- for peripheral neuropathy, 4:43t
- safety concerns, 1:18, 159; 3:20; 4:22, 101t, 171, 179, 184, 207; 5:22, 131, 136
- for skin lesions and cancers, 1:237
- specific indications, 1:159, 241; 4:207; 5:136
- conjunctivitis
- Calendula officinalis* for, 5:194
 - Centella asiatica* for, 5:194
 - Coptis trifolia* for, 5:195
 - Euphrasia officinalis* for, 1:239, 242; 5:89, 196
 - Foeniculum vulgare* for, 5:90, 196
 - formulas for, 5:148–49, 150
 - Hypericum perforatum* for, 5:198
 - supportive therapies for, 5:147
- connective tissue support
- Aloe vera* for, 5:132
 - Apium graveolens* for, 5:133
 - Arnica montana* for, 5:133
 - for arthritis, 5:115
 - Calendula officinalis* for, 5:134
 - Centella asiatica* for, 1:159, 240; 2:92; 5:135
 - Crataegus* spp. for, 5:136
 - for CREST, 5:84
 - Curcuma longa* for, 2:162; 5:121, 195
 - Equisetum* spp. for, 1:84, 160, 242; 5:101, 136, 196
 - Eucalyptus globulus* for, 1:242
 - formulas for, 5:67–68, 99–100, 121
 - Fucus vesiculosus* for, 2:95
 - Glycyrrhiza glabra* for, 5:138
 - Hypericum perforatum* for, 1:85, 244; 5:138
 - Medicago sativa* for, 1:245; 2:171; 5:139
 - for musculoskeletal conditions, 5:95
 - nutrients for, 5:104
 - overview, 5:98–99
 - Panax ginseng* for, 5:139
 - Phytolacca americana* for, 5:139
 - Populus tremuloides* for, 1:164
 - repetitive sports injuries and, 5:105
 - Rosa canina* for, 2:179
 - Scutellaria baicalensis* for, 5:141
 - Symphytum officinale* for, 1:248
 - Trifolium pratense* for, 1:249; 5:142
 - Urtica* spp. for, 5:142
 - Zingiber officinale* for, 5:143–44
- constipation
- Allium sativum* for, 1:81
 - Aloe vera* for, 1:81, 101
 - alternatives for, 1:26, 46
 - Arctium lappa* for, 1:239
 - causes of, 1:46
 - Chelidonium majus* for, 1:103
 - folkloric herbs for, 1:48
 - formulas for, 1:29–30, 32–33, 46–49
 - Fucus vesiculosus* for, 1:242; 3:58, 170; 5:90
 - Leptandra virginica* for, 1:85
 - Phytolacca* spp. for, 1:246
 - Podophyllum peltatum* for, 1:164
 - Raphanus sativus* var. *niger* for, 1:87, 105
- Rhamnus purshiana* for, 1:87, 247
- Rheum officinale* for, 5:140
- Ricinus communis* for, 1:87
- Rumex crispus* for, 1:87, 105, 247; 5:140
- Siraitia grosvenorii* for, 3:98
- Stillingia sylvatica* for, 1:88, 106
- Taraxacum officinale* for, 1:248; 5:142
- constitution of the patient, 1:9; 2:11; 3:11; 4:13–14; 5:13
- contact dermatitis
- factors in, 5:49, 52–53
 - formulas for, 5:52–53
 - Ginkgo biloba* for, 5:90
 - from metals, 5:49–50
 - Tanacetum parthenium* for, 5:60
- See also* atopic dermatitis; dermatitis
- continuous positive airway pressure (CPAP) devices, 2:88
- contractures
- Colchicum autumnale* for, 5:135
 - overview, 5:103–4
 - therapies for, 5:104–5
- Convallaria majalis* (lily of the valley), 2:51
- for altered breath sounds, 2:118
 - for arrhythmias, 2:56
 - cardiac glycosides from, 2:49
 - for congestive heart failure, 2:48t, 50, 51
 - for cor pulmonale, 2:155
 - diuretic qualities, 1:112
 - formulas containing
 - cardiopulmonary disease, 2:84, 85
 - congestive heart failure, 2:50
 - hypotension, 2:86
 - menopausal symptoms, 3:139
 - renal failure, 1:154
- for pain, 4:166t
- perfusion-enhancing diuretic qualities, 1:109
- for renal conditions, 1:108–9, 154t
- safety concerns, 5:195
- specific indications, 1:159–160; 2:93; 5:195
- for tongue conditions, 5:178t
- cookies, grain-free, 3:80
- cooling remedies
- for anxiety, 4:17; 5:17
 - guidelines for using, 1:13, 18–19, 19t; 2:20–21, 21t; 3:21, 21t; 4:23–24, 24t; 5:23–24, 24t
 - for restless insomnia, 4:20; 5:19–20
- COPD. *See* chronic obstructive pulmonary disorder (COPD)
- Coptis* spp., 1:52, 56
- Coptis chinensis* (goldthread, duan e huang lian)
- alginate combined with, 1:42
 - antiallergic qualities, 5:33t
 - antimicrobial qualities, 1:61
 - antiparasitic qualities, 1:54
 - for eye conditions, 5:147t, 148, 154
 - formulas containing
 - arrhythmias, 2:53
 - Behcet's disease, 5:74
 - cholelithiasis, 1:98

- Coptis chinensis* (goldthread, duan e huang lian) (continued)
- colds, 5:170
 - diarrhea, 1:54
 - food allergies, 5:40
 - hypertension, 2:43
 - lupus, 5:77
 - nasal polyps, 5:173t
 - for fungal skin infections, 1:197
 - for genital fungal infections, 1:197
 - for heart infections, 2:72
 - for *Helicobacter pylori* infections, 1:43
 - for impetigo, 1:179
 - for inflammatory bowel diseases, 5:79
 - for lipid health, 2:32
 - for lupus, 5:76
 - neuroprotective effects, 4:30
 - for oral infections, 5:146
 - for pelvic inflammatory disease, 3:108
 - specific indications, 1:241; 2:93
 - for vaginitis, 3:105
- Coptis trifolia* (goldthread), 1:83, 241; 3:56, 92, 168; 5:195
- Cordyceps militaris* (cordyceps, caterpillar fungus)
- for adrenal disorders, 3:49
 - specific indications, 5:88
 - for urinary tract reactivity, 5:58
- Cordyceps sinensis* (caterpillar fungus)
- as chi tonic, 2:16
 - for COPD, 2:148
 - ergogenic effects, 5:112
 - formulas containing
 - hepatitis, 1:95
 - herpes lesions, 1:232
 - muscle strength, 5:112
 - renal failure, 1:154, 155
 - skin infections, 1:179 - for insomnia with exhaustion, 1:14; 2:16; 3:16; 4:18; 5:18
 - for myositis conditions, 5:70
 - for renal failure, 1:152, 153, 154, 155
 - for skin eruptions, 1:194
 - specific indications, 1:241; 5:88, 136
- coriander. *See Coriandrum sativum* (coriander)
- Coriandrum sativum* (coriander)
- for heavy metal neuropathy, 4:50
 - juice of, 4:46
 - for lung conditions, 2:123
 - in mocktail syrup base, 4:136
 - for neuralgia, 4:34
 - specific indications, 1:241
 - for vascular support, 2:29
- cork tree. *See Phellodendron spp.* (cork tree)
- corn. *See Zea mays* (maize)
- corneal ulcers, formulas for, 5:151, 152
- corn lily. *See Veratrum viride* (false hellebore)
- Cornus mas* (Cornelian cherry, European cornel), 5:78, 88
- Cornus officinalis* (Japanese cornel, shan zhu yu), 2:153, 162; 5:88
- coronary artery disease
- Aconitum carmichaelii* for, 2:89
 - formulas for, 2:38–40
 - Ginkgo biloba* for, 2:95; 3:170
 - hypothyroidism association, 3:36
 - overview, 2:38
 - Punica granatum* for, 2:101
 - Salvia miltiorrhiza* for, 2:102, 103
 - Stevia rebaudiana* for, 3:98
- cor pulmonale, formulas for, 2:85, 154–55
- cortisol, 3:46, 50, 52, 53; 4:115, 123
- Corydalis* spp.
- antiallergic qualities, 5:33t
 - opiate agonist qualities, 4:134
 - for withdrawal symptoms, 4:128–29
- Corydalis bungeana* (bunge corydalis), 4:129
- Corydalis cava* (corydalis, turkey corn)
- formulas containing
 - depression and anxiety, 4:106
 - dyspnea, 2:125
 - headaches, 4:165
 - hypertension, 2:46
 - lung conditions, 2:123
 - metastatic bone pain, 4:186
 - neuropathic pain, 4:179
 - seizures, 4:72
 - withdrawal symptoms, 4:135 - GABAergic qualities, 4:110
 - nervine qualities, 4:91
 - specific indications, 1:160; 2:162; 4:78, 141
 - for tempering adrenaline surges, 4:109
- Corydalis humosa* (tu yuan hu), 4:129
- Corydalis impatiens* (corydalis), 5:79
- Corydalis yanhusuo* (corydalis)
- for cramping pain in the bladder, 1:124
 - for epilepsy and seizure disorders, 4:67
- formulas containing
- menstrual cramps, 3:117
 - neuropathic pain, 4:179
 - peripheral neuropathy, 4:45
 - urinary spasms, 1:124
- for headaches, 4:159, 165t
- for inflammatory bowel diseases, 5:79
- for opiate addiction, 4:129
- for pain, 4:171t
- specific indications, 1:160; 3:168
- for urinary colic, 1:138t
- cosmopolitan political herbalism, 2:3–5
- costochondritis, formulas for, 2:121, 123
- cotton (*Gossypium hirsutum*), 3:128
- couch grass. *See Elymus repens* (couch grass)
- cough reflex, 2:115
- coughs
- Achillea millefolium* for, 2:156
 - Actaea racemosa* for, 2:157
 - Albizia lebbeck* for, 2:157
 - Allium cepa* for, 2:157; 5:85
 - Althea officinalis* for, 2:157
 - Ammi visnaga* for, 2:157
 - Angelica sinensis* for, 2:158
- Apiaceae family for, 5:62
- Ardisia japonica* for, 2:158
- Asclepius tuberosa* for, 1:81; 2:159
- with bronchitis, 2:130
- Capsicum annuum* for, 2:160
- Cinnamomum camphora* for, 2:161
- Cissampelos sympodialis* for, 2:161
- Citrus* spp. for, 2:161
- Collinsonia canadensis* for, 2:161, 162
- Cornus mas* for, 5:88
- Corydalis cava* for, 2:162
- Dracocephalum rupestre* for, 2:163
- Epimedium brevicornu* for, 2:164
- Eriodictyon californicum* for, 2:164
- Eschscholzia californica* for, 2:164
- Euphrasia officinalis* for, 5:196
- Foeniculum vulgare* for, 2:165
- formulas for, 2:114–123; 5:43, 44
- Grindelia* spp. for, 2:167
- Hemidesmus indicus* for, 2:167
- herbs for, 5:191t
- Hydrangea macrophylla* for, 2:167
- Hydrastis canadensis* for, 2:167
- Hyoscyamus niger* for, 2:167–68; 4:210
- Hyssopus officinalis* for, 2:168
- Justicia adhatoda* for, 2:169
- Ligusticum striatum* for, 2:169
- Lobelia inflata* for, 2:122, 170; 4:211
- Lomatium dissectum* for, 2:170
- Lonicera japonica* for, 2:170
- Lophatherum gracile* for, 2:170
- Lycopus virginicus* for, 2:170
- Magnolia officinalis* for, 2:171
- Marrubium vulgare* for, 2:171
- Matricaria chamomilla* for, 2:171
- Mentha piperita* for, 2:172
- Mikania glomerata* for, 2:172
- Mitragnya speciosa* for, 4:146
- Neopicrorhiza scrophulariiflora* for, 2:172
- Nepeta cataria* for, 2:173
- nitroglycerin patches for, 2:113
- Ophiopogon japonicus* for, 2:174
- overview, 2:114–16
- Passiflora incarnata* for, 2:175
- Pelargonium sidoides* for, 2:175
- Petasites hybridus* for, 2:175; 5:93
- Phyllanthus emblica* for, 2:176
- Pimpinella anisum* for, 2:176
- Piper methysticum* for, 2:177
- Piscidia piscipula* for, 4:213
- Polygala* spp. for, 2:177
- Prunus serotina* for, 2:177
- Rosmarinus officinalis* for, 2:179
- Salvia officinalis* for, 2:179
- Schisandra chinensis* for, 2:180
- Selaginella uncinata* for, 2:180
- Stemona* spp. for, 2:180
- Sticta pulmonaria* for, 2:181
- Stillingia sylvatica* for, 1:248; 2:181
- Syzygium aromaticum* for, 2:181

- coughs (*continued*)

 Tanacetum parthenium for, 2:182

 theophylline for, 5:46

 Thymus vulgaris for, 2:182; 5:202

 Tussilago farfara for, 2:183

 Ulmus fulva for, 2:183

 Usnea barbata for, 2:183

 Verbascum thapsus for, 2:184

 Vitex negundo for, 2:184

 Xanthium cavanillesii for, 2:184

Coulter, Harris, 5:2

coumarins

 from *Angelica sinensis*, 2:59; 4:173

 from *Anthoxanthum odoratum*, 2:90

 from Apiaceae plants, 2:78

 for benign prostatic hyperplasia, 3:161

 in calming formulas, 2:87

 chemopreventive effects, 3:157

 for hyperthyroidism, 3:44

 lack of anticoagulant properties, 2:79

 from *Melilotus officinalis*, 2:99

 for migraines and vascular inflammation, 4:173

 for neuralgia, 4:35

 potential toxicity of, 2:78

coumestans, 3:155–56

coumestrol, 3:137

Council on Medical Education, 5:3

counterirritants

 Armoracia rusticana as, 2:121

 Juniperus communis as, 2:97

 Lobelia inflata as, 2:122

 for pain, 4:192

 in respiratory formulas, 2:119, 122, 132, 134

 Thuja occidentalis as, 2:58

country mallow (*Sida cordifolia*), 4:61

COVID-19 pandemic, 5:1–2

cowage, cow-itch. *See Mucuna pruriens* (velvet bean, cowage, cow-itch)

cow plant. *See Gymnema sylvestre* (sugar destroyer, cow plant)

CPAP (continuous positive airway pressure) devices, 2:88

crackers, grain-free, 3:79–80

crackling breath sounds, herbs for, 2:118

cradle cap, formula for, 5:54–55

crampbark. *See Viburnum opulus* (crampbark)

cramping pain, herbs for, 4:171t

cramping pain in the bladder (tenesmus)

 Apis mellifica venom for, 1:157

 Arctostaphylos uva ursi for, 1:157

 Arnica montana for, 1:158

 Capsicum annuum for, 1:159

 Equisetum spp. for, 1:160

 Eucalyptus globulus for, 1:161

 formula for, 1:124

 Lobelia inflata for, 1:163

 Petasites hybridus for, 1:163

 Serenoa repens for, 1:165

 Solidago spp. for, 1:150

cramps. *See intestinal cramps; menstrual cramps*

cranberry. *See Vaccinium macrocarpon* (cranberry)

cranberry powder, 1:44, 117, 166

Crataegus spp. (hawthorn)

 for angioedema, 5:56

 antiallergy qualities, 1:33

 for arrhythmias, 2:55

 for arthritis, 5:115

 for autoimmune disorders, 5:65

 for Behcet's disease, 5:74

 for congestive heart failure, 2:48t

 for cor pulmonale, 2:155

 for CREST, 5:84

 for cystic fibrosis, 2:135

 for depression, 4:103t

 for eye conditions, 5:147

 flavonoids in, 2:33

 formulas containing

 acne rosacea, 1:207, 208

 angina, 2:38

 arrhythmias, 2:53, 55

 capillary fragility, 2:67

 cardiopulmonary disease, 2:84, 85

 congestive heart failure, 2:50

 coronary artery disease, 2:40

 cystic fibrosis, 2:135

 hyperlipidemia, 2:35

 hypertension, 2:43

 menopausal symptoms, 3:139

 menopause-related hypertension, 3:141

 panic disorder, 4:109

 peripheral vascular insufficiency, 2:58, 61

 PTSD, 4:111, 113

 retinopathies, 5:157

 vascular reactivity, 5:62

 vascular support, 2:29

 vasculitis, 2:82

 for gingivitis, 5:184, 185

 heart health benefits, 2:40

 for hypertension, 2:41–42

 for increasing deficient adrenergic tone, 4:95

 for lipid health, 2:32

 for panic disorder, 4:109

 powders of, 1:44

 for renal failure, 1:154t

 specific indications, 2:162; 3:56–57, 92–93, 168; 5:89, 136

 for urinary conditions, 1:115

 for varicosities, 2:75

 for vascular infections, 2:72

 for vascular reactivity, 5:60

 for vascular support, 2:65

 Crataegus monogyna (common hawthorn)

 for arrhythmias, 2:56

 formulas containing

 hypertension, 2:44, 46

 telangiectasias, 2:66

for microvascular fragility, 2:66t

specific indications, 1:160, 241; 2:93

for stasis ulcers, 2:60

Crataegus oxyacantha (hawthorn), 2:26

for angina, 2:38

for arrhythmias, 2:56

formulas containing

 acne rosacea, 1:205

 cardiopulmonary disease, 2:85

 congestive heart failure, 2:50

 coronary artery disease, 2:40

 CREST, 5:84

 endocarditis, 2:72

 hemochromatosis, 2:71

 hypotension, 2:86

 pancreatitis, 1:70

 skin protection, 1:228

 telangiectasias, 2:66

 vascular reactivity, 5:63

 vasculitis, 2:82

for hypertension, 2:44

for itching skin, 1:185

for microvascular fragility, 2:66t

for poor circulation, 2:58

specific indications, 1:160, 241; 2:93; 5:195

for stasis ulcers, 2:60

for telangiectasias, 1:208

 for vasculature protection, 2:26

crawling and tingling sensations, 1:171t, 232

creatinine, 1:152, 153

creeping cedar. *See Lycopodium* spp. (ground pine, creeping cedar, club moss)

creosote bush. *See Larrea tridentata* (chaparral)

CREST (calcinosis, Raynaud's syndrome, esophageal dysfunction, sclerodactyly, and telangiectasia), 5:84

Crinum glaucum (swamp lily), 2:93; 5:31t, 33t

crocin, 4:78, 141

Crocus sativus (saffron crocus, xi hong hua)

 for depression, 4:103t

 neuroprotective effects, 4:30

 specific indications, 1:241; 4:78, 141

Crohn's disease

 Cannabis sativa for, 5:79t

 esophageal disorders from, 1:46

 formulas for, 1:34–36; 5:80

 Fucus vesiculosus for, 5:90

 potential whipworm treatment for, 5:79

 role of viruses in, 1:24

 supplements for, 5:39

 See also inflammatory bowel diseases (IBD)

cromolyn sodium, 2:146; 5:46, 85

Crotalus horridus (homeopathic remedy), 1:171t

Croton lechleri (sangre de drago, dragon's blood)

 anti-inflammatory actions, 4:178

 biliary support qualities, 1:52

 formulas containing

 cystic fibrosis, 2:135

 diarrhea, 1:54

 specific indications, 2:162

- croup
Drosera rotundifolia for, 2:120, 163
Polygala spp. for, 2:177
Sticta pulmonaria for, 2:181
Stillingia sylvatica for, 2:113, 181
crow dipper. *See Pinellia ternata* (crow dipper)
cruciferous foods
 for bladder cancer, 1:132, 134
 glucosinolates in, 1:99; 3:38–39
 for heavy metal detoxification, 4:51
 for prostatic diseases, 1:144, 149
 for toxin-induced neuropathy, 4:47
Cryptocarya aganthophylla (clove nutmeg), 5:119
cubeb. *See Piper cubeba* (cubeb)
Cucumis sativus (cucumber), 4:46
cucurbitacin, 4:46
Cucurbita maxima (winter squash), 1:160
Cucurbita pepo (pumpkin)
 for benign prostatic hypertrophy, 1:146, 147
 formulas containing
 alopecia, 1:218
 benign prostatic hypertrophy, 3:162
 for intestinal parasites, 1:55
 seed oil from, 4:57, 58
 specific indications, 1:160; 3:168
 for urinary retention, 1:142
Cullen corylifolium (bakuchi, bu gu zhi), 4:141–42
Culpeper, Nicholas, 1:113; 4:217
cultural appropriation, 2:2, 3
Culver's root. *See Leptandra virginica*
 (Culver's root)
cumin, black. *See Nigella sativa* (black cumin, black seed)
Cuminum cyminum (cumin), 4:67
Curcuma longa (turmeric), 1:102; 5:121
 5α-reductase inhibition, 1:218; 3:162
 for acne, 1:202t
 alterative qualities, 1:27
 for altered breath sounds, 2:118
 for angioedema, 5:56
 antiallergic qualities, 1:33; 2:128; 5:33t
 antifibrotic qualities, 1:91
 anti-inflammatory qualities, 1:62–63, 71; 4:128; 5:97
 antimicrobial qualities, 1:56, 71, 91
 for arthritis, 5:114, 115
 for autoimmune disorders, 5:65
 for Behçet's disease, 5:74
 biliary support qualities, 1:52, 72
 for bone density, 5:125
 for breast cysts, 3:143
 bromelain combined with, 5:108
 for bronchitis, 2:132
 for bursitis and tendinitis, 5:102
 for cardiopulmonary disease, 2:83
 cholagogue action, 1:98
 for contractures, 5:104
 for COPD, 2:148, 150
 for cor pulmonale, 2:155
 for CREST, 5:84
 curcumin in, 1:55
 for cystic fibrosis, 2:135
 for dementia, 4:54
 for dental procedures, 5:177
 for depression and anxiety, 4:95, 103t, 142
 for dermatologic conditions, 1:169
 for digestive pain, 1:26; 4:197t
 for epilepsy and seizure disorders, 4:65–66, 72
 for erectile dysfunction, 3:16
 for eye conditions, 5:147, 148
 fibrinolytic properties, 2:73
 formulas containing
 acne, 1:202, 203
 adrenal disorders, 3:50
 angioedema, 5:57
 appendicitis recovery, 1:68
 arthritis, 5:117, 118, 120, 122
 asthma, 2:147
 attention deficit hyperactivity disorder, 4:120
 autoimmune disorders, 5:66, 67, 68
 biliary insufficiency, 1:98
 bronchitis, 2:134
 bursitis and tendinitis, 5:102
 cardiopulmonary disease, 2:84, 85
 cataract prevention, 5:152
 cerebral vascular insufficiency, 2:62–63, 64
 chemo brain, 4:58
 colds, 5:169, 170
 conjunctivitis, 5:148
 contractures, 5:105
 COPD, 2:150
 costochondritis, 2:123
 coughs, 2:120
 CREST, 5:84
 Cushing's syndrome, 3:52, 54
 cystic fibrosis, 2:135
 dementia, 4:55
 dermatitis, 1:191
 digestive organ pain, 4:197
 diverticulitis and diverticulosis, 1:72
 emphysema, 2:138
 endocarditis, 2:72
 enteritis, 1:61
 erythema multiforme, 1:220
 esophageal disorders, 1:45
 eye irritation, 5:149
 GERD, 1:41, 43
 glaucoma, 5:156
 goiter, 3:34
 gouty arthritic pain, 4:185
 halitosis, 1:51
 headaches, 4:164
 hemochromatosis, 2:71
 hemoptysis, 2:126
 hemorrhoids, 1:50
 hepatitis, 1:93, 94, 95
 hyperlipidemia, 2:37
 hyperthyroidism, 3:42, 45
 inflammatory bowel diseases, 1:34; 5:80
 insomnia, 4:115, 116
 irritable bowel syndrome, 1:33
 joint pain, 4:185
 lichen planus, 1:211, 212
 lupus, 5:76
 macular degeneration, 5:158
 malabsorption, 1:75
 menorrhagia, 3:120
 migraines, 4:163
 multiple sclerosis, 5:83
 muscle pain, 5:107
 musculoskeletal trauma, 5:97
 myalgia, 4:186
 neuropathic pain, 4:179
 opiate withdrawal and musculoskeletal pain, 4:185
 oral leukoplakia, 5:186
 osteoarthritis, 5:115
 otitis externa, 5:163
 otitis media, 5:160, 161, 162
 pain, 4:172
 pancreatitis, 1:70
 Parkinson's disease, 4:61, 63
 pemphigus support, 1:221
 peripheral neuropathy, 4:45, 46, 47
 phlebitis, 2:81
 pigmentation disorders, 1:223, 224
 prostatitis, 1:151
 psoriasis, 1:210, 211
 reactive arthritis, 5:72
 renal failure, 1:155
 respiratory allergies, 5:44
 retinopathies, 5:157
 SIBO, 1:76
 sinusitis, 5:172
 Sjögren's syndrome, 5:69
 skin infections, 1:177
 skin protection, 1:228
 streptococcal infections, 1:233
 stridor, 2:121
 stytes and blepharitis, 5:153
 telangiectasias, 2:66
 thyroiditis, 3:30, 31, 32
 tinnitus, 5:166
 traumatic brain injury, 4:55
 trigeminal neuralgia, 4:38, 39
 tuberculosis, 2:156
 vascular reactivity, 5:62
 vasculitis, 2:82
 venous congestion, 2:76
 wound healing, 1:181, 183
 for genital warts, 3:112
 for halitosis, 1:50
 for hay fever, 5:42
 for headaches, 4:159
 for heart infections, 2:72
 for heavy metal neuropathy, 4:50
 for *Helicobacter pylori* infections, 1:43

- Curcuma longa* (turmeric) (*continued*)
- for hemochromatosis, 2:71
 - for hepatitis, 1:91
 - for hepatocellular carcinoma, 1:101
 - for hypertension, 2:46
 - for impetigo, 1:179
 - for increasing deficient adrenergic tone, 4:95
 - for inflammatory bowel diseases, 1:34, 35; 5:78, 79t
 - in juice cleanses, 5:117
 - for leaky gut syndrome, 1:79
 - leukotriene-inhibiting qualities, 5:44
 - for liver support, 1:89, 90, 93, 102
 - for malabsorption, 1:73
 - mast-cell stabilizing effects, 2:144t; 5:31t
 - for multiple sclerosis, 5:82
 - for musculoskeletal pain, 5:96, 121
 - for nasal polyps, 5:173t
 - for neuralgia, 4:34
 - for neurological conditions, 4:28
 - neuroprotective effects, 4:30
 - for oral leukoplakia, 5:187
 - for otitis externa, 5:162
 - for otitis media, 5:159
 - PAF inhibiting properties, 2:77
 - for pain, 4:166t
 - for pelvic inflammatory disease, 3:108
 - for peripheral neuropathy, 4:43t
 - for poor circulation, 2:58, 63
 - for prostate cancer, 1:147
 - for psoriasis, 5:70
 - for reproductive endocrine conditions, 3:101–2
 - for respiratory conditions, 2:108
 - for restless insomnia, 1:15; 2:17; 3:18; 4:20; 5:20
 - for restless legs syndrome, 4:33
 - for retinopathies, 5:156
 - serotonin-promoting qualities, 4:92
 - for skin cancer, 1:236
 - in soup, 1:35
 - specific indications, 1:83–84, 103–4, 241; 2:93–94, 162; 3:57, 93, 168; 4:78, 142, 207; 5:89, 136, 195
 - for stomatitis, 5:50
 - for styes, 5:153
 - sulfotransferase enzymes support, 3:155
 - for telangiectasias, 1:208
 - for traveler's diarrhea prevention, 1:53
 - for varicosities, 2:74
 - for vascular infections, 2:72
 - for vascular reactivity, 5:60
 - for vascular support, 2:31, 65
 - as warming stimulant, 3:21t
 - for warts, 1:200
 - for wound healing, 1:181, 182
 - curcumin
 - for bone density, 5:125
 - chemopreventive effects, 3:157
 - for COPD, 2:148
 - in *Curcuma longa*, 5:195
 - for diarrhea, 1:55
 - for emphysema, 2:136, 138
 - for fatty liver, 1:96
 - formulas containing, 2:138; 5:121
 - for hemochromatosis, 2:71
 - for hepatitis, 1:93
 - for hepatocellular carcinoma, 1:101
 - inclusion in FDA's category 1 list, 5:4
 - for leaky gut syndrome, 1:79
 - for liver support, 1:97, 102
 - for pain, 4:156
 - for pancreatic diseases, 1:68
 - for prostate cancer, 1:147
 - specific indications, 4:78
 - curcuminooids, 1:102; 3:155; 4:207
 - curly dock (*Rumex crispus*), 4:24t
 - currant. *See Ribes* spp.
 - curry plant. *See Helichrysum* spp. (curry plant)
 - Cuscuta reflexa* (dodder), 1:218; 3:162
 - Cushing's syndrome
 - Epimedium grandiflorum* for, 3:57
 - formulas for, 3:52–54
 - Ganoderma lucidum* for, 3:58
 - Glycyrrhiza glabra* for, 3:53
 - overview, 3:46, 52
 - cyclic adenosine monophosphate (cAMP), 5:135
 - cyclic mastalgia. *See* breast tenderness
 - cyclooxygenase-2 (COX-2), 1:41, 65
 - cyclopamine, 4:191
 - cyclosporine, for autoimmune disorders, 5:65
 - Cymbopogon citratus* (lemongrass), 3:80t; 5:77
 - Cynara scolymus* (artichoke)
 - cholagogue action, 1:98
 - for eye conditions, 5:147
 - formulas containing, 1:96; 2:80
 - for lipid health, 2:33; 3:82
 - for liver support, 1:92
 - specific indications, 1:84, 104; 2:94; 3:93, 168–69
 - for varicosities, 2:74
 - Cyperus esculentus* (nutgrass, yellow nutgrass), 4:142
 - Cyperus rotundus* (nutgrass, tigernut)
 - for depression and anxiety, 4:101t, 103t, 105, 106
 - formulas containing, 4:105, 106
 - for liver support, 1:90
 - specific indications, 4:142
 - Tigernut Horchata with, 4:107, 142
 - for vascular reactivity, 5:61
 - cysteine
 - for heavy metal neuropathy, 4:50, 51
 - for peripheral neuropathy, 4:43
 - cystic fibrosis
 - Croton lechleri* for, 2:162
 - formulas for, 2:134–35
 - Origanum vulgare* for, 2:174
 - cystitis
 - Achillea millefolium* for, 1:156
 - Agathosma betulina* for, 1:156
 - Allium* spp. for, 1:156
 - Andrographis paniculata* for, 1:157
 - Arctostaphylos uva ursi* for, 1:157
 - Berberis aquifolium* for, 3:167
 - Calendula officinalis* for, 1:158
 - Cantharis vesicatoria* for, 1:159
 - Centella asiatica* for, 1:159
 - Elymus repens* for, 1:160
 - Equisetum* spp. for, 1:160
 - formulas for, 1:112–18; 4:167, 196, 199
 - herbs for, 1:116
 - Hypericum perforatum* for, 1:162
 - interstitial vs. bacterial, 1:109, 112
 - Piper cubeba* for, 1:164
 - Piper methysticum* for, 1:164
 - Scutellaria lateriflora* for, 1:165
 - Thuja* spp. for, 3:178
 - Vaccinium macrocarpon* for, 1:166
 - cytisine, 4:134–35
 - Cytisus laburnum*. *See* *Laburnum anagyroides* (laburnum, golden chain)
 - Cytisus scoparius* (Scotch broom), 1:112; 2:56, 94
 - cytokine storms, 4:48, 70
 - cytotoxic immune response, 5:29

D

- dacryocystitis, 5:153
- daidzein
 - breast cancer and, 3:158
 - hormonal and metabolic benefits, 3:156
 - immunomodulating qualities, 1:78
 - in *Medicago sativa*, 3:87
 - for withdrawal symptoms, 4:150
- daidzin, 4:150
- Dairy-Free Isoflavone Bean Chowder, 3:160
- damask rose (*Rosa damascena*), 3:134; 4:102, 103t
- damiana. *See* *Turnera diffusa* (damiana)
- damp constitutions
 - cold formula for, 5:170
 - dietary recommendations, 5:169
- dampness
 - Clerodendron serratum* for, 2:161
 - Desmodium styracifolium* for, 2:94
 - formula for, 2:58
 - Pinellia ternata* for, 2:176
 - Poria cocos* for, 2:101
 - Schisandra chinensis* for, 2:103
- dandelion. *See* *Taraxacum officinale* (dandelion)
- dang shen. *See* *Codonopsis pilosula* (dang shen)
- dan shen. *See* *Salvia miltiorrhiza* (dan shen, red sage)
- dan zhu ye gen (*Lophatherum gracile*), 2:170
- Datura stramonium* (jimsonweed, devil's snare)
 - for epilepsy and seizures, 4:68
 - for motion sickness, 5:167
 - for Parkinson's disease, 4:60
 - specific indications, 2:163
 - transdermal delivery of, 2:109
- tropine alkaloids from, 2:152

- Daucus carota* (wild carrot)
 formulas containing
 dermatitis, 1:186
 pigmentation disorders, 1:226
 psoriasis, 1:210
 for hypertension, 2:46
 for musculoskeletal trauma, 5:98
 photosensitizing qualities, 1:225
 for prostatitis, 1:151
 specific indications, 1:241
 for vascular support, 2:29
daylily (*Hemerocallis citrina*), 4:92
deadly nightshade. *See Atropa belladonna*
 (belladonna, deadly nightshade)
deadly quartet, 3:65
debility
 Avena sativa for, 3:55, 90, 166
 Chionanthus virginicus for, 3:91
 formulas for, 3:49
 Glycyrrhiza glabra for, 3:58, 94
 Panax ginseng for, 3:61, 96
 decoctions, defined, 1:20; 2:22; 3:23; 4:25; 5:25
 deep vein thrombosis (DVT), 2:73, 80
 dehydroepiandrosterone (DHEA), 3:135
 dehydrogenase enzymes, for hormonal cancers, 3:155
 delirium tremens, formulas for, 4:71, 132
 delusional disorders, 4:122
 See also schizophrenia
 dementia
 Bacopa monnieri for, 4:56, 56
 Borago officinalis for, 4:76
 Celastrus paniculatus for, 4:141
 Coleus forskohlii for, 4:78
 Crocus sativus for, 4:78
 Cullen corylifolium for, 4:141
 Cyperus rotundus for, 4:142
 for dementia, 4:52
 Erigeron breviscapus for, 4:79
 formulas for, 4:55–59
 galantamine for, 4:52, 79
 Ganoderma lucidum for, 4:79
 Gastrodia elata for, 4:79
 Huperzia serrata for, 4:81
 Lavandula angustifolia for, 4:144
 Ligusticum striatum for, 4:145
 Matricaria chamomilla for, 4:82
 Melissa officinalis for, 4:83
 nutrients for, 4:29
 overview, 4:52–55
 Rosmarinus officinalis for, 4:214
 Salvia officinalis for, 4:86
 Vinca minor for, 4:52–53, 59, 59
 Withania somnifera for, 4:88
 See also Alzheimer's disease; vascular dementia
Demodex mites, 1:204, 207, 242; 5:154
demulcents
 for allergies, 5:34
 Aloe vera as, 5:192
 for bloody diarrhea, 1:32
 for bursitis and tendinitis, 5:102
 for cooling and calming mucosal tissues, 1:13
 cooling remedies, 1:19t; 2:21t; 3:21t; 4:24t;
 5:23, 24t
 for diarrhea, 1:51, 52
 for dry mouth, 5:185
 for eye injuries, 5:154
 for gastroenteritis, 1:59, 60
 gastrointestinal formula basics, 1:24
 for GERD, 1:39
 for oral lesions, 5:51
 for overactive bladder, 1:129
 for prostatitis, 1:151
 for throat pain, 5:190, 191
 for ulcers, 1:62
 Ulmus rubra as, 5:142, 202
 demyelinating polyneuropathies, 4:48, 49
 demyelination-related neuropathy, 4:34
 dental caries, 5:175, 176
 dental conditions
 Atropa belladonna for, 5:193
 Azadirachta indica for, 5:193
 Camellia sinensis for, 5:194
 Commiphora myrrha for, 5:195
 formulas for, 5:175–77
 Lycopodium spp. for, 5:198
 overview, 5:174–75
 Sanguinaria canadensis for, 5:201
 Spilanthes acmella for, 5:202
 Syzygium aromaticum for, 5:202
 dental health, significance of, 5:146
 dental materials, oral allergic reactivity to, 5:49–50
 dental pain
 Chelidonium majus for, 4:206
 Cinnamomum verum for, 5:87
 Conium maculatum for, 4:207
 formulas for, 4:177
 Gelsemium sempervirens for, 4:209
 herbal therapies for, 5:177
 Humulus lupulus for, 4:210
 Matricaria chamomilla for, 5:198
 Mentha piperita for, 5:199
 Spilanthes acmella for, 5:141, 202
 Syzygium aromaticum for, 4:215; 5:202
 therapies for, 5:177
 Veratrum album for, 5:203
 dental procedures
 Commiphora myrrha for, 5:195
 herbal medicine for, 5:146, 177
 herbal therapies for, 5:177
 Hypericum perforatum for, 5:198
 deodar cedar (*Cedrus deodara*), 5:31t
 depersonalization disorder, 4:108
 depression
 Hypericum perforatum for, 3:2, 171
 Melissa officinalis for, 3:60, 173
 Rhodiola rosea for, 3:61
 Verbena spp. for, 3:179
 Vitex agnus-castus for, 3:63
 depression and anxiety, 4:90–107
 Actaea racemosa for, 4:92, 96, 101t
 Albizia julibrissin for, 4:139
 botanical nervines, 4:91
 Bupleurum falcatum for, 4:140
 Celastrus paniculatus for, 4:141
 Crocus sativus for, 4:78, 141
 Cullen corylifolium for, 4:142
 Curcuma longa for, 4:95, 103t, 142
 dual diagnosis, 4:3
 Eschscholzia californica for, 4:94, 142
 formulas for, 4:96–107
 Ginkgo biloba for, 4:92
 herbal specifics for, 4:101, 103, 103t
 herbs that increase deficient adrenergic tone, 4:94–95
 Hypericum perforatum for, 4:91–92, 93, 143
 increasing use of psychiatric medications for, 4:2
 Lavandula angustifolia for, 4:144, 210
 Leonurus cardiaca for, 4:144
 Lepidium meyenii for, 4:145
 Ligusticum striatum for, 4:145
 Melissa officinalis for, 4:82, 146
 monoamine hypothesis, 4:3
 Nelumbo nucifera for, 4:147
 Nepeta cataria for anxiety in children, 4:104
 Ocimum tenuiflorum for, 4:148
 overview, 4:90–96
 Panax ginseng for, 4:148
 Passiflora incarnata for, 4:92, 97
 Perilla frutescens for, 4:148
 Piper methysticum for, 4:85
 Poria cocos for, 4:149
 potential ayahuasca benefits, 4:138
 Psilocybe cubensis for, 4:149
 psilocybin for, 4:5
 Salvia miltiorrhiza for, 4:151
 Schisandra chinensis for, 4:151
 serotonin-promoting botanical agents, 4:92
 working with anxious patients, 4:99
 Ziziphus jujuba for, 4:152
 dermal pain. *See* skin pain
 dermatitis
 allergic, 1:188, 240, 242, 245
 Ammi visnaga for, 1:238
 Angelica sinensis for, 1:183, 184, 192, 238
 Apium graveolens for, 1:238; 5:86
 Astragalus membranaceus for, 5:86
 Avena sativa for, 5:86
 Cnidium monnieri for, 5:87
 Cnidium officinale for, 1:240
 Coleus forskohlii for, 1:240; 5:88
 dry, 1:189
 Foeniculum vulgare for, 1:242; 5:90
 formulas for, 1:183–192
 Fucus vesiculosus for, 5:90
 Ginkgo biloba for, 5:90
 Glycyrrhiza glabra for, 1:243
 Grindelia squarrosa for, 5:91

- dermatitis (*continued*)
Hamamelis virginiana for, 5:91
herbs for, 1:188, 189
Lavandula angustifolia for, 1:244
Matricaria chamomilla for, 1:245; 5:92
neurodermatitis, 1:192, 248, 249
overview, 1:183
perioral, 1:190
Picrorhiza kurroa for, 1:246; 5:93
from poison ivy/oak, 1:203
protocol options, 1:188
Rehmannia glutinosa for, 5:93
Scrophularia nodosa for, 1:247
Scutellaria baicalensis for, 5:93
seborrheic, 1:190
Stillingia sylvatica for, 1:248; 5:94
Tanacetum parthenium for, 1:248; 5:94
wet, 1:188
See also atopic dermatitis; contact dermatitis
dermatitis herpetiformis, 1:191
dermatologic conditions
herbal specifics for skin presentations, 1:171t
listing of formula types, 1:169
overview, 1:169–170
See also specific conditions; specific formula types
dermatomyositis, formulas for, 5:70–71
dermography, 5:34
desensitization therapy, 5:29–30
Desmodium ascendens, 5:33t
Desmodium styracifolium (desmodium), 2:94
detoxification
chemopreventive naturally occurring molecules, 3:157
for environmental toxins exposure, 3:67
Equisetum arvense potential benefits, 3:93–94
radish glucosinolates for, 3:158, 176
detrusor hypersensitivity. See overactive bladder
devil's claw. See *Harpagophytum procumbens* (devil's claw)
devil's club. See *Opopanax horridus* (devil's club)
devil's snare. See *Datura stramonium* (jimsonweed, devil's snare)
DHEA (dehydroepiandrosterone), 3:135, 151, 152
DHLA (dihomo-g-linolenic acid), 4:76
DHT (dihydrotestosterone), 3:161–62
diabetes
Allium sativum for, 3:90
Andrographis paniculata for, 2:158; 3:90
Angelica sinensis for, 3:90
Astragalus membranaceus for, 3:166
Borago officinalis for, 2:91
Bupleurum falcatum for, 3:91
Butea monosperma for, 4:205
cataract prevention with, 5:152
Ceanothus americanus for, 2:92; 3:91, 167
Ceratonia siliqua for, 3:91
Chionanthus virginicus for, 3:91
Cinnamomum spp. for, 2:92
Coleus forskohlii for, 3:167
Commiphora mukul for, 1:83; 2:93; 3:56
connection to skin disorders, 1:170
Coptis chinensis for, 2:93
Coptis trifolia for, 3:92
Curcuma longa for, 1:83, 104; 2:94; 3:93, 168
Cynara scolymus for, 3:93, 169
dietary considerations, 3:66–67, 76
digestive pain associated with, 1:26
Dr. Stansbury's General Alterative Tea for, 1:27
Echinacea spp. for, 3:93
Equisetum arvense for, 3:93
Foeniculum vulgare for, 3:94
formulas for, 3:68–76
Fucus vesiculosus for, 5:90
Galega officinalis for, 3:94
Ganoderma lucidum for, 5:90
gingivitis from, 5:185
Gymnema sylvestre for, 2:96; 3:95
Hibiscus sabdariffa for, 2:96; 3:95
Hypericum perforatum for, 2:97
impotence with, 2:87
infections associated with, 1:116, 197; 3:71
legume family herbs for, 3:70
medicinal foods for, 3:66, 76–89
Melilotus suaveolens for, 2:172
Momordica charantia for, 3:96
Nigella sativa for, 3:96
Opopanax horridus for, 2:99
Opuntia spp. for, 3:96
overview, 3:65–66, 68–70
Panax ginseng for, 2:100; 3:96
as part of the deadly quartet, 3:65
poor circulation with, 2:58
Pterocarpus marsupium for, 3:97
Pueraria montana var. *lobata* for, 3:176
Punica granatum for, 3:97
Raphanus spp. for, 3:176
Rheum palmatum for, 2:102
Salvia miltiorrhiza for, 3:62, 97
Smilax ornata for, 3:177
stasis ulcers with, 2:59, 60
Stevia rebaudiana for, 2:104; 3:98
Syzygium spp. for, 2:104; 3:98, 99
Tamarindus indica for, 3:99
Tribulus terrestris for, 3:178
Trigonella foenum-graecum for, 3:99, 179
Uncaria spp. for, 4:216
Vaccinium myrtillus for, 3:99
Zingiber officinale for, 3:99–100
diabetic nephropathy
Angelica sinensis for, 1:135, 157; 3:90
formula for, 3:73
Ginkgo biloba for, 1:161; 3:58, 94
herbs for, 1:153
diabetic neuropathy
Angelica sinensis for, 3:90
Citrullus colocynthis for, 4:206
Dioscorea villosa for, 4:207
formula for, 3:73
Ginkgo biloba for, 3:58, 94
herbs for, 4:34
Momordica charantia for, 4:211
diabetic peripheral neuropathy
Cannabis sativa for, 4:205
formula for, 4:44
Vaccinium myrtillus for, 4:87
See also peripheral neuropathy
diabetic polyuria, 1:157, 158
diabetic retinopathy
Allium sativum for, 5:192
Angelica sinensis for, 3:90; 5:192
Coleus forskohlii for, 3:167
Crataegus spp. for, 5:195
formula for, 3:71; 5:157
Ginkgo biloba for, 3:58, 94; 5:197
overview, 5:156
Vaccinium myrtillus for, 3:99; 5:203
diabetic ulcerations
Echinacea spp. for, 3:93
Equisetum arvense for, 3:93
formula for, 3:74
diallyl sulfides, 1:122, 156; 3:157
diaphoretics
Asclepius tuberosa as, 2:159
Collinsonia canadensis as, 2:162
Eupatorium perfoliatum as, 2:165
Inula helenium as, 2:168
Lycopus virginicus as, 2:170
Marrubium vulgare as, 2:171
Polygala spp. as, 2:177
Sambucus canadensis as, 2:179
warming stimulants, 1:19t; 2:21t; 3:21t; 4:23t; 5:23t
diarrhea
Agrimonia eupatoria for, 4:203
allergic, 1:33
causes of, 1:51
explosive, 1:24, 56
formulas for, 1:32, 51–58; 5:37
Iris versicolor for, 1:104, 244
Leptandra virginica for, 1:104
Matricaria chamomilla for, 1:86; 5:92
Mitragnya speciosa for, 4:146
mucousy, 1:32, 81
Punica granatum for, 5:200
Quercus spp. for, 1:87
Rheum palmatum for, 1:105
ruling out food allergies and intolerances, 1:24
Rumex crispus for, 1:105
as symptom of healing crises, 1:8
Terminalia spp. for, 1:106
types of, 1:52
Zingiber officinale for, 1:88
See also traveler's diarrhea
Dicoumarol, 2:79
dietary fat. See fat, dietary
dietary recommendations
for allergies, 5:28–29
for arthritis, 5:114–15

- dietary recommendations (*continued*)
 for attention deficit hyperactivity disorder, 4:117, 119
 berry-based beverages, 5:157
 for epilepsy and seizure disorders, 4:68, 69
 for gout, 5:122
 for metabolic conditions, 3:66–67, 76
 for multiple sclerosis, 5:82
 observing the diet, 3:11
 for oral leukoplakia, 5:187
 for otitis media, 5:159
 polyunsaturated fatty acids included in diet, 4:119
 for reproductive endocrine conditions, 3:103
 for respiratory allergies, 5:40, 42
 for schizophrenia, 4:124, 125
See also ketogenic diet
- digestion**
Arctium lappa for, 5:133
Berberis aquifolium for, 5:134, 194
Coptis trifolia for, 5:195
Eleutherococcus senticosus for, 5:196
Humulus lupulus for, 5:197
Juglans cinerea for, 5:198
Momordica charantia for, 5:199
 optimizing, for osteoporosis support, 5:129
Rheum officinale for, 5:140
Rumex crispus for, 5:140
Sanguinaria canadensis for, 5:201
Silybum marianum for, 5:201
Smilax ornata for, 5:94
Taraxacum officinale for, 5:202
Zanthoxylum clava-herculis for, 5:203
Zingiber officinale for, 5:203
- digestion, poor
Aesculus hippocastanum for, 1:81, 101
 alteratives for, 1:26
Bupleurum falcatum for, 3:55
Capiscum annuum for, 1:159
Chelidonium majus for, 1:82, 103
Chenopodium ambrosioides for, 1:83
Chionanthus virginicus for, 1:83, 103
Cinchona officinalis for, 1:83
Coptis trifolia for, 3:92, 168
Curcuma longa for, 1:104
Dioscorea villosa for, 1:84, 104; 3:169
Echinacea spp. for, 1:241
Gentiana lutea for, 1:84, 104
Iris versicolor for, 1:104
Matricaria chamomilla for, 3:173
Momordica charantia for, 3:96
Podophyllum peltatum for, 1:105, 164
Quercus spp. for, 1:87
Rumex acetosella for, 1:87
Smilax ornata for, 1:88, 248; 3:62, 177
Zingiber officinale for, 3:63, 99
See also malabsorption
- digestive colic**
Gentiana lutea for, 1:243
Mentha piperita for, 1:105
- Podophyllum peltatum* for, 1:105
- digestive disorders**
Aloe vera for, 1:81
Avena sativa for, 1:82, 239
Berberis aquifolium for, 1:105
Chionanthus virginicus for, 1:103
Commiphora mukul for, 1:83
Dioscorea villosa for, 1:84, 104
Eleutherococcus senticosus for, 1:84, 242
 herbs for, 1:26
Matricaria chamomilla for, 1:86
Mentha piperita for, 1:105
Morella cerifera for, 1:105
Origanum vulgare for, 1:86
Populus tremuloides for, 1:164
Scrophularia nodosa for, 1:88
Silybum marianum for, 1:106
Terminalia spp. for, 1:106
Ulmus spp. for, 1:88
See also gastrointestinal disorders
- digestive enzymes**, 1:28, 79
- digestive insufficiency**
Artemisia absinthium for, 1:81
Artemisia vulgaris for, 1:81
Iris versicolor for, 1:85
Rheum palmatum for, 1:87
Rumex crispus for, 1:87, 105, 247
Zanthoxylum clava-herculis for, 1:88
- digestive pain**
Achillea millefolium for, 4:201
Curcuma longa for, 4:207
Dioscorea villosa for, 4:207
 formulas for, 4:197–98
Harpagophytum procumbens for, 4:209
 herbal therapies for, 4:166t, 197t
Humulus lupulus for, 4:209, 210
Matricaria chamomilla for, 4:211
- digestive secretions**
Artemisia annua for, 1:102
Artemisia vulgaris for, 1:102
Rheum palmatum for, 1:87
Syzygium aromaticum for, 1:88
- digestive stimulants**, 1:25, 51, 88
- Digestive Vinegar**, 1:74
- Digitalis purpurea* (foxglove), 2:49
 for altered breath sounds, 2:118
 for arrhythmias, 2:56
 cardiac glycosides from, 2:49
 for congestive heart failure, 2:48t, 50
 for cor pulmonale, 2:155
 formulas containing, 2:126
 for pain, 4:166t
 perfusion-enhancing diuretic qualities, 1:109
 for renal failure, 1:154t
 safety concerns, 1:18; 2:20, 94; 3:20; 4:22; 5:22
 specific indications, 2:94, 163
- digoxin**, 2:49, 94
- di huang.** *See Rehmannia glutinosa* (di huang, Chinese foxglove)
- dihydroergotamine**, for headaches, 4:162
- dihydrotestosterone (DHT)**, 3:161–62
- diindolymethane (DIM)**, 3:158
- dill (*Anethum graveolens*)**, 2:29
- DIM** (diindolylmethane) supplements, 1:134, 200
- dimercaptosuccinic acid (DMSA)**, 4:50, 51
- dimethylsulfoxide (DMSO)**, 1:122, 123; 5:104, 117
- dimethyltryptamine (DMT)**
 in *Mucuna pruriens*, 4:62
 in *Psychotria viridis*, 4:137
 therapeutic uses, 4:5
- diminished breath sounds**, herbs for, 2:118
- Dioscorea* spp.**
 formulas containing, 4:194
 neuroprotective effects, 4:30
 for pain, 4:171t
- Dioscorea oppositifolia*** (wild yam), 5:80
- Dioscorea rotunda*** (wild yam), 1:34
- Dioscorea villosa*** (wild yam), 3:121
 antispasmodic qualities, 1:11, 25, 91, 135, 160; 2:13; 3:13; 4:16; 5:16, 109
 for biliary pain, 1:100t
 carminative qualities, 1:31
 for cramping pain in the bladder, 1:124
 creams from, 3:121
 for digestive pain, 4:197t
 formulas containing
 biliary colic and pain, 1:99; 4:198
 cholelithiasis, 1:98
 diarrhea, 1:56
 dyspepsia, 1:28
 endometriosis, 3:149
 inflammatory bowel diseases, 1:34
 intestinal spasms, 4:197
 irritable bowel syndrome, 1:31, 33
 menstrual cramps, 3:124
 menstrual nausea, 3:120
 miscarriage, 3:132, 133
 muscle pain, 4:186
 pancreatitis, 1:69, 70
 for liver support, 1:90
 for menorrhagia, 3:118
 for muscle pain, 4:183t
 for overactive bladder, 1:129
 for pain, 4:154, 166t, 170t, 171t
 specific indications, 1:84, 104, 160; 3:169; 4:207–8; 5:136
 for tongue conditions, 5:178t
 for urinary colic, 1:138t
 as uterine sedative, 3:124
 for varicosities, 2:74
- diosgenin**, 3:121, 157
- Director herbs.** *See base herbs*
- dissociative disorders**, 4:108
- distension**
Carum carvi for, 1:82
 herbs for, 4:170t
- Pimpinella anisum* for, 1:86
- Syzygium aromaticum* for, 1:88
- dita wood (*Alstonia scholaris*)**, 2:108t, 157
- dittander (*Lepidium latifolium*)**, 2:98

- dittany of Crete (*Origanum dictamnus*), 4:67
- diuretics
- Arctostaphylos uva ursi*, 1:157
 - for congestive heart failure, 2:48t
 - cooling remedies, 1:19t; 2:21t; 3:21t; 4:24t; 5:24t
 - formulas for, 1:10–12
 - for hypertension, 2:44
 - Taraxacum officinale*, 1:166
 - types of, 1:109–10
 - Urtica spp.*, 1:166
 - Zea mays*, 1:167
- diuretics, pharmaceutical, 2:47
- diverticulitis and diverticulosis, 1:71–72
- Divided Legacy* (Coulter), 5:2
- diviner's sage. *See Salvia divinorum* (diviner's sage)
- dizziness
- Apium graveolens* for, 2:90
 - Conium maculatum* for, 4:184
 - Gastrodia elata* for, 4:79
 - Polygonum cuspidatum* for, 2:101
 - Reynoutria multiflora* for, 2:102
- DMAE (dimethylaminoethanol), 4:54
- DMSA (dimercaptosuccinic acid), 4:50, 51
- DMSO (dimethylsulfoxide), 1:122, 123; 5:104, 117
- DMT. *See dimethyltryptamine (DMT)*
- dodder. *See Cuscuta reflexa* (dodder)
- dogbane. *See Apocynum cannabinum* (dogbane)
- dog rose. *See Rosa canina* (dog rose)
- dong quai. *See Angelica sinensis* (dong quai)
- donkey rhubarb. *See Polygonum cuspidatum* (Japanese knotweed)
- dopamine
- Actaea racemosa* effects, 4:139
 - attention deficit hyperactivity disorder and, 4:117
 - levodopa converted to, 4:62
 - restless legs syndrome association with abnormal levels of, 4:32
- dopamine agonists
- for drug addiction, 4:131
 - for headaches, 4:159
- dopamine antagonists, 1:35, 76; 4:123
- dopamine deficiency, 4:131
- dopamine hypothesis, 4:131
- dopaminergic hypothesis, 4:117
- dormilona (*Mimosa pudica*), 4:31, 53
- dosages
- acute vs. chronic formulas, 1:5; 2:7; 3:8; 4:9; 5:9
 - toxic herbs, 1:5, 18; 2:7, 20; 3:8, 20; 4:9, 22–23; 5:9, 22–23
 - for various herbal preparation types, 1:20–21; 2:23; 3:23; 4:25–26; 5:25, 26
- doshas system, in Ayurveda, 1:12; 2:14; 3:14; 4:17; 5:17
- douches
- for human papillomavirus, 3:114
 - for vaginitis, 3:105, 106–7
- doughy skin
- Ceanothus americanus* for, 1:240
 - Commiphora mukul* for, 1:241
 - formula for, 1:233
 - Quercus* spp. for, 1:247
- Dracocephalum rupestre* (dragon's head), 2:163
- dragon's blood. *See Croton lechleri* (dragon's blood)
- dragon's head. *See Dracocephalum rupestre* (dragon's head)
- Dravet syndrome, 4:65, 68, 70, 205
- Drimia maritima* (sea squill), 2:48t, 105
- Drosera rotundifolia* (sundew)
- for coughs, 2:117
 - formulas containing, 2:120, 146
 - for pain, 4:171t
 - specific indications, 2:163
 - for throat pain, 5:190, 191t
- Dr. Stansbury's General Alterative Tea, 1:26–27
- drug addiction
- Corydalus cava* for, 4:141
 - Cyperus* spp. for, 4:142
 - dopamine hypothesis, 4:131
 - formulas for, 4:130–36
 - Lobelia inflata* for, 4:145
 - Mitragnya speciosa* for, 4:146, 147
 - Nelumbo nucifera* for, 4:147
 - Nymphaea nouchali* var. *caerulea* for, 4:148
 - overview, 4:127–130
 - See also* withdrawal symptoms
- dry eyes
- Calendula officinalis* for, 5:194
 - Curcuma longa* for, 5:195
 - Iris versicolor* for, 5:198
 - Panax ginseng* for, 5:200
 - Pilocarpus jaborandi* for, 1:246; 5:200
 - from Sjögren's syndrome, 5:68
 - therapies for, 5:150
- drying agents, for mucous production, 2:133
- Drymaria cordata* (tropical chickweed), 5:31t
- dry mouth
- Atropa belladonna* for, 5:193
 - formulas for, 5:185–86
 - Glycyrrhiza glabra* for, 5:197
 - Iris versicolor* for, 5:198
 - Lycopodium* spp. for, 5:198
 - Pilocarpus jaborandi* for, 1:246; 5:200
 - Sanguinaria canadensis* for, 5:201
 - Spilanthes acmella* for, 5:202
 - Syzygium aromaticum* for, 1:248
 - Zanthoxylum clava-herculis* for, 5:143
- Dryobalanops sumatrensis* (camphor tree, Borneo camphor), 5:80
- dry skin
- atopic dermatitis associated with, 5:34–35
 - Avena sativa* for, 5:86
 - Fucus vesiculosus* for, 5:90
 - Linum usitatissimum* for, 5:91
- dual diagnosis, 4:3
- duan e huang lian (*Coptis chinensis*), 4:30
- Duke, James, 3:80
- Dupuytren's contracture, 5:103, 105
- dusty miller (*Jacobaea maritima*), 5:152
- du xing cai (*Lepidium apetalum*), 2:153
- DVT (deep vein thrombosis), 2:73, 80
- dwarf lilyturf. *See Ophiopogon japonicus* (mai men dong)
- dysbiosis
- Berberis aquifolium* for, 1:85, 105
 - Clostridium difficile* infections associated with, 1:61
 - digestive pain associated with, 1:26
 - herbs for, 1:54
 - Hydrastis canadensis* for, 1:85
 - Origanum vulgare* for, 1:86
- dysfunctional uterine bleeding (DUB)
- definition of, 3:115
 - formula for, 3:116–17
 - Lycopus virginicus* for, 3:172
 - organic lesions vs., 3:117
 - Vitex agnus-castus* for, 3:117, 180
- dysmenorrhea. *See menstrual cramps; menstrual pain*
- dyspareunia (painful intercourse)
- Berberis aquifolium* for, 3:167
 - lubricant for, 3:151, 153
 - suppository for, 3:107
- dyspepsia
- Arctium lappa* for, 1:81
 - Asclepius tuberosa* for, 1:81
 - Berberis aquifolium* for, 1:245
 - Capsicum annuum* for, 1:82; 5:194
 - Chelone glabra* for, 1:83, 103
 - Cinnamomum cassia* for, 5:87
 - definition of, 1:28
 - formulas for, 1:28–30
 - Hydrastis canadensis* for, 1:85, 104
 - Matricaria chamomilla* for, 1:86; 5:92
 - Raphanus sativus* var. *niger* for, 1:87
 - Rheum palmatum* for, 1:87
 - from SIBO, 1:75
 - Zanthoxylum clava-herculis* for, 1:88; 5:203
 - Zingiber officinale* for, 1:88, 106
- dysphagia, formulas for, 1:44
- dyspnea
- Aconitum napellus* for, 2:156
 - Ammi visnaga* for, 2:157
 - Angelica sinensis* for, 2:158
 - Aspidosperma quebracho* for, 2:159
 - Cinnamomum camphora* for, 2:161
 - Coleus forskohlii* for, 2:177
 - Ephedra sinica* for, 2:163
 - Euphorbia* spp. for, 2:165
 - formulas for, 2:124–25; 4:193–94
 - Hemidesmus indicus* for, 2:167
 - Ligusticum porteri* for, 2:169
 - Lobelia inflata* for, 2:98, 170; 4:211
 - Magnolia officinalis* for, 2:171
 - Mentha piperita* for, 4:211
 - Neopicrorhiza scrophulariiflora* for, 2:172

- dyspnea (*continued*)
 overview, 2:124
Phytolacca americana for, 2:176
Selenicereus grandiflorus for, 2:103
Tanacetum parthenium for, 2:182
Terminalia chebula for, 2:182
dysuria
Apis mellifica venom for, 1:157
Arctium lappa for, 1:157
Armoracia rusticana for, 1:158
Arnica montana for, 1:158
Berberis aquifolium for, 1:163
Conium maculatum for, 1:159
Corydalis spp. for, 1:160
Elymus repens for, 1:160
Equisetum arvense for, 4:208
Eupatorium purpureum for, 1:161; 4:208
 formulas for, 4:196, 199
Galium aparine for, 1:161
Gelsemium sempervirens for, 1:161
Hedera pulegioides for, 1:162
 herbs for, 1:116
Hyoscyamus niger for, 4:210
Hypericum perforatum for, 4:143
Petasites hybridus for, 1:163
Petroselinum crispum for, 1:163
Piper cubeba for, 1:164
Piper methysticum for, 1:125, 164; 4:16
Serenoa repens for, 1:165
Solidago spp. for, 1:150
Thuja spp. for, 1:166
Verbascum thapsus for, 4:217
- E**
- ear conditions
Berberis aquifolium for, 5:194
Calendula officinalis for, 5:194
 formulas for, 5:160–62
Gelsemium sempervirens for, 5:197
 overview, 5:145–46, 159–160
See also specific conditions
 ear drops, for otitis media, 5:161
 ear infections. *See* otitis externa; otitis media
 ear lavage, 5:161, 163
 ear pain
 formulas for, 4:174–76
Humulus lupulus for, 4:210
Mentha piperita for, 4:211
 natural remedies for, 4:175t
Ricinus communis for, 4:214
 earwashes, 4:175
 Eastern ukera (*Atractylodes japonica*), 4:61
 East Indian globe thistle (*Sphaeranthus indicus*), 3:162
Echinacea spp.
 alterative qualities, 1:27
 antimicrobial qualities, 1:71
 formulas containing
 cirrhosis of the liver, 1:96
 COPD, 2:151
 coughs, 2:119, 123
 frostbite, 1:237
 lymphedema, 2:83
 for heart infections, 2:72
 immunomodulating qualities, 1:78
 lymphatic-enhancing qualities, 1:67
 need for cultural context of, 2:4
 specific indications, 1:84; 5:136
 for stomatitis, 5:179
 for throat pain, 5:191t
Echinacea angustifolia (coneflower)
 for dermatologic conditions, 1:171t, 202t
 formulas containing
 acne, 1:201, 202, 203
 appendicitis recovery, 1:68
 autoimmune disorders, 5:67, 122
 bites and stings, 1:172
 colds, 5:170
 corneal ulcers, 5:151
 cystitis, 1:114
 depression and anxiety, 4:99
 diabetes, 3:71
 diverticulitis and diverticulosis, 1:72
Helicobacter pylori infections, 1:65
 pancreatitis, 1:69, 70
 phlebitis, 2:81
 reactive arthritis, 5:72
 skin lesions, 5:55t
 for mouth conditions, 5:146
 for otitis media, 5:159
 for painful itching, 4:189t
 for skin ulcers, 1:231
 specific indications, 1:241; 2:94; 3:93;
 5:195–96
 for stasis ulcers, 2:60
 for tongue conditions, 5:178t
 Eclectic physicians, 1:120
 Eclectic Wash for Ulcerated Veins, 4:200–201
Eclipta alba (bhringraj), 1:89, 104, 218
Eclipta prostrata (eclipta, bhringraj, yerba de tago)
 for asthma, 2:144, 163
 for increasing deficient adrenergic tone, 4:95
 for wound healing, 4:192t
 ecosystem, body. *See* terrain
 ecstasy (MDMA), 4:4
 eczema
Achillea millefolium for, 1:238
Alnus serrulata for, 1:238
Ammi visnaga for, 1:238; 5:85
Arctium lappa for, 1:239
Cannabis sativa for, 1:240
Ephedra sinica for, 5:89
Eugenia caryophyllata for, 5:89
 fissures between the digits from, 1:235
 formulas for, 1:184–89
Hippophae rhamnoides for, 1:244
Hypericum perforatum for, 1:244; 5:91
Iris versicolor for, 1:244
 link to seborrhea, 5:29
Matricaria chamomilla for, 1:245
 overview, 1:183
 protocol options, 1:188
Rehmannia glutinosa for, 5:93
Rumex crispus for, 1:247
Smilax ornata for, 1:248; 5:93
Syzygium aromaticum for, 1:248
Taraxacum officinale for, 1:248

- edema**
- Adonis vernalis* for, 2:89
 - Aesculus hippocastanum* for, 1:140, 156
 - Apium graveolens* for, 1:157
 - Apocynum cannabinum* for, 2:90
 - Armoracia rusticana* for, 1:158
 - Convallaria majalis* for, 1:160
 - formula for, 1:111
 - Ginkgo biloba* for, 2:95
 - herbs for, 1:138t, 139, 154
 - Juniperus communis* for, 2:97
 - Petroselinum crispum* for, 2:100
 - Phytolacca americana* for, 2:176
 - Phytolacca decandra* for, 2:100
 - Polygonum cuspidatum* for, 2:101
 - Quercus robur* for, 2:101
 - Selenicereus grandiflorus* for, 2:103
 - Silybum marianum* for, 1:106
 - Taraxacum officinale* for, 2:104, 182
 - Urginea maritima* for, 2:105
 - Urtica dioica* for, 2:105
 - edematous pain, herbs for, 4:166t
 - EDTA (ethylenediaminetetraacetic acid), 4:50
 - EGC (epigallocatechin), 3:74, 91
 - Elaeocarpus serratus* (bhadrasey), 2:108t, 163
 - elderberry. *See Sambucus* spp.
 - elderly
 - cataract prevention for, 5:152
 - depression and anxiety formulas, 4:98–99, 102
 - insomnia formula, 4:115
 - muscle weakness formula, 5:111
 - myalgia formula, 5:108
 - osteoporosis in, 5:124
 - tincture for fractures in, 5:101
 - vertigo in, 5:166, 167
 - See also* aging
 - elecampane. *See Inula helenium* (elecampane)
 - electrolyte beverages, for athletes, 5:112–13
 - electrolyte replacement, 1:57–58
 - Elettaria cardamomum* (cardamom)
 - carminative qualities, 1:31
 - formulas containing, 1:33, 42
 - for *Helicobacter pylori* infections, 1:43
 - in porridge, 1:66
 - specific indications, 1:84
 - for vascular support, 2:29
 - Eleutherococcus senticosus* (Siberian ginseng, eleuthero, ciwujia), 3:47
 - adaptogenic qualities, 3:49, 53; 4:90, 112
 - for adrenal disorders, 3:48, 50; 5:111t
 - alterative qualities, 1:27
 - for depression and anxiety, 4:95, 103t
 - formulas containing
 - adrenal disorders, 3:48, 50
 - arrhythmias, 2:55
 - attention deficit hyperactivity disorder, 4:119
 - autoimmune disorders, 5:68
 - dissociative disorders, 4:108
 - hypertension, 2:44
 - hyperventilation, 2:140
 - menopausal symptoms, 4:100
 - peripheral neuropathy, 4:47
 - PTSD, 4:113
 - sore throat, 5:190
 - steroids, withdrawal from, 1:188
 - for herpes-induced ophthalmia, 5:151
 - for increasing deficient adrenergic tone, 4:95
 - for insomnia, 1:14; 2:16; 3:16; 4:18, 114; 5:18
 - for menopausal symptoms, 3:136t, 138t
 - nervine qualities, 4:91
 - for panic disorder, 4:109
 - for reproductive endocrine conditions, 3:102
 - for schizophrenia, 4:124, 125
 - for sinusitis, 5:171
 - specific indications, 1:84, 242; 2:94; 3:57, 93, 169; 5:89, 136–37, 196
 - tonic effects, 3:21t, 47, 48
 - eleutherosides, 5:136–37, 196
 - elimination, poor, 1:26, 87, 105
 - elimination diets, 1:34; 5:37
 - Elymus repens* (couch grass)
 - antispasmodic qualities, 1:138t
 - for benign prostatic hypertrophy, 1:147
 - diuretic qualities, 1:112
 - for dysuria, 1:116
 - for hematuria, 1:115
 - for pyelonephritis, 1:119
 - specific indications, 1:160
 - Embla officinalis*. *See Phyllanthus emblica* (Indian gooseberry)
 - emesis routine, for emphysema, 2:136–37
 - emménagogues, 3:128
 - emodin
 - for ARDS, 2:153
 - for lung fibrosis, 2:110
 - for pancreatic diseases, 1:68, 69, 71, 153
 - in *Rheum palmatum*, 2:178
 - safety concerns, 1:153, 219
 - in *Senna* spp., 2:180
 - specific indications, 4:214
 - emphysema
 - Aspidosperma quebracho* for, 2:159
 - Centella asiatica* for, 2:161
 - Equisetum* spp. for, 2:164
 - Euphorbia* spp. for, 2:165
 - formulas for, 2:136–38
 - Grindelia* spp. for, 2:167
 - emunctories, opening, 1:2, 8, 108, 175
 - encapsulations. *See* capsules
 - endocarditis
 - Adonis vernalis* for, 2:89
 - Calendula officinalis* for, 2:91
 - Castanospermum australe* for, 2:92
 - Coptis chinensis* for, 2:93
 - formulas for, 2:72
 - Glycyrrhiza glabra* for, 2:96
 - Salvia miltiorrhiza* for, 2:102
 - endocrine conditions, 3:25–63
 - Addison's disease formulas, 3:50–51
 - adrenal disorders formulas, 3:46–50
 - adrenal support for, 3:41
 - Commiphora mukul* benefits, 3:36, 36
 - common thyroid disorders, 3:26–28
 - Cushing's syndrome formulas, 3:52–54
 - dietary seaweed benefits, 3:27, 27
 - Eleutherococcus senticosus* for, 2:94; 3:169
 - exophthalmia herbal medicines, 3:45
 - Ganoderma lucidum* for, 3:58
 - ginseng benefits, 3:47, 47
 - Glycyrrhiza glabra* for, 3:53, 53, 170
 - goiter formulas, 3:32–34
 - hyperthyroidism formulas, 3:39–45
 - hypothyroid formulas, 3:34–39
 - Iris versicolor* benefits, 3:33, 33
 - Leonurus cardiaca* for, 2:98; 3:172
 - Lycopus virginicus* (bugleweed), 2:98
 - mechanisms of action for adrenal insufficiency, 3:49
 - Medicago sativa* for, 3:173
 - Melissa officinalis* for, 2:99; 3:60, 173
 - nutrients for optimal thyroid function, 3:30
 - overview, 3:25
 - Panax ginseng* for, 3:61, 96, 174
 - rosmarinic acid benefits, 3:43, 43
 - Smilax ornata* for, 3:177
 - sodium-iodide symporter disruptors, 3:38–39
 - soy and the thyroid, 3:35, 35
 - specific herbs for, 3:54–63
 - Taraxacum officinale* for, 3:62
 - thyroid hormones, 3:25–26
 - thyroiditis formulas, 3:28–32
 - thyroid storm, 3:40
 - thyrotoxic substances, 3:29
 - Vitex agnus-castus* for, 3:63
 - endocrine disruptors, 3:101, 154
 - end-of-life depression, *Psilocybe* for, 4:105, 149
 - endometriosis
 - Curcuma longa* for, 3:168
 - formulas for, 3:149–150
 - Glycyrrhiza glabra* for, 3:170
 - link to unopposed estrogen, 3:102
 - overview, 3:149
 - Vitex agnus-castus* for, 3:180
 - endothelial inflammation, 2:26, 41
 - enemas, for respiratory distress, 2:154
 - energetic considerations
 - fine-tuning formulas, 1:9, 12–13; 2:14–15; 3:11, 14–16; 4:7, 9, 17–18; 5:7, 9, 16–17, 26, 145–46
 - hot vs. cold presentations, 5:66–67
 - Energetic Specific herbs, 3:13
 - energy dispersants, 1:19t; 2:21t; 3:21t; 4:24t; 5:24t
 - English lavender. *See Lavandula angustifolia* (English lavender)
 - English walnut. *See Juglans regia* (English walnut)
 - enteritis, 1:24, 59
 - See also* gastroenteritis
 - entheogens
 - potential therapeutic uses, 4:4–6
 - for substance abuse disorders, 4:137–38

- enuresis
Atropa belladonna for, 1:158
Equisetum spp. for, 1:160
Eschscholzia californica for, 4:142
 formulas for, 1:130–31
Hypericum perforatum for, 1:162; 4:143
Rhus aromatica for, 1:165
Verbascum thapsus for, 1:166
 environmental toxins, 3:67–68
 eosinophilic esophagitis, 1:44, 45
Ephedra spp. (ma huang, Mormon tea), 4:154
Ephedra nevadensis (Mormon tea), 5:89
Ephedra sinica (ma-huang), 2:128
 antiallergic qualities, 2:128; 5:33t
 bronchodilating properties, 2:108t
 for eczema and allergic dermatitis, 1:188
 formulas containing
 allergic airway disorders, 5:46
 allergic rhinosinusitis, 2:130
 conjunctivitis, 5:149
 COPD, 2:153
 diarrhea, 1:58
 hives, 1:185
 migraines, 5:61
 respiratory allergies, 5:40
 vascular reactivity, 5:60
 vascular support, 2:30
 for hay fever, 5:42
 histamine-blocking qualities, 5:32, 32t
 for itching skin, 1:185
 simple tea, from twigs of, 2:128
 specific indications, 2:163–64; 5:89, 196
ephedrine, 2:163–64; 5:89
 epicatechins, 2:71, 74
Epidiolex, 4:205
 epigallocatechin (EGC), 3:74, 91, 157
 epilepsy and seizural disorders
 Albizia lebbeck for, 2:157
 Apium graveolens for, 4:75–76
 aromatherapy for, 4:66–67
 Atropa belladonna for, 4:76
 bee-venom therapy for, 4:75
 Bupleurum falcatum for, 4:140
 Cannabis sativa for, 4:73, 73, 77, 205
 Carum carvi for, 4:67, 77
 Coleus forskohlii for, 4:78
 Corydalis cava for, 4:78
 encapsulated herbs for, 4:72
 formulas for, 4:71–74
 Ganoderma lucidum for, 4:79
 Jasminum grandiflorum for, 4:81
 Lavandula angustifolia for, 4:144
 Magnolia officinalis for, 4:82
 Matricaria chamomilla for, 4:82
 Melissa officinalis for, 4:83
 Mentha piperita for, 4:83
 Nigella sativa for, 4:84
 nuts, seeds, and oils for, 4:69, 69
 overview, 4:65–70
 Passiflora spp. for, 4:97, 148
Pimpinella anisum for, 4:84
Piper methysticum for, 4:85
Ribes nigrum for, 4:85
Rosmarinus officinalis for, 4:85
Scutellaria spp. for, 4:86, 151
Smilax spp. for, 4:86
Tilia americana for, 4:87
Uncaria rhynchophylla for, 4:87
Viscum album for, 2:106; 4:88
Withania somnifera for, 4:88
Epimedium spp.
 for cognition, 4:53
 for exophthalmia, 3:45
 formulas containing, 3:42, 43
 for low libido, 3:152
 for neurological conditions, 4:28
Epimedium brevicornu (horny goatweed, yin yang huo, bishop's hat)
 for depression and anxiety, 4:101t
 formulas containing
 COPD, 2:153
 dyspnea, 4:194
 low libido, 3:154
 metastatic bone pain, 4:188
 osteoporosis, 5:127
 for hyperlipidemia, 2:36
 specific indications, 2:95, 164; 3:169; 5:137
Epimedium grandiflorum (horny goatweed)
 for exophthalmia, 3:45
 formulas containing, 4:186
 for hyperlipidemia, 2:36
 for muscle pain, 4:183t
 specific indications, 3:57, 169
Epimedium pubescens (horny goatweed),
 1:79, 153, 216; 3:16
Epimedium rotundatum. See *Epimedium brevicornu* (horny goatweed, yin yang huo, bishop's hat)
 epistaxis (nosebleeds), 2:99; 5:174
 Epley's maneuver, 5:166
 Epsom salts
 for arthritis, 5:117
 for bursitis and tendinitis, 5:102, 103
 for carpal tunnel syndrome, 4:48
 formulas containing
 anal fissures, 1:235
 bites and stings, 1:172
 paronychia hand soak, 1:194
 for hemorrhoids, 1:49
 for musculoskeletal trauma, 5:98
 for sciatica, 5:131
 for sulfur content of sprouts, 4:51
 Epstein-Barr virus, role in autoimmune disorders, 5:63, 64
Equisetum spp.
 for altered breath sounds, 2:118
 anti-inflammatory qualities, 5:97
 for arthritis, 5:114, 115
 for bursitis and tendinitis, 5:102
 for carpal tunnel syndrome, 4:42
 for connective tissue support, 5:105
 for contractures, 5:104
 for COPD, 2:148, 150
 for cor pulmonale, 2:155
 diuretic qualities, 1:110, 112; 5:123
 formulas containing
 arthritis, 5:116
 capillary fragility, 2:66
 carpal tunnel syndrome, 4:48
 congestive heart failure, 2:50
 COPD, 2:150
 coughs, 2:120
 emphysema, 2:138
 hemoptysis, 2:126
 hemorrhoids, 2:78
 interstitial cystitis, 1:123
 osteoporosis, 5:128
 otitis media, 5:161, 162
 overactive bladder, 1:130
 peripheral neuropathy, 4:47
 Sjögren's syndrome, 5:69
 stasis ulcers, 2:60
 streptococcal infections, 1:233
 urinary conditions, 1:110
 for heavy metal neuropathy, 4:50
 for interstitial cystitis, 1:126
 for joint and bone health, 5:101
 for malabsorption, 1:73
 minerals in, 5:100t, 112
 mucous-enhancing qualities, 1:64
 for musculoskeletal trauma, 5:96, 98
 for osteoarthritic hand pain, 4:187
 for peripheral neuropathy, 4:43t
 for pyuria, 1:115
 for repair and regeneration, 1:113
 specific indications, 2:95, 164
 for stomatitis, 5:179
 for thick and cloudy urine, 1:139
 with tincture for fracture, 4:184
 for urinary lithiasis, 1:137, 138
 for weak fingernails, 1:236
Equisetum arvense (horsetail), 1:113
 for benign prostatic hypertrophy, 1:147
 for cramping pain in the bladder, 1:124
 for cystitis and pyelonephritis, 1:116
 for dermatologic conditions, 1:170
 for detoxification, 3:67
 for digestive pain, 1:26
 diuretic qualities, 3:21t
 formulas containing
 cardiopulmonary disease, 2:84
 Cushing's syndrome, 3:54
 cystitis, 1:114
 emphysema, 2:138
 hyperthyroidism, 3:42
 interstitial cystitis, 1:124
 osteoporosis, 3:141
 peripheral vascular insufficiency, 2:59
 phlebitis, 2:81
 ulcerated skin, 1:231

- Equisetum arvense* (horsetail) (*continued*)
- urinary conditions, 1:111, 115
 - urinary lithiasis, 1:140
 - for hematuria, 1:115
 - nourishing qualities, 1:37
 - for pelvic inflammatory disease, 3:108
 - for pyuria, 1:115
 - as restorative, 1:43
 - for skin infections, 1:176
 - specific indications, 1:84, 160, 242; 3:57, 93–94
 - for wound healing, 1:181
- Equisetum arvense* (horsetail, scouring rush), 5:101
- for autoimmune disorders, 5:65
 - for CREST, 5:84
 - formulas containing
 - arthritis, 5:120
 - connective tissue weakness, 5:99
 - corneal ulcers, 5:152
 - CREST, 5:84
 - fibromyalgia, 5:110
 - gout, 5:124
 - muscle tension, 5:107
 - osteoporosis, 5:129
 - prostatic pain, 4:199
 - skeletal fractures and bone injuries, 5:101 - for hematuria, 5:75
 - for joint and bone health, 5:101
 - sitz baths with, 4:193
 - specific indications, 4:208; 5:137, 196
 - for wound healing, 4:192t
- Equisetum giganteum* (cola de gallo), 5:101
- Equisetum hyemale* (horsetail)
- for benign prostatic hypertrophy, 1:147
 - for digestive pain, 1:26
 - formulas containing
 - cardiopulmonary disease, 2:84
 - connective tissue weakness, 5:99
 - osteoporosis, 3:141
 - peripheral vascular insufficiency, 2:59
 - urinary lithiasis, 1:140 - for joint and bone health, 5:101
 - for neuralgia, 4:34
 - nourishing qualities, 1:37
 - for pelvic inflammatory disease, 3:108
 - as restorative, 1:43
 - specific indications, 1:160
 - for wound healing, 4:192t
- equol, 5:126
- erectile dysfunction
- Cnidium monnieri* for, 2:87, 92
 - energetic fine-tuning of formulas, 3:15–16
 - Epimedium* spp. for, 2:95; 3:169
 - formulas for, 2:87
 - Fucus vesiculosus* for, 2:95; 3:170
 - Ginkgo biloba* for, 3:15, 16, 58, 94, 161
 - Lepidium meyenii* for, 3:96, 163
 - Medicago sativa* for, 3:96
 - overview, 3:160–61
- Pausinystalia yohimbe* for, 3:174
- Ptychosperma olacoides* for, 3:161, 175
- Punica granatum* for, 3:97
- Tribulus terrestris* for, 3:178
- Turnera diffusa* for, 3:179
- erectile function, 1:142, 162
 - ergogenic herbs. *See* performance-enhancing herbs
 - ergosterol, 1:35
 - ergot alkaloids, for headaches, 4:162
 - ergotamine, for headaches, 4:161, 162
 - ergot fungus (*Claviceps purpurea*), 4:162
 - ergotism (Saint Anthony's fire), 4:162
 - Erigeron annuus* (blue fleabane), 4:79
 - Erigeron breviscapus* (fleabane)
 - for depression, 4:103t
 - neuroprotective effects, 4:30
 - specific indications, 4:78–79 - Erigeron canadensis* (Canada fleabane, Canadian horseweed), 3:118, 133; 5:174
 - Eriodictyon californicum* (yerba santa)
 - for bronchitis, 2:131
 - for COPD, 2:149t
 - formulas containing
 - COPD, 2:148
 - cystic fibrosis, 2:135
 - specific indications, 2:164 - Erodium stephanianum* (Stephan's storkbill, lao guan cao), 5:80
 - erysipelas
 - Calendula officinalis* for, 1:239
 - formula for, 1:180
 - Forsythia suspensa* for, 1:242
 - Lobelia inflata* for, 1:245
 - Veratrum viride* for, 1:249 - erythema multiforme, 1:219–220, 243, 247
 - erythema multiforme, oral. *See* oral erythema multiforme
 - erythema nodosum
 - herbs for, 4:189t
 - therapies for, 1:220–21 - escharotic treatments, 1:200; 3:113, 114–15, 177; 4:215
 - Escherichia coli* infections, 1:51, 55, 108, 112, 114
 - Eschscholzia californica* (California poppy)
 - for depression and anxiety, 4:94, 142
 - for epilepsy and seizure disorders, 4:67 - formulas containing
 - dyspnea, 2:125
 - headaches, 4:165
 - hypertension, 2:46
 - seizures, 4:72
 - vertigo, 5:168 - GABAergic qualities, 4:110
 - nervine qualities, 4:91
 - for opiate addiction, 4:129, 134
 - for pain, 4:171t
 - for restless insomnia, 1:15; 2:17; 3:17; 4:20; 5:20
 - specific indications, 1:84, 160; 2:95, 164; 3:57, 169; 4:79, 142; 5:137
 - for tempering adrenaline surges, 4:109
 - for withdrawal symptoms, 4:128–29
 - esophageal disorders, formulas for, 1:44–46
 - esophagitis, 1:43, 44, 45
 - essential fatty acids
 - for allergies, 5:28–29, 48
 - for atopic dermatitis, 5:35
 - for attention deficit hyperactivity disorder, 4:119
 - for bowel reactivity, 5:39t
 - for cheilosis and cheilitis, 5:183
 - for dry eyes, 5:150
 - for neurodegenerative disorders, 4:54
 - for peripheral neuropathy, 4:43
 - plant-based, 5:48, 84
 - in seed oils, 2:43
 - in Superfood Dressing, 4:57–58
 - for withdrawal symptoms, 4:128 - essential hypertension, 2:41
 - See also* hypertension
 - essential oils
 - for acute infections, 1:53
 - in Antifungal House-Cleaning Spray, 5:36
 - aromatherapy with, 4:66–67, 72–73
 - for arthritis, 5:117
 - for bites and stings, 1:170–71
 - for dental conditions, 5:175
 - for dental procedures, 5:177
 - for depression and anxiety, 4:102–4
 - for ear pain, 4:176
 - for epilepsy and seizure disorders, 4:66–67
 - for fungal skin infections, 1:196
 - for headaches, 4:165
 - for musculoskeletal trauma, 5:98
 - nebulized form, 2:137
 - in *Perilla frutescens*, 5:45
 - photosensitizing agents, 1:225
 - for pneumonia, 2:141
 - for throat pain, 5:190
 - in topical antipruritics, 5:54
 - for trigeminal neuralgia, 4:37
 - for warts, 1:199 - estrogen
 - amphoteric action of phytosterols on, 3:3
 - creams for vaginal use, 3:151, 153
 - for dementia, 4:55
 - heart disease and, 2:40
 - proliferative effects on the prostate, 1:142, 147
 - role in modulating neurotransmitters, 4:96
 - for urinary irritability, 5:58
 - vaginal application, 1:118
 - See also* phytoestrogens - estrogen clearance, 3:103
 - estrogen dominance (unopposed estrogen)
 - Arctium lappa* for, 3:166
 - Cnicus benedictus* for, 3:167
 - overview, 3:101, 102
 - Vitex agnus-castus* for, 3:180

- estrogen receptors, 1:142–43, 156; 3:102–3, 156–58, 159
- ethylenediaminetetraacetic acid (EDTA), 4:50
- Eucalyptus globulus* (eucalyptus), 2:112
for altered breath sounds, 2:118
for colds, 5:170t
for coughs, 2:117
for cystitis and pyelonephritis, 1:116
for dysuria, 1:116
for ear itching, 4:175t
for epilepsy and seizure disorders, 4:67
formulas containing
 asthma, 2:146
 bronchitis, 2:133
 chest pain, 4:193
 COPD, 2:151
 costochondritis, 2:123
 dyspnea, 2:125
 emphysema, 2:138
 laryngitis, 5:191
 nasal polyps, 5:173
 neurogenic bladder, 1:127
 pleurisy, 2:139
 pneumonia, 2:141
 respiratory allergies, 5:43
 sinusitis, 5:172
 skin infections, 1:178
 vocal strain, 5:191
liniments containing, 2:111
for lung conditions, 2:112
for nasal polyps, 5:173t
nebulized form, 2:137
for pain, 4:166t, 170t
for peripheral neuropathy, 4:43t
for respiratory infections, 2:121, 130
for scabies and lice, 1:198
for sinusitis, 5:171
for skin eruptions, 1:194
for skin lesions and cancers, 1:237
specific indications, 1:160–61, 242; 2:164–65
for thick and cloudy urine, 1:116
for throat pain, 5:190
for urinary conditions, 1:114
for vaginitis, 3:105
for wound healing, 4:192t
- Eucommia ulmoides* (Chinese rubber tree, hardy rubber tree), 5:82
- Eugenia caryophyllata* (cloves), 5:89
- eugenol, 4:215, 216
- euodia* (*Tetradium ruticarpum*), 4:125
- Euonymus alatus* (burning bush), 1:146; 3:120
- eupafolin, 4:208
- Eupatorium perfoliatum* (boneset, feverweed)
for colds, 5:170t
formulas containing
 arthritic pain, 4:186
 hemoptysis, 2:127
 muscle pain, 5:108
 Paget's disease, 5:130
 polymyositis, 5:71
- skin eruptions, 1:193
mast-cell stabilizing effects, 2:144t
for myositis conditions, 5:70
for skin eruptions, 1:194
specific indications, 1:242; 2:165; 4:208;
 5:137, 196
for tongue conditions, 5:178t
for tonsillitis and pharyngitis, 5:188
- Eupatorium purpureum* (gravel root)
for dysuria, 1:116
formulas containing
 interstitial cystitis, 1:123, 124
 neurogenic bladder, 1:127
 pyelonephritis, 1:120
 renal failure, 1:155
 urinary conditions, 1:115
 urinary lithiasis, 1:140
for hematuria, 1:115
for interstitial cystitis, 1:123
for neurogenic bladder, 1:127
for pyuria, 1:115
specific indications, 1:161; 4:208
for thick and cloudy urine, 1:116, 139
for urinary conditions, 1:115
- Euphorbia* spp.
for asthma, 2:144
as counterirritant, 2:132
formulas containing, 2:147
specific indications, 2:165
- Euphrasia officinalis* (eyebright)
antiallergic qualities, 5:33t
for colds, 5:170t
for ear pain, 4:175t
for eye conditions, 5:147, 147t, 149t
for eye pain, 4:174
formulas containing
 allergic rhinosinusitis, 2:128
 colds, 5:169, 171
 conjunctivitis, 5:149, 150
 eye drops, 5:148
 eye irritation, 5:149
 Ménière's disease, 5:164
 nasal polyps, 5:173
 otitis externa, 5:163
 otitis media, 5:160, 161
 respiratory allergies, 5:40, 42, 43, 44
 sinusitis, 5:172
 sinus pain, 4:177
 Sjögren's syndrome, 5:69
 stytes and blepharitis, 5:153
 upper respiratory infections, 2:119
for hay fever, 5:17, 42
mast-cell stabilizing effects, 5:32
for Ménière's disease, 5:164
for nasal polyps, 5:172
for oral allergic reactivity, 5:50
for otitis externa, 5:162
for otitis media, 5:159
for respiratory allergies, 5:41
for sinusitis, 5:171
- for skin eruptions, 1:194
specific indications, 1:242; 2:165; 5:89–90, 196
- Euphrasia stricta* (eyebright), 3:2
- European cornel (*Cornus mas*), 5:78, 88
- European cranberry bush. *See Viburnum opulus* (crampbark)
- Eurycoma longifolia* (tongkat ali), 3:152, 169
- Euterpe oleracea* (acai berry), 4:50
- evening primrose. *See Oenothera biennis* (evening primrose)
- everlasting (*Helichrysum* spp.), 4:110
- evidence-based medicine, need for cultural competence, 2:4–5
- excessive lactation, formula for, 3:134
- exercise, importance of, 3:67
- exhaustion
 Arnica montana for, 4:76
 Astragalus membranaceus for, 3:166
 Avena sativa for, 3:55, 90, 166
 Capsicum annuum for, 1:82
 Chelone glabra for, 1:103
 Chionanthus virginicus for, 3:91
 chi tonics for, 4:94
 depression with, herbs for, 4:103t
 Echinacea spp. for, 3:93
 Eleutherococcus senticosus for, 3:57, 93
 formulas for, 3:49
 Glycyrrhiza glabra for, 3:58, 94; 4:143
 headaches from, 4:160
 Panax ginseng for, 1:86; 3:61, 96; 4:148
 PTSD with, formula for, 4:111, 113
 Rhodiola rosea for, 3:61
 sample case, 1:14
 See also fatigue
- exophthalmia
formula for, 3:44–45
Fucus vesiculosus for, 3:58, 170
Graves' disease-related, 3:40, 44–45, 54, 56, 58, 62
herbs for, 3:45, 54
Iris versicolor for, 3:59
- explosive diarrhea, 1:24, 56
See also diarrhea
- extracorporeal lithotripsy, 1:138, 157
- exudative diarrhea, 1:52, 53
See also diarrhea
- eyebright. *See Euphrasia officinalis* (eyebright)
- eye conditions
 Achillea millefolium for, 5:192
 Allium sativum for, 5:192
 Aloe vera for, 5:192
 Angelica sinensis for, 5:192
 Apis mellifera for, 5:192
 Arnica montana for, 5:193
 Berberis aquifolium for, 5:194
 Calendula officinalis for, 5:194
 Centella asiatica for, 5:194
 Chelidonium majus in, 5:194
 Crataegus oxyacantha for, 5:195
 Curcuma longa for, 5:195

eye conditions (*continued*)

- Echinacea purpurea* for, 5:196
- Ephedra sinica* for, 5:196
- Equisetum arvense* for, 5:196
- Euphrasia officinalis* for, 5:89–90, 196
- Foeniculum vulgare* for, 5:90
- formulas for, 5:147–152
- Gelsemium sempervirens* for, 5:197
- Ginkgo biloba* for, 5:147, 148, 149t, 197
- Glycyrrhiza glabra* for, 5:197
- Hamamelis virginiana* for, 5:197
- herbs for, 5:147, 147t, 149t
- Hippophae rhamnoides* for, 5:197
- Hypericum perforatum* for, 5:197–98
- Iris versicolor* for, 5:198
- link to overall health, 5:146–47
- Matricaria chamomilla* for, 5:198
- overview, 5:145–46
- Panax ginseng* for, 5:199–200
- Phytolacca americana* for, 5:200
- Salvia officinalis* for, 5:201
- Sambucus nigra* for, 5:201
- Silybum marianum* for, 5:201
- supportive therapies for, 5:154
- Tanacetum parthenium* for, 5:202
- Taraxacum officinale* for, 5:202
- See also specific conditions*
- eye drops
 - for cataracts, 5:152
 - formulas for, 5:148, 149, 152, 155
 - for glaucoma, 5:156
 - for hay fever, 5:42
 - for Sjögren's syndrome, 5:69–70
- eye lesions, from Behcet's disease, 5:72
- eyelid inflammation. *See* blepharitis
- eyelid washes, 5:154–55
- eye pain
 - Anemone pulsatilla* for, 4:203
 - Chelidonium majus* for, 4:206
 - formulas for, 4:174
 - Hamamelis virginiana* for, 4:209
 - Ocimum tenuiflorum* for, 4:212
- eyewashes
 - Berberis aquifolium* in, 5:194
 - Calendula officinalis* in, 5:194
 - Chelidonium majus* in, 5:194
 - Coptis trifolia* in, 5:195
 - Foeniculum vulgare* in, 5:90, 196
 - formulas for, 4:174
 - Hamamelis virginiana* in, 5:197
 - Hydrastis canadensis* in, 5:189
 - Salvia officinalis* in, 5:201

F

- Facebook, 5:2
- facial neuralgia, herbs for, 4:180t
- Fagopyrum esculentum* (buckwheat), 2:79
- Fallopia japonica*. *See* *Polygonum cuspidatum* (Japanese knotweed)
- false daisy. *See* *Eclipta alba* (bhringraj)

false hellebore. *See* *Veratrum viride*

- (false hellebore)
- false unicorn (*Chamaelirium luteum*), 3:167
- familial hemiplegic migraine, 4:157
- familial Mediterranean fever (FMF), 5:73, 88
- fang feng (*Saposhnikovia divaricata*), 2:150
- fasting, intermittent, 3:66–67
- fat, dietary
 - benefits for atopic dermatitis, 5:34–35
 - considerations for multiple sclerosis, 5:82
- fatigue
 - Andrographis paniculata* for, 3:54; 5:82
 - Arctium lappa* for, 1:239
 - Astragalus membranaceus* for, 1:103; 3:166
 - Avena sativa* for, 3:55, 90
 - blood-building herbs for, 5:77
 - Camellia sinensis* for, 5:87
 - Eleutherococcus senticosus* for, 3:57, 93, 169
 - formulas for, 3:49
 - Ganoderma lucidum* for, 1:104
 - Gentiana lutea* for, 1:104
 - Ginkgo biloba* for, 5:82
 - L-carnitine for, 5:82
 - Panax ginseng* for, 3:61; 5:92, 139
 - Rehmannia glutinosa* for, 5:67
 - Rhodiola rosea* for, 3:61, 176; 4:150, 151; 5:140
 - Schisandra chinensis* for, 4:86; 5:112, 141
 - Smilax ornata* for, 1:88, 248; 3:62, 177; 5:94
 - Turnera diffusa* for, 3:179
 - Withania somnifera* for, 3:63; 5:143
 - See also* exhaustion; performance-enhancing herbs
 - fatty liver, 1:96–97, 101
 - fava bean (*Vicia faba*), 4:32
 - Federal Trade Commission (FTC), 5:1
 - feet, fungal infections of, 1:194–95, 196–97
 - Fell's paste, 3:177
 - Felter, Harvey Wickes, 1:156, 161, 162
 - fennel. *See* *Foeniculum vulgare* (fennel)
 - fenugreek. *See* *Trigonella foenum-graecum* (fenugreek)
 - fertility. *See* infertility
 - Ferula gummosa* (galbanum), 4:67
 - ferulic acid, 2:32, 59, 67, 71
 - fever
 - Alstonia scholaris* for, 2:157
 - Ardisia japonica* for, 2:158
 - Artemisia annua* for, 2:159
 - Asclepius tuberosa* for, 2:159
 - Atropa belladonna* for, 1:239; 5:133
 - Bupleurum* spp. for, 1:103
 - Cinchona officinalis* for, 1:83
 - Cinnamomum verum* for, 5:87
 - Digitalis purpurea* for, 2:163
 - Ephedra sinica* for, 5:89
 - Eupatorium perfoliatum* for, 2:165
 - Euphorbia* spp. for, 2:165
 - Filipendula ulmaria* for, 5:137
 - formulas for, 1:36
 - Gelsemium sempervirens* for, 4:80
 - Hemidesmus indicus* for, 2:167
 - Hydrangea macrophylla* for, 2:167
 - Lonicera japonica* for, 2:170
 - Melilotus suaveolens* for, 2:171
 - Morinda citrifolia* for, 2:172
 - Ocimum sanctum* for, 2:173
 - Paeonia* spp. for, 1:105
 - Rheum palmatum* for, 2:178
 - Salix alba* for, 1:87; 5:140
 - as symptom of healing crises, 1:8
 - Tanacetum parthenium* for, 5:94
 - Tinospora cordifolia* for, 2:182
 - Uncaria* spp. for, 4:216
 - Xanthium cavanillesii* for, 2:184
 - fever, allergic, 5:44
 - See also* hay fever
 - feverfew. *See* *Tanacetum parthenium* (feverfew)
 - feverweed. *See* *Eupatorium perfoliatum* (boneset, feverweed)
 - fiber needs, 3:67
 - fiber supplements, 1:53, 55, 76
 - fibrin, 2:73, 80
 - fibrinolytics
 - botanicals, 2:73
 - Desmodium styracifolium* as, 2:94
 - Ginkgo biloba* as, 2:69
 - nattokinase as, 2:80
 - fibrocystic breast disease, formulas for, 3:142–43
 - fibroids, uterine. *See* uterine fibroids
 - fibromyalgia
 - Actaea racemosa* for, 3:165; 4:139, 202
 - Cannabis sativa* for, 5:87
 - formulas for, 3:50; 4:182–83; 5:110
 - insomnia formulas for, 4:115, 116
 - overview, 5:110
 - Piper methysticum* for, 3:175; 5:140
 - fibrosis
 - Centella asiatica* for, 2:62
 - myocardial, 2:70
 - Senna* spp. for, 2:180
 - Vaccinium myrtillus* for, 2:183
 - fibrosis of the liver, 1:89, 91
 - fibrosis of the pancreas, 1:68, 70
 - figwort. *See* *Scrophularia nodosa* (figwort)
 - Filipendula ulmaria* (meadowsweet)
 - for arthritis, 5:114
 - astringent qualities, 1:54
 - formulas containing
 - gastritis and gastroenteritis, 1:62
 - gastrointestinal bleeding, 1:67
 - gastrointestinal hypersensitivity, 5:37
 - osteoarthritis, 5:115
 - reactive arthritis, 5:72
 - respiratory allergies, 5:44
 - urinary tract reactivity, 5:57, 59
 - for peripheral neuropathy, 4:43t
 - as restorative, 1:43
 - specific indications, 1:84; 3:45; 5:137

- fingernails, weak
Avena sativa for, 1:239
Equisetum arvense for, 1:242
 formula for, 1:236
Medicago sativa for, 1:245
Symphytum officinale for, 1:248
Trifolium pratense for, 1:249
- fire cider, 1:37, 74
 fish oils, for dementia, 4:57
 fissures, skin, 1:234–35
 five flavor fruit. *See Schisandra chinensis* (magnolia vine)
 flame of the forest. *See Butea monosperma* (flame of the forest, bastard teak)
 flat thorn (*Arctopus echinatus*), 4:110
 flatulence
 Asclepius tuberosa for, 1:81
 Capsicum annuum for, 1:82
 Dioscorea villosa for, 1:84; 3:169
 Elettaria cardamomum for, 1:84
 Foeniculum vulgare for, 1:84, 242
 Fucus vesiculosus for, 1:242; 3:58
 Gentiana lutea for, 1:243
 Iris versicolor for, 1:104, 244
 Matricaria chamomilla for, 1:86
 Mentha spp. for, 1:86
 Nepeta cataria for, 1:86
 Origanum vulgare for, 1:86, 246
 Pimpinella anisum for, 1:86
 Rumex crispus for, 1:105
 Syzygium aromaticum for, 1:88
 Taraxacum officinale for, 1:106
 Zingiber officinale for, 1:88, 106
 See also gas, intestinal
- flavanones, antiallergic qualities, 5:28
 flavonoid aromatase inhibitors, 1:146
 flavonoids
 for COPD, 2:148
 for epilepsy and seizure disorders, 4:65
 for hemochromatosis, 2:71
 in *Hypericum perforatum*, 5:197
 iron chelation properties, 2:71
 for lipid health, 2:32, 33
 in *Matricaria chamomilla*, 4:146
 for neurological conditions, 4:28
 in *Passiflora incarnata*, 4:97
 in *Perilla frutescens*, 5:45
 in *Punica granatum*, 5:200
 for respiratory allergies, 5:42
 for respiratory conditions, 2:108
 in *Sambucus nigra*, 5:201
 in *Scutellaria baicalensis*, 5:93
 for stomatitis, 5:50
 for vascular support, 2:65, 67
 for vasculature protection, 2:26
 for venous insufficiency, 2:74
- flax. *See Linum usitatissimum* (flax)
Flax Crax, 3:79
 fleabane. *See Erigeron breviscapus* (fleabane)
- Flexner Report, 5:3
Flomax (tamsulosin), 1:136
 flor de Jamaica. *See Hibiscus sabdariffa* (flor de Jamaica, hibiscus, flor de Jamaica)
 Flor de Jamaica Iced Tea, 3:79
 fluid retention. *See edema*
 fluoride
 in *Camellia sinensis*, 5:194
 in *Glycyrrhiza glabra*, 5:175, 176, 197
 in *Momordica charantia*, 5:199
- fluoride supplementation
 concerns with, 5:176
 for Paget's disease, 5:129
- flush response, with acne rosacea, 1:204
 fly agaric mushroom. *See Amanita muscaria* (fly agaric mushroom)
- FMF (familial Mediterranean fever), 5:73, 88
- FODMAP diet, 1:34, 75, 80
- Foeniculum vulgare* (fennel)
 for allergic pain in the gut, 5:39t
 anti-inflammatory actions, 1:62
 antispasmodic qualities, 1:25, 135, 138t
 bronchodilating qualities, 5:62
 carminative qualities, 1:31, 46
 for digestive pain, 4:197
 diosgenin in, 3:121
 in Dr. Stansbury's General Alterative Tea, 1:27
 essential oil of, 1:41, 53
 formulas containing
 abdominal inflammation, 4:196
 acne rosacea, 1:207
 alopecia, 1:216
 anorexia, 1:36
 asthma, 2:145
 biliary colic and pain, 4:198
 bronchitis, 2:134
 constipation, 1:47, 48
 coughs, 2:117, 119, 120
 depression and anxiety, 4:96
 diarrhea, 1:55, 56, 58
 digestive pain, 4:198
 dyspnea, 2:125
 eczema, dermatitis, and hives, 1:184, 185
 endometriosis, 3:149
 fungal skin infections, 1:195
 gastroparesis, 1:77
 GERD, 1:40, 41, 42
 hepatitis, 1:93
 hirsutism, 1:214
 hot flashes, 3:135
 hyperthyroidism, 3:44
 interstitial cystitis, 1:124
 irritable bowel syndrome, 1:31
 lung pain, 4:195
 menopausal symptoms, 4:100
 menstrual cramps, 3:125
 menstrual nausea, 3:120
 muscle spasms, 4:167
 oral allergic reactivity, 5:186
 oral ulcers, 5:184
- osteoporosis, 3:141
 overactive bladder, 1:130
 pigmentation disorders, 1:226
 polycystic ovarian syndrome, 3:145, 147
 prostate cancer, 3:164
 prostatitis, 1:151
 respiratory allergies, 5:42, 43
 stridor, 2:121
 tea for nursing mothers, 3:134
 ulcers, 1:64, 66
 urinary conditions, 1:110
 in General Carminative Tea, 1:30
 for GERD, 1:39
 for glaucoma, 5:156
 for *Helicobacter pylori* infections, 1:43
 for hypertension, 2:46
 for inflammatory bowel diseases, 1:34
 for migraines, 4:173
 minerals in, 5:100t, 196
 nebulized form, 2:137
 for pain, 4:166t, 170t
 for polycystic ovarian syndrome, 3:145
 in porridge, 1:66
 specific indications, 1:84, 242; 2:165–66; 3:94, 169–170; 4:208; 5:90, 196
 for stomatitis and gingivitis, 5:183
 testosterone-reducing effects, in women, 3:147
 for traveler's diarrhea prevention, 1:53
 as uterine sedative, 3:124
 for vascular support, 2:29
- folate, for schizophrenia support, 4:124
 folic acid, 5:50, 52
- folkloric herbs
 for coughs, 2:114
 for emphysema, 2:137
 for heart failure, 2:50
 for hypertension, 2:44
 for respiratory disorders, 2:121, 129, 131
- folliculitis, 1:192–93, 237, 246
- food allergies and sensitivities
 enuresis associated with, 1:130, 131
 herbs for, 1:33
 muscle pain linked to, 5:105
 otitis media with, 5:160–61
 overview, 5:36
 restorative agents for, 1:43
 ruling out, 1:24
- food poisoning
 Berberis aquifolium for, 1:85, 105
 diarrhea from, 1:54, 57
 Echinacea spp. for, 1:84
 formulas for, 1:54–55, 57
- footbaths, for overstimulated children, 4:104–5
- formononetin, 3:137, 178
- forskolin, 2:47, 177; 3:167; 4:78; 5:88, 135
- Forsythia suspensa* (forsythia), 1:185, 242, 245; 3:33
- FOS (fructooligosaccharides), 3:81
- fo ti. *See Reynoutria multiflora* (fo ti, he shou wu, Chinese knotweed)
- foundational herbs, 1:5; 2:7; 3:8; 4:9; 5:8–9

- Fouquieria splendens* (ocotillo), 1:27
- four-elements theory, 1:12; 2:14; 3:14; 4:17; 5:17
- foxglove. *See Digitalis purpurea* (foxglove)
- fracture-related pain
- formula for, 4:184–85
 - herbal therapies for, 4:183t
- fractures
- formulas for, 5:100–101
 - osteoporosis-related, 5:124
- Symphytum officinale* for, 5:142
- frankincense. *See Boswellia serrata* (frankincense)
- fraud, in medical research, 3:4–5
- French Paradox, 2:31
- friction rubs
- formula for, 2:120–21
 - herbs for, 2:118
 - with pleurisy, 2:138
- fringe tree. *See Chionanthus virginicus* (fringe tree)
- Fritillaria cirrhosa* (chuan bei mu), 2:153
- Fritillaria thunbergii* (zhe bei mu), 3:33
- frostbite, 1:237, 238, 241
- fructooligosaccharides (FOS), 3:81
- fruit juices, for hyperpigmentation, 1:223–24
- fruits, high-flavone types, 3:87
- fucoidans, 1:214
- fucoxanthins, 3:27
- Fucus* spp. (kelp), 1:63
- Fucus vesiculosus* (bladderwrack), 3:27
- alterative qualities, 1:27
 - for dermatitis, 1:189
 - for dermatologic conditions, 1:171t
 - for exophthalmia, 3:45
- formulas containing
- connective tissue weakness, 5:100
 - eczema, 1:190
 - GERD, 1:43
 - goiter, 3:32, 34
 - hypothyroidism, 3:35, 37
 - impotence, 2:87
 - thyroiditis, 3:30
 - vascular support, 2:28
- for goiter, 3:32
- minerals in, 5:100t
- nourishing qualities, 1:37
- for poor circulation, 2:63
- recipes containing, 3:37, 39
- for skin allergic conditions, 5:54t
- specific indications, 1:84, 242; 2:95; 3:58, 170; 5:90
- for thyroid and metabolic function, 3:27
- for thyroiditis, 3:31
- fu ling. *See Poria cocos* (hoelen, fu ling)
- fungal infections
- Achillea millefolium* for, 1:238
 - Allium sativum* for, 1:238; 3:90
 - Azadirachta indica* for, 1:196, 239
 - Berberis aquifolium* for, 3:55, 90, 167
 - Cinnamomum* spp. for, 1:240; 3:91
- Coptis* spp. for, 1:241; 3:92, 168
- Curcuma longa* for, 1:84, 104; 3:57, 168
- Gymnema sylvestre* for, 1:243
- Helichrysum angustifolium* for, 1:244
- herbs for, 1:197
- Hydrastis canadensis* for, 1:244; 3:171
- Melaleuca alternifolia* for, 1:245
- Mentha piperita* for, 1:245
- nutritional support for, 1:196
- Origanum vulgare* for, 1:246
- Sanguinaria canadensis* for, 1:247
- of the scalp, 1:213, 214–15
- of the skin, 1:194–97
- Tabebuia impetiginosa* for, 1:248
- of the throat, 1:45
- Thymus vulgaris* for, 1:249
- traveler's diarrhea from, 1:52
- Usnea barbata* for, 1:249
- fungal infections with itching
- compress for, 4:188
 - herbs for, 4:189t
- fungus-derived immunosuppressants, 5:65
- fu zhi. *See Aconitum carmichaelii* (fu zhi)
- G**
- GABA (γ-aminobutyric acid)
- herbs binding receptors of, 4:110
 - kava lactones and, 1:125
 - seizural disorders and, 4:65
- GABA (γ-aminobutyric acid) agonists
- for depression and anxiety, 4:92, 94
 - for epilepsy and seizures, 4:66
 - for insomnia, 4:114
 - for Parkinson's disease, 4:60
 - for withdrawal symptoms, 4:130
- gagging sensations, from *Lobelia*, 2:122
- GAGs (glycosaminoglycans), 5:95, 96, 118
- galactagogues, 3:134
- galangal. *See Alpinia galanga* (Thai galangal)
- galantamine
- for dementia, 4:52, 79
 - for schizophrenia, 4:127
- Galanthus nivalis* (snowdrop)
- for depression and anxiety, 4:101t, 103t
 - formulas containing, 4:133
 - specific indications, 4:79
- Galanthus woronowii* (snowdrop)
- for cognition, 4:53
 - for depression and anxiety, 4:101t
 - specific indications, 4:79
- galbanum (*Ferula gummosa*), 4:67
- Galega officinalis* (goat's rue)
- for beta cell regeneration, 3:74, 94
 - for diabetes, 3:68
 - hypoglycemic effects, 3:73
 - specific indications, 3:94
- Galium aparine* (cleavers)
- for appendectomy recovery, 1:67, 68
 - for benign prostatic hypertrophy, 1:147
 - for breast cysts, 3:143
- for cystitis and pyelonephritis, 1:116
- diuretic qualities, 1:112; 3:21t; 4:24t; 5:123
- formula containing, 1:68
- for Ménière's disease, 5:164
- for renal failure, 1:154t
- for skin eruptions, 1:194
- for skin lesions and cancers, 1:237
- for skin ulcers, 1:231
- specific indications, 1:161, 242
- gallbladder colic, 1:24, 104, 106
- gallbladder disorders
- Eclipta alba* for, 1:104
 - Grifola frondosa* for, 1:104
 - herbs for, 1:101–6
- Silybum marianum* for, 1:88, 106
- gallbladder enlargement, 1:106
- gallbladder spasms, 1:105
- gallstones. *See cholelithiasis*
- Galphimia glauca* (calderona amarilla), 2:77, 108t
- gangrene, formula for, 1:236
- Ganoderma lucidum* (reishi), 2:28
- 5α-reductase inhibition, 1:145, 218; 3:162
 - for allergic pain in the gut, 5:39t
 - for allergies, 5:28
 - for bladder cancer, 1:132
 - for childhood immunization support, 4:71
 - as chi tonic, 2:16
 - for depression and anxiety, 4:101t
 - for epilepsy and seizures, 4:68
- formulas containing
- allergic airway disorders, 5:46
 - allergic hypersensitivity, 5:36
 - attention deficit hyperactivity disorder, 4:120
 - autoimmune disorders, 5:66
 - bladder cancer, 1:132, 134
 - contact dermatitis, 5:54
 - dermatitis, 1:190
 - diabetic neuropathy, 3:73
 - erythema multiforme, 1:220
 - food allergies, 5:40
 - gastrointestinal hypersensitivity, 5:37–38, 39
 - Henoch-Schönlein purpura, 5:75
 - herpetic neuralgia, 4:41
 - lupus, 5:76, 77, 78
 - myositis conditions, 5:70
 - oral pain, 4:177
 - pancreatitis, 1:70
 - prostate cancer, 3:164
 - seizures, 4:72
 - traumatic brain injury, 4:55
- for Henoch-Schönlein purpura, 5:75
- for hepatitis, 1:94t
- for herpes-induced ophthalmia, 5:151
- immunomodulating qualities, 1:78; 2:23; 5:32
- for insomnia with exhaustion, 1:14; 3:16; 4:18; 5:18
- as medicinal food, 3:69

- Ganoderma lucidum* (reishi) (continued)
- for myositis conditions, 5:70
 - for neuralgia, 4:34
 - for peripheral neuropathy, 4:43t
 - for renal failure, 1:153
 - in seaweed broth, 1:80
 - specific indications, 1:104, 161, 242–43; 3:58, 94; 4:79; 5:90
 - for thyroiditis, 3:32
 - for vascular support, 2:28
 - for warts, 1:199
 - for wound healing, 4:192t
- garbanzo bean. *See Cicer arietinum* (garbanzo bean)
- Garcinia* spp. (mangosteen), 5:179
- garden angelica. *See Angelica archangelica* (garden angelica)
- garden balsam. *See Impatiens balsamina* (garden balsam)
- Gardenia jasminoides* (cape jasmine)
- for epilepsy and seizure disorders, 4:73
 - for hepatitis, 1:90
 - for inflammatory bowel diseases, 5:78, 79t
- Gardenia latifolia* (gardenia), 2:108t
- Gardenia resinifera* (gardenia), 4:67
- gargles
- for pharyngitis, 5:188
 - Salix alba* in, 5:201
 - for stomatitis and gingivitis, 5:181–82
 - for throat and gingival pain, 4:178–79; 5:190
- garlic. *See Allium sativum* (garlic)
- gas, intestinal
- alternatives for, 1:26
 - carminatives for, 1:25, 86
 - formulas for, 1:28, 29, 30, 32
 - See also* flatulence
- gastric pain. *See* stomach pain
- gastric ulcers
- Conium maculatum* for, 4:207
 - formulas for, 1:64
 - Glycyrrhiza glabra* for, 1:85
 - Helicobacter pylori* bacteria associated with, 1:39
 - Hydrastis canadensis* for, 1:85
 - Silybum marianum* for, 1:106
 - Uncaria* spp. for, 4:216
 - See also* peptic ulcers
- gastritis
- antimicrobials for, 1:24
 - Chionanthus virginicus* for, 1:83, 103
 - formulas for, 1:59–61
 - Glycyrrhiza glabra* for, 1:85
 - hot vs. cold, 1:59
 - Hydrastis canadensis* for, 1:85
 - overview, 1:59–60
 - Rumex crispus* for, 1:105
 - Uncaria tomentosa* for, 1:166
 - Zingiber officinale* for, 1:88
- Gastrodia elata* (tian ma)
- for cerebral vascular insufficiency, 2:61
 - for depression and anxiety, 4:94, 101t, 103t
 - for epilepsy and seizure disorders, 4:67, 72
 - formulas containing
 - headaches, 4:164
 - schizophrenia, 4:124
 - seizures, 4:72 - for headaches, 4:160
 - for multiple sclerosis, 5:82
 - for neuralgia, 4:34
 - neuroprotective effects, 4:30
 - for peripheral neuropathy, 4:42, 43t
 - specific indications, 2:95; 4:79; 5:90
 - for vertigo, 5:167, 168
 - for wound healing, 4:192t
- Gastrodia* mushroom (*Armillaria* fungus), 2:95
- gastrodin, 2:61
- gastroenteritis
- Allium sativum* for, 1:81
 - formulas for, 1:61–62
 - overview, 1:59
 - Ricinus communis* for, 1:87
- gastroesophageal reflux disorder (GERD)
- antimicrobials for, 1:24
 - definition of, 1:39
 - formulas for, 1:39–44, 77
 - Humulus lupulus* for, 1:85
 - Matricaria chamomilla* for, 1:86
 - Mentha* contraindications, 1:24, 39, 42
 - overlap with gastroenteritis, 1:59
 - seaweed alginates for, 1:42
- gastrointestinal bleeding, 1:66–67, 101
- gastrointestinal disorders
- categories of herbs for, 1:24–26
 - herbs for, 1:80–88
 - listing of formula types, 1:23
 - relationship with food allergies and intolerances, 1:24
 - See also specific disorders*
- gastrointestinal hypersensitivity
- formulas for, 5:37–40
 - overview, 5:36–37
- gastrointestinal mucosa wounds, herbs for, 4:192t
- gastroparesis, 1:76–78
- Gaultheria fragrantissima* (wintergreen), 5:71
- Gaultheria procumbens* (wintergreen)
- for arthritis, 5:117
 - for benign prostatic hypertrophy, 1:147
 - for cystitis and pyelonephritis, 1:116
 - for dysuria, 1:116
 - formulas containing
 - ear pain, 4:176
 - headaches, 4:164
 - menstrual cramps, 3:125
 - muscle pain, 4:183
 - musculoskeletal trauma, 5:97
 - peripheral neuropathy, 4:44 - for muscle pain, 4:183t
 - for peripheral neuropathy, 4:43t
 - safety concerns, 4:208
- specific indications, 1:161; 4:79–80, 208–9; 5:137
- gegen. *See Pueraria montana* var. *lobata* (kudzu, gegen, Japanese arrowroot)
- gelatin squares, 3:85–86
- Gelidium* spp. (red algae), 3:85
- Gelsemium elegans* (heartbreak grass), 4:209
- Gelsemium sempervirens* (yellow jessamine)
- antispasmodic qualities, 1:135, 138t
 - for arrhythmias, 2:56
 - for dental procedures, 5:177
 - for depression and anxiety, 4:101t
 - formulas containing
 - autoimmune disorders, 5:66
 - headaches, 4:161
 - herpetic neuralgia, 4:182
 - muscle pain, 4:183
 - neuralgia, 4:35, 180
 - ovarian cysts, 3:144
 - ovarian neuralgia, 4:196
 - pain, 4:167
 - sciatica, 5:131
 - for headaches, 4:159–160
 - for nerve pain, 4:35, 180t
 - for pain, 4:17, 156, 171t
 - for peripheral neuropathy, 4:43t
 - for pyelonephritis, 1:120t
 - safety concerns, 4:35, 80, 101t, 143, 180, 209; 5:131, 137, 197
 - specific indications, 1:161; 4:80, 143, 209; 5:137, 197
 - for trigeminal neuralgia, 4:37
 - for urinary colic, 1:138t
- General Education Board, 5:3
- genistein
- 5 α -reductase inhibition, 1:145
 - breast cancer and, 3:158
 - for fracture healing, 5:100
 - in *Glycine max*, 3:35
 - hormonal and metabolic benefits, 3:156
 - in *Medicago sativa*, 3:87
 - for prostate cancer, 1:148
 - for prostatic diseases, 1:143
- genital fungal infections, 1:197
- genital herpes
- formulas for, 3:109–11
 - herbs for, 4:40
 - Hypericum perforatum* for, 3:171
 - Melissa officinalis* for, 3:173
 - sitz bath for, 4:41
- genital infections, 3:104
- genital itching, 1:163
- genital mucosal pain, *Aloe vera* for, 4:203
- genital pain, 1:161
- genital warts
- escharotic treatments, 1:200
 - formulas for, 3:113
 - Rheum palmatum* for, 1:166
 - Thuja* spp. for, 1:166; 3:178
 - topical protocols, 3:112

- Gentiana lutea* (gentian, bitter root)
 as bile mover, 1:18
 formulas containing
 acne, 1:202
 alcohol abstinence, 4:132
 anorexia, 1:36–37
 biliary insufficiency, 1:98
 dyspepsia, 1:28
 gastritis, 1:61
 GERD, 1:41
 malabsorption, 1:73
 for halitosis, 1:50
 for *Helicobacter pylori* infections, 1:43
 for hepatitis, 1:90
 as lymph mover, 2:20; 3:20; 4:22; 5:22
 for malabsorption, 1:74
 specific indications, 1:84, 104, 243
Gentiana macrophylla (gentian, qin jiao), 4:110
 gentian violet, for thrush, 5:181
Geranium spp., 1:32, 52; 2:137
Geranium maculatum (wild geranium)
 astringent qualities, 1:54; 3:21t; 4:24t
 for dermatitis, 1:188
 for dermatologic conditions, 1:171t
 formulas containing
 diarrhea, 1:53
 gastrointestinal bleeding, 1:67
 inflammatory bowel diseases, 1:36
 otitis externa, 5:163
 otitis media, 5:161
 skin lesions, 5:55t
 ulcers, 1:64
 vaginitis, 3:106, 107
 wounds, 1:173
 for fungal skin infections, 1:196, 197
 for genital fungal infections, 1:197
 for otitis externa, 5:163
 for poison ivy/oak dermatitis, 1:203
 for skin allergic conditions, 5:54t
 for skin ulcers, 1:231
 specific indications, 1:243
 uterine hemostatic properties, 3:133
Geranium robertianum (wild geranium), 1:64
 Gerard, John, 4:190, 217
 GERD. See gastroesophageal reflux disorder (GERD)
 German chamomile. *See Matricaria chamomilla* (chamomile)
 ginger. *See Zingiber officinale* (ginger)
 gingerol, 2:77
 gingival conditions
 Echinacea purpurea for, 5:196
 Foeniculum vulgare for, 5:196
 formulas for, 5:175–77
 Ginkgo biloba for, 5:197
 Morella cerifera for, 5:199
 overview, 5:174–75
 Sanguinaria canadensis for, 5:180, 201
 Spilanthes acmella for, 5:202
 Thuja occidentalis for, 5:202
Zingiber officinale for, 5:203
 gingival pain
 formula for, 4:178–79
 Phytolacca americana for, 4:213
 gingivitis
 Apis mellifica for, 5:193
 Camellia sinensis for, 5:194
 Commiphora myrrha for, 5:195
 Convallaria majalis for, 5:195
 Coptis trifolia for, 5:195
 formulas for, 5:181–82, 184
 Glycyrrhiza glabra for, 5:197
 Gymnema sylvestre for, 5:197
 Hypericum perforatum for, 5:198
 Momordica charantia for, 5:199
 Origanum vulgare for, 5:199
 overview, 5:179–181
 Salvia miltiorrhiza for, 5:201
 specific causes of, 5:185
Ginkgo biloba (ginkgo, maidenhair tree), 2:69; 5:165
 for angina, 2:38
 antiallergic qualities, 5:33t
 for arrhythmias, 2:53, 55, 56
 for attention deficit hyperactivity disorder, 4:119
 for autoimmune disorders, 5:65
 for Behcet's disease, 5:74
 for bone density, 5:125
 for bone health, 5:127
 bronchodilating properties, 2:108t
 for cerebral vascular insufficiency, 2:62–63, 64, 65
 for congestive heart failure, 2:50
 for COPD, 2:148
 for cor pulmonale, 2:155
 for CREST, 5:84
 for cystic fibrosis, 2:135
 for dementia, 4:53–54
 for depression, 4:92, 103t
 for dermatologic conditions, 1:170
 for digestive pain, 1:26
 for enuresis, 1:131
 for erectile dysfunction, 3:15, 16, 94, 161
 for exophthalmia, 3:45
 for eye conditions, 5:147, 148, 149t
 fibrinolytic properties, 2:73
 flavonoids in, 2:33
 formulas containing
 allergic airway disorders, 5:49
 Alzheimer's disease, 4:56
 angina, 2:38
 anginal coronary spasm, 4:201
 angioedema, 5:57
 arrhythmias, 2:53, 55
 arthritis, 5:122
 asthma, 2:145, 146, 147
 attention deficit hyperactivity disorder, 4:119, 120, 121
 autoimmune disorders, 5:66
 bronchitis, 2:134
 cardiopulmonary disease, 2:84, 85
 cataract prevention, 5:152
 cerebral vascular insufficiency, 2:62–63, 64, 65
 chest pain, 4:193
 congestive heart failure, 2:50
 conjunctivitis, 5:149
 COPD, 2:150
 coughs, 2:120
 CREST, 5:84
 cystic fibrosis, 2:135
 dementia, 4:55, 57
 depression and anxiety, 4:102
 diabetic cutaneous ulcerations, 3:74
 diabetic neuropathy, 3:73
 dyspnea, 2:124
 emphysema, 2:138
 esophageal disorders, 1:45
 eye irritation, 5:149
 fracture-related pain, 4:184, 185
 gangrene, 1:236
 glaucoma, 5:155, 156
 heart stress at high altitudes, 2:52
 hives, 1:185
 hyperlipidemia, 2:36
 hyperthyroidism, 3:45
 hypotension, 2:86
 impotence, 2:87
 insomnia, 4:115
 labyrinthitis, 5:162
 macular degeneration, 5:158
 malabsorption, 1:73
 Ménière's disease, 5:164
 menopause-related hypertension, 3:141
 metabolic conditions, 3:71
 migraines, 5:61
 multiple sclerosis, 5:83
 muscle pain, 5:109
 muscle spasms and tension, 5:113
 nasal polyps, 5:173
 nephropathy, 3:73
 neuropathic pain, 4:179
 otitis externa, 5:163
 otitis media, 5:160
 overactive bladder, 1:130
 pain, 4:172
 pancreatitis, 1:69, 70
 Parkinson's disease, 4:61
 peripheral neuropathy, 4:44, 45
 peripheral vascular insufficiency, 2:58, 59, 61
 pigmentation disorders, 1:224, 226
 pneumonia, 2:142
 Raynaud's syndrome, 2:67
 retinopathies, 5:157
 schizophrenia, 4:124, 125
 skeletal fractures and bone injuries, 5:101
 skin fissures, 1:234
 stridor, 2:121

- Ginkgo biloba* (ginkgo, maidenhair tree)
 (continued)
 - stytes, 5:153
 - tinnitus, 5:166
 - urinary conditions, 1:111, 115
 - varicosities, 2:74
 - vascular damage, 3:74
 - vascular reactivity, 5:62, 63
 - vascular support, 2:29
 - vasculitis, 2:82
 - vertigo, 5:167, 168
 - wound healing, 1:183
 - for fungal skin infections, 1:197
 - GABAergic qualities, 4:110
 - for gingivitis, 5:184, 185
 - for headaches, 4:159
 - for hormone-related infertility, 3:130
 - for hypertension, 2:44
 - for interstitial cystitis, 1:123
 - mast-cell stabilizing effects, 2:144t
 - for Ménière's disease, 5:164
 - for multiple sclerosis, 5:82
 - for muscle weakness, 5:110
 - for nasal polyps, 5:172
 - nervine qualities, 4:91
 - for neuralgia, 4:34
 - for neurogenic bladder, 1:127
 - for neurological conditions, 4:27, 28
 - neuroprotective effects, 4:30
 - for otitis externa, 5:162
 - for otitis media, 5:159
 - for overactive bladder, 1:128, 129
 - PAF inhibiting properties, 2:77
 - for pain, 4:154, 166t
 - for peripheral neuropathy, 4:43t
 - for poor circulation, 2:58, 69
 - for renal failure, 1:152, 153, 154t
 - for retinopathies, 5:156
 - for schizophrenia, 4:125
 - for skin hypersensitivity, 1:232
 - for skin infections, 1:183
 - specific indications, 1:161, 243; 2:95; 3:58, 94, 170; 4:80, 142–43; 5:90, 138, 165, 197
 - for stasis ulcers, 2:60
 - for urinary conditions, 1:115
 - for varicosities, 2:81
 - for vascular pain, 4:200t
 - for vascular reactivity, 5:60
 - for vascular support, 2:27, 65
 - for vasculature protection, 2:26
 - as warming stimulant, 3:21t
 - for wound healing, 1:181, 182
- ginkgolides, 4:80, 142
- ginseng. *See Eleutherococcus senticosus* (Siberian ginseng); *Panax ginseng* (ginseng, ren shen)
- GLA (g-linolenic acid), 4:76
- glaucoma
- Curcuma longa* for, 5:195
 - Erigeron breviscapus* for, 4:78
- formulas for, 5:155–56
- Ginkgo biloba* for, 5:197
- overview, 5:155
- Physostigma venenosum* for, 4:84
- Pilocarpus jaborandi* for, 5:200
- glioblastoma
- cucurbitacin for, 4:46
 - liposomes for, 4:64
 - Melissa officinalis* for, 4:83
- globus hystericus, 1:44
- glomerulonephritis, lupus-induced, 5:77
- glorybower. *See Clerodendron serratum* (glorybower)
- glossary, 4:235–38; 5:223–26
- glossitis
- allergic, 5:50
 - Artemisia absinthium* for, 5:193
 - causes and remedies, 5:179
 - from malabsorption, 1:72
 - overview, 5:178–79
- glossy buckthorn. *See Rhamnus frangula* (alder buckthorn)
- glossy privet. *See Ligustrum lucidum* (Chinese privet)
- glucosamine sulfate
- for bladder mucosal lesions, 1:123
 - for connective tissue support, 5:104, 127
 - for damaged intervertebral discs, 5:130
 - for interstitial cystitis, 1:126
 - for joint pain, 4:187
- glucosinolates
- in *Armoracia rusticana*, 5:193
 - cholagogue action, 1:99
 - in cruciferous foods, 3:38–39; 4:47, 51
 - for detoxification, 4:46, 51
 - in *Lepidium meyenii*, 1:162–63
 - for peripheral neuropathy, 4:42, 43t
 - for prostatic diseases, 1:144
 - in radishes, 3:158, 176
- glucosuria, *Chionanthus virginicus* for, 1:83, 103
- glutamate, 4:65, 66, 121
- glutamine
- for bladder mucosal lesions, 1:123
 - for bowel reactivity, 5:39t
 - for connective tissue support, 5:104
 - for diarrhea, 1:52, 55
 - for fatty liver, 1:96
 - formulas containing
 - inflammatory bowel diseases, 5:81
 - stomatitis, 5:183
 - for GERD, 1:39, 43
- inclusion in FDA's category 1 list, 5:4
- for interstitial cystitis, 1:126
- for leaky gut syndrome, 1:79
- for liver support, 1:93
- for malabsorption, 1:73
- mucous-enhancing qualities, 1:62, 63
- for oral lesions, 1:38
- for peripheral neuropathy, 4:43
- as restorative, 1:43
- for stomatitis, 5:50, 179, 182
- for topical skin products, 1:228
- for traveler's diarrhea prevention, 1:53
- for ulcers, 1:63, 64
- glutathione
- for heavy metal detoxification, 4:51
 - for heavy metal neuropathy, 4:50
 - for Parkinson's disease, 4:65
- gluten-free diet, for schizophrenia, 4:124
- gluten intolerance, 1:24
- See also celiac disease*
- gluten sensitivity, 5:49
- glycerin
- Capsicum annuum* with, 5:134
 - in children's formulas, 5:16, 160
 - formulas containing
 - glaucoma, 5:155
 - nasal polyps, 5:43
 - tinctures with, 4:136
- glycerites, 5:160
- Glycine max* (soy), 3:35
- for bladder cancer, 1:132
 - for bone density, 5:125, 126
 - formulas containing, 2:35
 - for hyperlipidemia, 2:34, 35
 - neuroprotective effects, 4:30
 - for osteoporosis, 5:127
 - for prostatic diseases, 1:143
 - soy milk, 3:160, 164
 - specific indications, 2:95; 3:58
 - thyroid function and, 3:35
- glycosaminoglycans (GAGs), 1:79, 121, 122, 159; 5:95, 96, 118
- Glycyrrhiza* spp.
- anti-inflammatory actions, 1:51, 71
 - antimicrobial qualities, 1:71
 - demulcent qualities, 1:52
 - formulas containing, 1:38, 43, 45
 - for gastroenteritis, 1:59
 - for GERD, 1:39
 - for leaky gut syndrome, 1:78
 - for malabsorption, 1:73
 - mucous-enhancing qualities, 1:62, 63
 - in Sweet and Sour Alginat "Cordial" for GERD, 1:39
- Glycyrrhiza glabra* (licorice), 1:65; 3:53, 146
- 5 α -reductase inhibition, 1:218; 3:162
 - adaptogenic qualities, 3:49, 53; 4:90
 - for adrenal disorders, 3:46, 48, 49
 - for allergic pain in the gut, 5:39t
 - alternative qualities, 1:27
 - for amenorrhea, 3:122, 123, 146
 - for angioedema, 5:56
 - antiallergy qualities, 1:33
 - antifibrotic qualities, 1:91
 - antiviral qualities, 1:201
 - aromatase inhibition, 3:120
 - for arthritis, 5:115
 - for Bell's palsy, 4:36
 - for bladder mucosal lesions, 1:123

Glycyrrhiza glabra (licorice) (*continued*)

for bone density, 5:126
 for burning tongue syndrome, 5:182
 carminative qualities, 1:31
 for colds, 5:170t
 for connective tissue support, 5:105
 dehydrogenase inhibiting effects, 1:146; 3:155
 as demulcent, 1:24
 for depression and anxiety, 4:95, 101t
 for dermatitis, 1:188, 189
 for digestive pain, 1:26
 in Dr. Stansbury's General Alterative Tea, 1:27
 for dry mouth, 5:185–86
 for eczema and allergic dermatitis, 1:188
 fluoride in, 5:175, 176, 197
 formulas containing
 acne rosacea, 1:205, 207
 Addison's disease, 3:51
 adrenal disorders, 3:48, 49, 50
 alcohol abstinence, 4:132
 alcohol withdrawal seizures, 4:71
 allergic airway disorders, 5:46
 allergic hypersensitivity, 5:36
 alopecia, 1:216, 217
 amenorrhea, 3:122, 123
 angioedema, 5:57
 anorexia, 1:38
 anovulatory cycles, 3:123
 aphthous ulcers, 5:183, 184
 arthritic pain, 4:185
 arthritis, 5:116, 120
 asthma, 2:145, 146
 autoimmune disorders, 5:68
 Behçet's disease, 5:74
 Bell's palsy, 4:37
 benign prostatic hyperplasia, 3:164
 biliary insufficiency, 1:98
 biliousness, 4:105
 bladder cancer, 1:134
 bronchitis, 2:133
 bursitis and tendinitis, 5:102
 childhood skin eruptions, 1:193
 colds, 5:170
 cold sores, 5:184
 conjunctivitis, 5:148, 149
 constipation, 1:47, 48
 contact dermatitis, 5:53
 COPD, 2:151
 corneal ulcers, 5:151, 152
 coughs, 2:117, 120
 crankiness in children, 4:104
 Cushing's syndrome, 3:52, 54
 cystic fibrosis, 2:135
 cystitis, 4:199
 dementia, 4:57, 58
 dental conditions, 5:175, 176, 177
 depression and anxiety, 4:96, 106
 dermatitis, 1:183, 184, 185, 191
 diabetes, 3:74
 diarrhea, 1:53, 54, 55, 57, 58

dissociative disorders, 4:108
 dry mouth, 5:186
 dyspepsia, 1:29
 dyspnea, 2:125; 4:194
 eczema, 1:184, 185
 emphysema, 2:138
 endocarditis, 2:72
 enuresis, 1:131
 erythema multiforme, 1:220
 erythema nodosum, 1:221
 esophageal disorders, 1:45, 46
 fibromyalgia, 5:110
 gastritis and gastroenteritis, 1:60, 61, 62
 gastrointestinal bleeding, 1:67
 gastrointestinal hypersensitivity, 5:37, 38, 39
 gastroparesis, 1:77, 78
 genital herpes, 3:110, 111
 GERD, 1:42
 gingivitis, 5:184
 goiter, 3:33, 34
 gout, 5:124
 headaches, 4:164
 heart stress at high altitudes, 2:52
 hemoptysis, 2:126
 Henoch-Schönlein purpura, 5:75
 hepatitis, 1:92, 93, 94, 95
 herpes-induced ophthalmia, 5:150, 151
 herpes lesions, 1:232
 herpetic neuralgia, 4:40, 41
 hirsutism, 1:214
 hormonal cancers, 3:158
 hormone-related infertility, 3:130, 131
 hot flashes, 3:135
 hyperhidrosis, 1:227
 hyperlipidemia, 2:35
 hyperthyroidism, 3:41, 42, 43, 44, 45
 hyperventilation, 2:140
 hypotension, 2:86
 hypothyroidism, 3:37
 inflammatory bowel diseases, 1:34, 36; 5:81
 insomnia, 4:114, 115, 116
 interstitial cystitis, 1:123, 124
 irritable bowel syndrome, 1:31, 32, 33
 laryngitis, 5:191
 leaky gut syndrome, 1:78
 lichen planus, 1:211, 212
 lupus, 5:76, 77, 78
 male infertility, 3:164
 menorrhagia, 3:119
 menstrual cramps, 3:117, 124
 metabolic conditions, 3:71
 miscarriage, 3:133
 multiple sclerosis, 5:83
 muscle pain, 5:107, 108
 muscle tension, 5:106, 107
 muscle weakness, 5:111
 musculoskeletal trauma, 5:98
 myositis conditions, 5:71
 nasal polyps, 5:43
 nephropathy, 3:73
 oral allergic reactivity, 5:50, 51, 52, 186
 oral erythema multiforme, 5:187, 188
 oral leukoplakia, 5:186
 oral pain, 4:177
 oral ulcers, 5:184
 osteoporosis, 3:141; 5:129
 otitis media, 5:161
 ovarian cysts, 3:144
 overactive bladder, 1:130
 Paget's disease, 5:130
 pain, 4:172
 painful mucous membranes, 4:167
 pancreatitis, 1:69, 70
 panic disorder, 4:110
 Parkinson's disease, 4:61, 63
 pemphigus support, 1:221
 peripheral neuropathy, 4:45, 47
 pharyngitis, 5:189
 pigmentation disorders, 1:223, 225
 pneumonia, 2:141
 polycystic ovarian syndrome, 3:145, 147
 premenstrual syndrome, 3:126
 prostate cancer, 1:149; 3:164
 prostatic diseases, 1:146
 prostatitis, 1:151
 psoriasis, 1:211
 PTSD, 4:111, 113
 renal failure, 1:153
 respiratory allergies, 5:40
 restless legs syndrome, 4:33
 schizophrenia, 4:125
 scratchy throat, 5:191
 seizures, 4:72
 SIBO, 1:76
 Sjögren's syndrome, 5:69
 skin infections, 1:178
 smoking cessation, 4:133
 spotting, 3:122
 steroids, withdrawal from, 1:188
 stomatitis and gingivitis, 5:182, 183
 stridor, 2:121
 tea for nursing mothers, 3:134
 throat pain, 4:178
 thyroiditis, 3:30, 31
 tuberculosis, 2:156
 ulcerated skin, 1:231
 ulcers, 1:64, 66
 urinary and prostatic pain, 4:196
 urinary colic, 1:138
 urinary conditions, 1:110, 111, 115, 117
 urinary lithiasis, 1:140
 urinary tract infections, 3:136
 urinary tract reactivity, 5:57, 59
 uterine fibroids, 3:150
 vascular reactivity, 5:61, 63
 vascular support, 2:27
 vasculitis, 2:82
 venous congestion, 2:80
 vocal strain, 5:191
 withdrawal symptoms, 4:136

- Glycyrrhiza glabra* (licorice) (*continued*)
 for fracture healing, 5:100
 for hepatitis, 1:90, 91, 94t
 for herpes simplex viral infections, 5:180, 181
 for herpetic neuralgia, 4:40
 for hormone-related infertility, 3:131t
 for hyperventilation, 2:140
 for increasing deficient adrenergic tone, 4:95
 for insomnia, 4:114
 for insulin resistance, 3:70, 71
 for interstitial cystitis, 1:123
 isoflavones in, 3:156
 in Legume Truffle Superfood for
 Chemotherapy Patients, 3:159
 leukotriene-inhibiting qualities, 5:44
 for menopausal insomnia, 3:136t
 for menstrual cramps, 3:117, 124
 for mouth conditions, 5:146
 mucous-enhancing qualities, 1:64, 65
 for muscle weakness, 5:110
 for neuralgia, 4:34
 for neurological conditions, 4:27
 for oral allergic reactivity, 5:50
 for otitis externa, 5:163
 for ovarian cysts, 3:146
 PAF inhibiting properties, 2:77
 for Paget's disease, 5:129
 for pain, 4:155, 166t, 171t
 for panic disorder, 4:109
 for peripheral neuropathy, 4:43t
 for polycystic ovarian syndrome, 3:145, 146
 for prostatic diseases, 1:143
 regulation of reproductive hormones and, 4:96
 for reproductive endocrine conditions, 3:102
 as restorative, 1:43
 for schizophrenia support, 4:123
 for skin eruptions, 1:194
 for skin ulcers, 1:231
 specific indications, 1:84–85, 161, 243; 2:96;
 3:58–59, 94, 170–71; 4:80, 143; 5:90–91, 138, 197
 for stomatitis, 5:50
 testosterone-reducing effects, in women,
 3:145, 147
 for throat pain, 5:190, 191t
 for thyroid disorders, 3:41
 for tonsillitis and pharyngitis, 5:188
 for ulcers, 1:65
 for warts, 1:199
 in Winter Tea for Metabolic Support, 3:86
 for wound healing, 4:192t
Glycyrrhiza inflata, *G. uralensis* (Chinese
 licorice)
 antiallergic qualities, 5:33t
 formulas containing
 allergic airway disorders, 5:46
 allergic rhinosinusitis, 2:130
 angina, 2:38
 depression and anxiety, 4:99
 lupus, 5:78
 pigmentation disorders, 1:223
 for viral infections, 2:131
glycrrhizin, 5:4, 90–91
 goat's rue. *See* *Galega officinalis* (goat's rue)
 gobo root. *See* *Arctium lappa* (burdock)
 goiter
 formulas for, 3:32–34
Fucus vesiculosus for, 3:58, 170
 herbs for, 3:32
Iris versicolor for, 3:59
Phytolacca spp. for, 3:61
 goitrogens, 3:38
 goji berry. *See* *Lycium chinense* (goji berry,
 wolf berry)
 golden chain. *See* *Laburnum anagyroides*
 (laburnum, golden chain)
 Golden Milk for Liver Disease and
 Inflammation, 1:97
 Golden Milk Variant for Neurodegeneration,
 4:59, 61, 71
 golden ragwort (*Senecio aureus*), 3:119
 goldenrod. *See* *Solidago* spp.
 golden root. *See* *Rhodiola rosea* (arctic rose)
 goldenseal. *See* *Hydrastis canadensis* (goldenseal)
 goldthread. *See* *Coptis* spp.
 Google, 5:1, 2, 4
 goosefoot. *See* *Chenopodium ambrosioides*
 (wormseed)
Gossypium hirsutum (cotton), 3:128
 gotu kola. *See* *Centella asiatica* (gotu kola, brahmi)
 gout
 Aconitum napellus for, 5:132
 Apium graveolens for, 5:133
 Atropa belladonna for, 5:133
 Colchicum autumnale for, 4:185, 206, 207;
 5:88, 135
 Eupatorium perfoliatum for, 5:137
 formulas for, 4:185; 5:123–24
 herbal therapies for, 4:183t
 overview, 5:122–23
 gou teng. *See* *Uncaria* spp.
 GPR55 (G protein-coupled receptor 55), 1:32
Gracilaria spp. (red algae), 3:85
 granadilla. *See* *Passiflora edulis*
 (passionflower, granadilla)
 grapefruit. *See* *Citrus paradisi* (grapefruit)
 grapes (*Vitis vinifera*), 4:31
 grape-seed extract, for epilepsy and seizure
 disorders, 4:68, 70
Gratiola officinalis (hedge hyssop), 3:128
 gravel root. *See* *Eupatorium purpureum*
 (gravel root)
 Graves' disease
 Bupleurum falcatum for, 3:55
 exophthalmia from, 3:40, 44, 45
 interrelationship with Hashimoto's disease,
 3:28, 42
 Lycopus virginicus for, 3:60
 Melissa officinalis for, 3:60
 overview, 3:39–40
 T cell-mediated inflammatory processes, 3:29
 Graves' exophthalmia
 Artemisia annua for, 3:54
 Centella asiatica for, 3:56
 formulas for, 3:44–45
 Ginkgo biloba for, 3:58
 herbs for, 3:45
 overview, 3:40
 Salvia miltiorrhiza for, 3:62
 gray mangrove. *See* *Avicennia marina*
 (white mangrove)
 green algae (cyanobacteria), 1:206
 green tea. *See* *Camellia sinensis* (green tea)
 green tea polyphenols
 for genital warts, 3:112
 for human papillomavirus, 3:113
 Grieve, Maude, 4:104
Griffonia simplicifolia (griffonia, kajya, atooto),
 4:92
Grifola frondosa (hen of the woods; maitake)
 for bladder cancer, 1:134
 formulas containing, 5:39
 for hepatitis, 1:94t, 104
 as medicinal food, 3:69
 for respiratory allergies, 5:42
 specific indications, 1:104, 161, 243; 5:91, 138
Grifola umbellata
 for bladder cancer, 1:132
 specific indications, 1:161
Grindelia spp.
 for bronchitis, 2:131
 as counterirritant, 2:132
 formulas containing
 asthma, 2:147
 bronchitis, 2:133
 coughs, 2:119
 emphysema, 2:137
Grindelia hirsutula (gumweed), 2:167
Grindelia robusta (gumweed)
 formulas containing, 2:135
 specific indications, 2:167
Grindelia squarrosa (gumweed)
 formulas containing
 bronchitis, 2:134
 cystic fibrosis, 2:135
 itching skin, 1:186
 skin lesions, 5:55t
 for itching skin, 1:187
 mast-cell stabilizing effects, 5:31t
 for poison ivy/oak dermatitis, 1:203, 237
 specific indications, 1:243; 2:167; 5:91
 gripeweed (*Phyllanthus urinaria*), 4:166t
 Grof, Stanislav, 4:5
 gromwell. *See* *Lithospermum officinale* (gromwell)
 ground pine. *See* *Lycopodium* spp. (ground pine,
 creeping cedar, club moss)
 guaco (*Mikania glomerata*), 2:108t, 172
Guaiacum officinale (guaiacwood), 4:45–46; 5:191t
 guarana (*Paullinia cupana*), 3:161
 guar gum, 1:79, 96
 guava. *See* *Psidium guajava* (guava)

- guduchi. *See Tinospora cordifolia*
 (guduchi, amrita)
- guelder rose. *See Viburnum opulus* (crampbark)
- guggul. *See Commiphora mukul* (guggul)
- guggulsterones, 2:32, 34; 3:36, 56; 5:80, 135, 136
- Guillain-Barré syndrome
 causes of, 4:48
 formula for, 4:48–49
Glycyrrhiza glabra for, 4:80
- Gui Pi Tang Tea, 4:115–16
- gum chewing, 1:41
- gum conditions. *See gingival conditions*
- gumweed. *See Grindelia spp.*
- gurmar. *See Gymnema sylvestre* (sugar destroyer, cow plant)
- gut-joint axis, 5:114
- Gymnema sylvestre* (sugar destroyer, cow plant), 3:75
 for beta cell regeneration, 3:74
 for dermatologic conditions, 1:202t
 for diabetes, 3:75, 76
 formulas containing
 cataract prevention, 5:152
 diabetes, 3:76
 hyperlipidemia, 2:35, 36
 peripheral neuropathy, 4:44
 for fungal skin infections, 1:197
 hypoglycemic effects, 3:73
 specific indications, 1:243; 2:96; 3:95; 5:197
 for thrush, 5:181
- Gynostemma pentaphyllum* (jiaogulan), 3:95
- gypsywort (*Lycopus europaeus*), 3:60
- H**
- H2 antagonists, dangers of, 1:40, 63
- hacking coughs, 2:114
- Hahnemann, Samuel, 4:181
- hair loss. *See alopecia*
- halitosis
Echinacea spp. for, 1:241
Eucalyptus globulus for, 1:242
 formulas for, 1:50–51
Morella cerifera for, 1:86, 105
- hallucinogenic plants. *See entheogens*
- Hamamelis virginiana* (witch hazel)
 anti-inflammatory qualities, 5:97
 astringent qualities, 1:51, 54; 3:21t
 compresses with, 1:50
 for dermatitis, 1:188
 for digestive pain, 1:26
 for ear pain, 4:175t
 for eye conditions, 5:147t
 for eye injuries, 5:154
 formulas containing
 aching veins, 4:200
 anal fissures, 1:235
 capillary fragility, 2:67
 ear pain, 4:175
 erythema multiforme, 1:220
 gastric ulcers, 1:63
- gastrointestinal bleeding, 1:67
- genital herpes, 3:111
- GERD, 1:40
- hemorrhoids, 1:49; 2:78
- herpetic neuralgia, 4:41
- inflammatory bowel diseases, 5:81
- musculoskeletal trauma, 5:97
- otitis externa, 5:163
- otitis media, 5:161
- phlebitis, 2:81
- reactive arthritis, 5:72
- shingles, 4:182
- skin lesions, 5:55t
- skin protection, 1:229
- skin trauma, 1:174
- superficial pain, 4:191
- ulcerated skin, 1:231
- uterine prolapse, 3:153
- vaginitis, 3:106, 107
- varicoceles, 2:75
- varicosities, 2:75
- vascular reactivity, 5:63
- vasculitis, 2:82
- venous congestion, 2:76
- wounds, 1:173
- for fungal skin infections, 1:196, 197
- for genital fungal infections, 1:197
- for hematuria, 1:115
- for impetigo, 1:179
- for menorrhagia, 3:118, 171
- for menstrual cramps, 3:124
- for microvascular fragility, 2:66t
- for otitis externa, 5:163
- for pain, 4:170, 170t, 171t
- for pyuria, 1:115
- for skin eruptions, 1:194
- for skin fissures, 1:235
- for skin protection, 1:230
- for skin ulcers, 1:231
- specific indications, 1:85, 161–62, 243; 2:96; 3:171; 4:209; 5:91, 138, 197
- for tongue conditions, 5:178t
- for topical skin products, 1:228
- for vaginitis, 3:105, 106, 107
- for vascular pain, 4:200t
- for vascular support, 2:65
- for wound healing, 4:192t
- hangovers
Pueraria montana var. *lobata* for, 4:150
 remedy for, 4:132–33
- haptonics, 5:52
- harmala alkaloids, 4:97
- harmine alkaloids, 4:137
- Harpagophytum procumbens* (devil's claw)
 for arthritis, 5:114
- for bursitis and tendinitis, 5:102
- formulas containing
 arthritis, 5:117, 118
 bursitis and tendinitis, 5:102
 connective tissue support, 5:121
- insomnia, 4:116
- joint pain, 4:185
- muscle cramps, 5:106
- neuropathic pain, 4:179
- opiate withdrawal and musculoskeletal pain, 4:185
- osteoarthritis, 5:115
- pancreatitis, 1:70
- peripheral neuropathy, 4:45, 47
- for insomnia, 4:114
- for muscle pain and spasms, 5:106
- for opiate addiction, 4:129
- opiate agonist qualities, 4:134
- specific indications, 4:209; 5:138
- harpagoside, 5:138
- Hashimoto, Hakaru, 3:29
- Hashimoto's disease
Berberis aquifolium for, 3:55
 formulas for, 3:30
 interrelationship with Graves' disease, 3:28, 42
Melissa officinalis for, 3:60
 T cell-mediated inflammatory processes, 3:29
- hawthorn. *See Crataegus spp.*
- hay fever
Achillea millefolium for, 2:156
Angelica sinensis for, 2:158
Armoracia rusticana for, 2:159
 conjunctivitis related to, 5:148
Curcuma longa for, 2:162
Ephedra sinica for, 5:89, 196
Equisetum arvense for, 5:196
Euphorbia spp. for, 2:165
Euphrasia officinalis for, 2:165; 5:89
 formulas for, 2:128; 5:42, 43, 44
 herbs for, 5:42
Juniperus communis for, 2:169
Petasites hybridus for, 2:175; 5:41
Solidago canadensis for, 5:201
Sticta pulmonaria for, 2:181
Tanacetum parthenium for, 2:182; 5:94, 142, 202
Thymus vulgaris for, 2:182
Tinospora cordifolia for, 2:182
 varying qualities of, 5:17
- Xanthium cavanillesii* for, 2:184
- headaches
Actaea racemosa for, 3:127, 165; 4:202
Angelica dahurica for, 2:158
Angelica sinensis for, 4:203
Apium graveolens for, 2:90
Atropa belladonna for, 4:204
Capsicum frutescens for, 4:205
Cinnamomum verum for, 5:87
Cnidium monnieri for, 2:92
 common types and causes of, 4:160
 formulas for, 3:127; 4:160–65
Gastrodia elata for, 4:79; 5:90
Gelsemium sempervirens for, 4:209
 herbs for, 2:27
Huperzia serrata for, 2:97
Hyoscyamus niger for, 4:210

- headaches (*continued*)

with hypertension, formula for, 2:44

Iris versicolor for, 1:104, 244; 4:210; 5:198

Juglans cinerea for, 5:198

Lavandula angustifolia for, 4:210

Leonurus cardiaca for, 4:144

Leptandra virginica for, 1:104

Ligusticum porteri for, 2:169

Ligusticum striatum for, 2:98, 169

Magnolia officinalis for, 2:171

Melilotus officinalis for, 2:99; 4:82

Melilotus suaveolens for, 2:171

Melissa officinalis for, 4:146

Mentha piperita for, 4:211

Mucuna pruriens for, 4:83

Nigella sativa for, 5:92

overview, 4:156–57

Petasites hybridus for, 2:175

Piscidia piscipula for, 4:213

principles of creating formulas for, 4:158–160

Rhodiola rosea for, 4:150

Sanguinaria canadensis for, 4:215

Scutellaria baicalensis for, 4:215

Scutellaria lateriflora for, 3:177

Spilanthes acmella for, 5:141

Tanacetum parthenium for, 2:182; 4:86, 216

Taraxacum officinale for, 1:88, 106; 3:62, 99

Tilia americana for, 4:87

Tinospora cordifolia for, 2:182

underlying contributors to, 4:158t

Valeriana officinalis for, 3:179; 4:152

Veratrum viride for, 4:217

Vinca minor for, 2:106

Vitex agnus-castus for, 3:63, 127, 180; 4:218

See also migraines
- head injuries

Centella asiatica for, 4:77

formula for seizures related to, 4:71–72

herbs for, 4:192t

Hypericum perforatum for, 4:81, 93, 210
- heal-all (*Prunella vulgaris*), 3:43
- healing, principles of, 1:7; 2:9; 3:9; 4:11; 5:11
- healing crises, 1:8; 2:10; 3:10; 4:12; 5:12
- heart, weak. See weak heart
- heartbreak grass (*Gelsemium elegans*), 4:209
- heart disease. See cardiomyopathy
- heart failure

Aconitum spp. for, 4:138

Aspidosperma quebracho for, 2:159

Coleus forskohlii for, 2:101

cor pulmonale, 2:85, 154–55

Digitalis purpurea for, 2:94, 163

dyspnea with, 2:124

hypotension with, 2:86

lack of research on formulas for, 2:7

Panax ginseng for, 2:100

Petroselinum crispum for, 2:100

Rhodiola rosea for, 2:102

Salvia miltiorrhiza for, 2:102

Selenicereus grandiflorus for, 2:103
- Theobroma cacao* for, 2:105

See also congestive heart failure
- heart infections and inflammation, herbs for, 2:72
- heart-leaf sida (*Sida cordifolia*), 4:61
- heart palpitations

Crataegus spp. for, 3:93, 168

formulas for, 3:138–141

Leonurus cardiaca for, 3:59, 139, 172

Lobelia inflata for, 3:60

Lycopus europaeus for, 3:60

Melissa officinalis for, 3:60

menopause-related, 3:138–141

Valeriana officinalis for, 3:62
- heat packs

for bursitis and tendinitis, 5:102

for eye infections, 5:147

homemade, 5:102

for muscle cramps, 5:106

for pain, 4:170–71

for pleurisy, 2:139

for sinusitis, 5:171

for venous congestion, 2:80–81
- heat stroke, *Lobelia inflata* for, 2:98
- heat therapy

carpal tunnel syndrome, 4:48

for trigeminal neuralgia, 4:37
- heavy, full, aching pain, herbs for, 4:171t
- heavy energy, removing, 4:4
- heavy menses. See menorrhagia
- heavy metal chelators, 4:43t
- heavy metal detoxification, *Equisetum arvense*

potential benefits, 3:93–94
- heavy metal toxicity, 4:47, 50
- Hedema patens* (*oregano chiquito*), 3:128
- Hedema pulegioides* (*pennyroyal*)

for dysuria, 1:116

as emmenagogue, 3:128

for epilepsy and seizure disorders, 4:67

iron in, 2:70

for scabies and lice, 1:198

specific indications, 1:162, 243–44; 2:99; 5:138

for thick and cloudy urine, 1:139
- hedgehog-signaling pathways, 4:191
- hedge hyssop (*Gratiola officinalis*), 3:128
- Hedyotis diffusa* (*snake needle grass*, *baihua sheshcao*), 5:78
- Helianthus annuus* (*sunflower*), 4:69, 69
- Helianthus tuberosus* (*Jerusalem artichoke*), 3:69
- Helichrysum* spp. (*curry plant*, *immortal*, *everlasting*), 1:228, 244; 4:110
- Helichrysum italicum* (*curry plant*, *immortelle*), 2:81; 5:98
- Helicobacter pylori* infections

Azadirachta indica for, 1:82

bismuth for, 1:63

formulas for, 1:40, 41, 64–65

gastrointestinal disorders linked to, 1:39, 59, 60, 62

herbs for, 1:43
- Origanum vulgare* for, 1:86

restorative agents for, 1:43

thyroid disorders linked to, 3:29, 30
- hellebore. See *Veratrum* spp. (*hellebore*)
- helminths, for inflammatory bowel disease, 5:78–79
- hematuria

Achillea millefolium for, 1:156, 238

Agrimonia eupatoria for, 4:203

Arnica montana for, 1:158; 4:203

Elymus repens for, 1:160

Equisetum spp. for, 1:160

Eupatorium purpureum for, 1:161; 4:208

Hamamelis virginiana for, 1:162

herbs for, 1:115

Hydrangea arborescens for, 1:162

Piper cubeba for, 1:164

Rhus toxicodendron for, 1:165
- Hemerocallis citrina* (*daylily*), 4:92
- Hemidesmus indicus* (*hemidesmus*, *Indian sarsaparilla*)

for asthma, 2:145, 147

formulas containing

asthma, 2:147

hemoptysis, 2:126

tuberculosis, 2:156

specific indications, 2:167; 4:80–81
- hemming symptoms, 2:114
- hemochromatosis, 2:70–71, 94
- hemoptysis

Achillea millefolium for, 2:156

Digitalis purpurea for, 2:163

formulas for, 2:125–27

Hamamelis virginiana for, 2:96

Lycopus virginicus for, 2:170

Melilotus suaveolens for, 2:171

overview, 2:125–26

Sticta pulmonaria for, 2:181

Usnea barbata for, 2:183
- hemorrhage

Achillea millefolium for, 2:89

Cinnamomum spp. for, 2:92

Hamamelis virginiana for, 2:96

nosebleeds, 2:99
- hemorrhagic strokes, nutraceuticals for, 2:63
- hemorrhoids

Achillea millefolium for, 1:81, 238

Aesculus hippocastanum for, 1:81; 4:202

Arnica montana for, 4:204

Atropa belladonna for, 1:82

Capsella bursa-pastoris for, 1:82

Collinsonia canadensis for, 1:83, 159; 2:93

Dioscorea villosa for, 1:84

Echinacea spp. for, 1:241

formulas for, 1:49–50; 2:78

Hamamelis virginiana for, 1:85, 161, 243; 4:209

Hypericum perforatum for, 1:85

Mentha piperita for, 1:246

Myristica fragrans for, 4:212

overview, 2:74

- hemorrhoids (*continued*)
Petroselinum crispum for, 1:163
Podophyllum peltatum for, 1:105
Quercus spp. for, 1:247; 2:101
Scrophularia nodosa for, 1:88
 topical protocol for, 4:198
- hemostatics
Achillea millefolium, 2:89; 4:201
Agrimony eupatoria, 4:202–3
 for bleeding from the lungs, 2:126
Cinnamomum spp., 2:92
 definition of, 1:54
 in formulas, 1:12
Gardenia latifolia, 2:166
Rubia cordifolia, 4:214
- hemp. *See Cannabis sativa* (marijuana, hemp)
 HEMP (*Hydrastis*, *Echinacea*, *Myrrha*, *Phytolacca*) tincture, 5:189–190
- henbane. *See Hyoscyamus* spp.
 Henoch-Schönlein purpura, 5:74–75
- hen of the woods. *See Grifola frondosa* (hen of the woods, maitake)
- hepatic function. *See liver function*
- hepatitis
Andrographis paniculata for, 1:101
Artemisia capillaris for, 1:102
Astragalus membranaceus for, 1:103
Berberis aquifolium for, 1:85, 105
Bryonia spp. for, 4:205
Bupleurum spp. for, 1:103; 4:140
Centella asiatica for, 1:82
Chionanthus virginicus for, 1:103
Curcuma longa for, 1:104
Echinacea spp. for, 1:84
Eclipta alba, 1:104
 formulas for, 1:91–95
Ganoderma lucidum for, 1:104
Glycyrrhiza glabra for, 1:85
Grifola frondosa for, 1:94t, 104
 herbs for, 1:90, 91, 94t
 molecular constituents against, 1:93
 nutraceutical support for, 1:93
 overview, 1:91
Phyllanthus amarus for, 4:212
 role of viruses in, 1:24
Rubia cordifolia for, 4:214–15
Schisandra chinensis for, 1:106
 TCM herbs, 1:90
- hepatocellular carcinoma (HCC), 1:101
See also liver cancer
- herbal formulation, art of. *See art of herbal formulation*
- Herbal Sipping-Vinegar Spritzers, 3:89
- herbal syrups, 1:37
- herbal teas
 preparation of, 1:19–21; 2:22–23; 3:22–23; 4:25; 5:25
 pros, cons, and indications, 1:26; 2:21–22; 3:22–23; 4:24; 5:24
- herbal vinegars, 1:74, 236
- Hercules' club/Hercules' herb. *See Zanthoxylum clava-herculis* (southern prickly ash)
- hereditary hemorrhagic telangiectasia, topical protocol for, 2:127
- Herniaria glabra* (rupturewort), 1:139, 162
- herniated disks
Colchicum autumnale for, 4:206
Hypericum perforatum for, 4:210
 therapies for, 5:130–31
- herpangina, herbs for, 4:40
- herpes-induced ophthalmia
Echinacea purpurea for, 5:196
 formula for, 5:150–51
Glycyrrhiza glabra for, 5:197
Hypericum perforatum for, 5:198
- herpes lesions
 formulas for, 1:232
 herbs for, 1:241, 242, 243, 244, 245, 249
Hypericum perforatum for, 4:81
Melissa officinalis for, 4:82–83
 overview, 1:230
- herpes simplex virus
Glycyrrhiza glabra for, 5:197
Hypericum perforatum for, 5:198
Melissa officinalis for, 5:199
 oral lesions from, 5:146, 180
 overview, 3:104, 109; 5:180–81
Pimpinella anisum for, 5:200
Terminalia arjuna for, 3:178
 topical treatments for lesions from, 5:184, 194
See also genital herpes
- herpes zoster. *See shingles*
- herpetic neuralgia
Aconitum napellus for, 4:74
Aloe spp. for, 4:75
 formulas for, 4:40–41, 180, 182
Glycyrrhiza glabra for, 4:80
Hypericum perforatum for, 4:81
 overview, 4:39–40
- he shou wu. *See Reynoutria multiflora* (fo ti, he shou wu, Chinese knotweed)
- hesperetin, 3:157
- heterosides, 4:142
- Hibiscus rosa-sinensis* (Chinese hibiscus, hibiscus)
 flavonoids in, 2:33
 formulas containing
 hyperlipidemia, 2:35
 hypertension, 2:43
 for lipid health, 3:82
 for poor circulation, 2:58
- Hibiscus sabdariffa* (flor de Jamaica, hibiscus, flor de Jamaica), 1:203
 as aromatase inhibitor, 1:146
 in Cashew Custard with a Nut Crust, 3:86
 chromium in, 3:78, 79, 80t
 flavonoids in, 2:33
 formulas containing
 acne, 1:203
 acne rosacea, 1:205
- hyperlipidemia, 2:36
- hypertension, 2:42
- leaky gut syndrome, 1:78
- retinopathies, 5:157
- vascular support, 2:27
- in High Chromium Summer Tea for Metabolic Support, 3:87
- for hypertension, 2:42
- in iced tea, 3:79
- for leaky gut syndrome, 1:79
- for retinopathies, 5:156
- specific indications, 2:96; 3:95
- syrup of, 3:78
- for vascular infections, 2:72
- for vascular support, 2:30
- high blood pressure. *See hypertension*
- high cholesterol
Allium sativum for, 3:90
Cinnamomum spp. for, 2:92
Commiphora mukul for, 1:83
Cynara scolymus for, 1:84, 104; 2:94
 Dr. Stansbury's General Alterative Tea for, 1:27
- formula for, 3:74–75
- herbs for, 3:82
- Medicago sativa* for, 1:245
- Opuntia* spp. for, 3:60
- Polygonum cuspidatum* for, 2:101
- Terminalia* spp. for, 1:106
- See also* hyperlipidemia
- High Chromium Summer Tea for Metabolic Support, 3:87
- high-fiber diet, 3:67
- High-Fiber Truffles, 3:82, 97
- high-mineral herbs list, 5:100t
- High-Mineral Vinegar, 5:100
- hijiki (*Hizikia fusiformis*), 3:27
- Himalayan cedar (*Cedrus deodara*), 5:31t
- Hippocrates, 2:9; 3:9; 4:11; 5:11
- Hippophae rhamnoides* (sea buckthorn), 1:229
 for allergic stomatitis, 5:181
 for allergies, 5:48
 for arthritis, 5:115
 for cheilosis and cheilitis, 5:183
 for dermatitis, 1:186, 189
 for epilepsy and seizure disorders, 4:68
 essential fatty acids in, 5:84
 formulas containing
 demyelinating polyneuropathy, 4:49
 dermatitis, 1:186
 dry mouth, 5:186
 musculoskeletal trauma, 5:98
 phlebitis, 2:81
 pigmentation disorders, 1:223
 skin fissures, 1:234
 skin protection, 1:228
 skin trauma, 1:175
 varicosities, 2:75
- for musculoskeletal trauma, 5:98
- for otitis externa, 5:163
- phytosterols in, 3:155

- Hippophae rhamnoides* (sea buckthorn)
 (continued)

 seed oil from, 2:43; 4:57

 for skin protection, 1:228, 229, 230

 specific indications, 1:244; 2:96; 5:91, 197

 for wound healing, 4:192t
- hirsutism

Foeniculum vulgare for, 1:242

Glycyrrhiza glabra for, 1:243

Mentha spicata for, 1:214, 246

 overview, 1:213, 214

 polycystic ovarian syndrome-related, 3:144, 145

Serenoa repens for, 1:214, 248

Urtica spp. for, 1:249
- hispidulin, 2:167, 179; 5:91
- histamine

 migraines and, 4:159

 role in allergies, 5:31–32

 schizophrenia and, 4:123–24

 seizure disorders and, 4:66
- historical suppression of natural medicine, 5:2–3
- hives

Apium graveolens for, 1:238; 5:86

Astragalus membranaceus for, 5:86

Cnidium monnieri for, 2:92

Crataegus spp. for, 1:241

Echinacea spp. for, 1:241

Ephedra sinica for, 5:89

 formulas for, 1:184, 185; 5:53–54

Ginkgo biloba for, 5:90

Glycyrrhiza glabra for, 1:243

 herbs for, 1:185; 4:189t

Mentha piperita for, 1:245

Rehmannia glutinosa for, 5:93

Rumex crispus for, 1:247

Salix alba for, 1:247

Salvia miltiorrhiza for, 5:93

Tanacetum parthenium for, 1:248; 2:104; 5:94

Urtica spp. for, 1:249; 5:94

Vaccinium myrtillus for, 5:94
- Hizikia fusiformis* (hijiki), 3:27
- hoeelen. *See Poria cocos* (hoeelen, fu ling)
- hofarighon (*Hypericum seabrum*), 4:71
- Hoffer, Abram, 4:5
- hollyhock. *See Alcea rosea* (hollyhock)
- holy basil. *See Ocimum sanctum, O. tenuiflorum* (holy basil)
- homeopathic remedies

Aconitum napellus preparations, 5:192

Allium cepa preparations, 5:85

Apis, 4:75

Arnica montana preparations, 5:133, 193

Atropa belladonna preparations, 5:133, 176, 193

 for bites and stings, 1:171t

 for bladder irritation, 5:57, 86

 for burns, 1:173t

Colchicum autumnale preparations, 5:135

 for eczema and allergic dermatitis, 1:188
- for enuresis, 1:131

 for eye conditions, 5:147t, 153, 154, 192

 for eye injuries, 5:154

Gelsemium sempervirens preparations, 5:66, 137, 197

 for headaches, 4:161

Lycopodium spp. preparations, 5:198

 for pain, 4:154, 181

 for panic disorder, 4:109

 for skin allergic conditions, 5:54t

 for stylos, 5:153

 for traumatic injuries, 5:98, 131

Veratrum album preparations, 5:203

 honey, for burns, 1:173; 4:190–91

 honey bee. *See Apis mellifica* (honey bee)
- honeysuckle. *See Lonicera japonica* (honeysuckle)
- honokiol, 4:82, 145

 hop marjoram (*Origanum dictamnus*), 4:67

 hops. *See Humulus lupulus* (hops)

 hops bag, 4:182, 197

 horchata, antioxidant benefits, 4:107, 142

 hordeolums, 5:153

See also stylos

 horehound. *See Marrubium vulgare* (horehound)
- hormonal cancers

 aromatase inhibitors for, 3:120

 dehydrogenase enzymes for, 3:155

 formula for, 3:158

Fucus vesiculosus for, 3:58

 isothiocyanate for, 3:157

 phytoestrogens for, 3:156

Pueraria montana var. *lobata* for, 3:97

See also reproductive cancers

 hormonal therapies, for dementia, 4:54–55

 horny goatweed. *See Epimedium* spp.
- horse chestnut. *See Aesculus hippocastanum* (horse chestnut)
- horseradish. *See Armoracia rusticana* (horseradish)
- horsetail. *See Equisetum* spp.

 hot flashes

Actaea racemosa for, 3:140

Cinchona officinalis for, 1:83

 formulas for, 1:226–27; 3:135

Salvia officinalis for, 1:247; 3:177

Sanguinaria canadensis for, 1:87, 247

 hot packs. *See* heat packs

 hot peppers. *See Capsicum* spp.

 hot vs. cold presentations, 5:66–67

 House-Cleaning Spray, Antifungal, 5:36

 household allergens, 5:47

 HPA axis (hypothalamic-pituitary-adrenal axis), 4:112

HSV. *See* herpes simplex virus (HSV)

 huaco (*Mikania glomerata*), 2:108t, 172

 Huang Lian Su tablets, 1:53, 54, 56

 huang qi. *See Astragalus membranaceus* (milk vetch, huang qi)

Huangqi Guizhi Wuwutang, 5:120
- huang qin. *See Scutellaria baicalensis* (huang qin)
- hub failure, 4:5
- human papillomavirus (HPV)

 formulas for, 3:111–15

 nutraceuticals for, 3:114

 overview, 1:199; 3:104, 111–13

 therapies for, 1:200

 humid asthma, 2:146–47, 164

See also asthma

 humoral immune response, 5:29

 humulone, 4:210

Humulus lupulus (hops)

 antiallergic qualities, 5:33t

 anti-inflammatory qualities, 4:128

 carminative qualities, 1:31

 for depression and anxiety, 4:101t, 103t

 formulas containing

 dyspepsia, 1:28

 hormonal cancers, 3:158

 insomnia, 4:115

 menopausal insomnia, 3:138

 GABAergic qualities, 4:110

 for menopausal symptoms, 3:136t, 138, 138t

 nerve qualities, 4:91

 for premenstrual syndrome, 3:125

 specific indications, 1:85; 3:171; 4:143, 209–10; 5:197

 as uterine sedative, 3:124

Huperzia serrata (Chinese club moss, qian ceng ta)

 for cerebral vascular insufficiency, 2:62

 for cognition, 4:53

 for dementia, 4:52

 for depression and anxiety, 4:101t

 for epilepsy and seizure disorders, 4:67

 formulas containing

 dementia, 4:55

 depression and anxiety, 4:102

 for multiple sclerosis, 5:82

 for neurological conditions, 4:28

 neuroprotective effects, 4:30

 specific indications, 2:96–97; 4:81

 huperzines, 2:97; 4:67, 81

 hurricane weed. *See Phyllanthus amarus* (chanca piedra, bahupatra, hurricane weed)

 hu zheng. *See Polygonum cuspidatum* (Japanese knotweed)

 hyaluronic acid

 in *Centella asiatica*, 1:159

 for joint pain, 4:187

 promotion of, for leaky gut syndrome, 1:79

 in Sweet and Sour Alginate “Cordial” for GERD, 1:39

Hydrangea spp.

 for dysuria, 1:116

 for hematuria, 1:115

 for pyuria, 1:115

 for thick and cloudy urine, 1:116, 139

 for urinary lithiasis, 1:142

- Hydrangea arborescens* (hydrangea), 1:162
- Hydrangea macrophylla* (hydrangea)
antiallergic qualities, 5:33t
mast-cell stabilizing effects, 2:144t
for pyuria, 1:115
specific indications, 2:167
- Hydrastis canadensis* (goldenseal), 5:189
alterative qualities, 1:27
antimicrobial qualities, 1:39, 51, 52, 56, 61, 71; 3:21t
antiparasitic qualities, 1:54
cholagogue action, 1:25
for dermatitis, 1:188
as drying agent, 2:133
for eye conditions, 5:147t, 148
for eye injuries, 5:154
formulas containing
anorexia, 1:37
diarrhea, 1:53
dyspepsia, 1:29
enteritis, 1:61
gastritis, 1:60
gastrointestinal bleeding, 1:67
GERD, 1:40
human papillomavirus, 3:114
nasal polyps, 5:173t, 174
oral allergic reactivity, 5:51
pyelonephritis, 1:120
respiratory allergies, 5:43
SIBO, 1:76
skin infections, 1:176, 177
skin lesions, 5:55t
ulcers, 1:64
vaginitis, 3:106
for fungal skin infections, 1:197
for genital fungal infections, 1:197
for *Helicobacter pylori* infections, 1:43
for impetigo, 1:179
for menorrhagia, 3:118
for mucous membranes, 5:189
for nasal polyps, 5:173t
for pain, 4:154
for pelvic inflammatory disease, 3:108
pill form, 1:54
for sinusitis, 5:171
for skin fissures, 1:235
for skin infections, 1:176
for skin lesions and cancers, 1:237
for skin ulcers, 1:231
specific indications, 1:85, 104, 244; 2:97, 167; 3:171
for stasis ulcers, 2:60
for throat pain, 5:191t
for tongue conditions, 5:178t
for vaginitis, 3:105
in vag packs, 3:114
for vascular pain, 4:200t
for warts, 1:200
- hydrogogues vs. renal depurants, 1:111
See also renal depurants
- hydrotherapy
for emphysema, 2:136–37
for headaches, 4:163
for neuralgia, 4:35
for pneumonia, 2:141
for trigeminal neuralgia, 4:37
- hygiene hypothesis, 5:30–31
- hyoscine, 1:141
- hyoscyamine
for urinary colic, 1:141
for urinary retention and bladder spasm, 1:128, 135, 136, 158
- Hyoscyamus niger* (henbane)
antispasmodic qualities, 1:135
for cramping pain in the bladder, 1:124
for epilepsy and seizure disorders, 4:68
formulas containing, 1:139
for overactive bladder, 1:128
for pain, 4:17, 166t, 171t
for Parkinson's disease, 4:60
specific indications, 1:162; 2:167–68; 4:210
tropane alkaloids from, 2:152
for urinary colic, 1:137, 138t, 141
- Hyoscyamus reticulatus* (henbane, shikkaron merushat), 4:61
hyperemic pain, herbs for, 4:167, 190, 200t, 217
- hyperglycemia
Allium cepa for, 3:89
Astragalus membranaceus for, 3:73, 90
Avena sativa for, 2:91
Berberis aquifolium for, 3:55, 90
Castanospermum australe for, 2:92
Centella asiatica for, 3:91
Cinnamomum spp. for, 2:92; 3:91, 167
Commiphora mukul for, 1:241
Coptis trifolia for, 3:92
Crataegus spp. for, 2:93; 3:93, 168
Curcuma longa for, 1:104
Cynara scolymus for, 1:104; 2:94; 3:169
diabetes and, 3:68
formulas for, 2:35
Glycine max for, 2:95
Gynostemma pentaphyllum for, 3:95
herbs for, 3:73
Lepidium meyenii for, 3:96
Nigella sativa for, 2:99
Ophiopogon japonicus for, 2:99
Opuntia ficus-indica for, 2:100
Plantago spp. for, 3:61, 97
Punica granatum for, 3:97
Raphanus sativus var. *niger* for, 2:101
role in cardiovascular disease, 2:26
Salvia miltiorrhiza for, 3:97
Silybum marianum for, 1:88, 106
Stevia rebaudiana for, 3:98
Syzygium spp. for, 2:104
Syzygium aromaticum for, 3:98
Trifolium pratense for, 3:178
Trigonella foenum-graecum for, 3:99
Urtica dioica for, 2:105
- Vaccinium myrtillus* for, 3:99
Vitis vinifera for, 3:99
Zingiber officinale for, 2:106; 3:99
- hyperhidrosis
Centella asiatica for, 1:240
formulas for, 1:226–27
- Hydrastis canadensis* for, 1:244
- Hypericum perforatum* for, 1:244
- Paeonia* spp. for, 1:105
- Pilocarpus jaborandi* for, 1:246
- Salvia officinalis* for, 1:247
- hypericin, 1:132, 133
- Hypericum perforatum* (St. Johnswort), 1:133; 4:93
anti-inflammatory qualities, 5:97
antispasmodic qualities, 1:138t
for arthritis, 5:115
for attention deficit hyperactivity disorder, 4:119
for Behçet's disease, 5:74
for Bell's palsy, 4:36
for bladder cancer, 1:132
for bladder mucosal lesions, 1:123
for breast conditions, 3:142
for bruising, 2:66
for connective tissues, 1:233
for contractures, 5:104
for crawling and tingling sensations, 1:232
for dental procedures, 5:146, 177
for depression and anxiety, 3:2; 4:91–92, 93, 101t, 143
for dermatitis, 1:188, 189
for dermatologic conditions, 1:171t
for digestive pain, 1:26
for enuresis, 1:131
for epilepsy and seizure disorders, 4:66
for eye conditions, 5:147, 147t, 154
flavonoids in, 2:33
formulas containing
acne rosacea, 1:205
Addison's disease, 3:51
alcohol recovery, 4:136
alcohol withdrawal seizures, 4:71
angioedema, 5:57
arrhythmias, 2:55
arthritis, 5:119, 120
attention deficit hyperactivity disorder, 4:121
Behçet's disease, 5:74
Bell's palsy, 4:36, 37
black eyes, 5:155
bladder cancer, 1:134
breast conditions, 3:143
burns, 1:172, 173
capillary fragility, 2:67
carpal tunnel syndrome, 4:48
cold sores, 5:184
contact dermatitis, 5:54
contractures, 5:105
costochondritis, 2:123
Cushing's syndrome, 3:52, 54
dental conditions, 5:176, 177

- Hypericum perforatum* (St. Johnswort)
(continued)
- depression and anxiety, 4:96, 98, 100
 - dermatitis, 1:186
 - diabetic neuropathy, 3:73
 - ear pain, 4:176
 - endometriosis, 3:149
 - enuresis, 1:131
 - erythema multiforme, 1:220
 - erythema nodosum, 1:221
 - esophageal disorders, 1:45
 - fibromyalgia, 5:110
 - frostbite, 1:237
 - genital herpes, 3:110
 - Guillain-Barré syndrome, 4:49
 - head injury-related seizures, 4:71
 - hemorrhoids, 1:49; 2:78
 - Henoch-Schönlein purpura, 5:75
 - herpes-induced ophthalmia, 5:150, 151
 - herpes lesions, 1:232
 - herpetic neuralgia, 4:40, 41, 182
 - hot flashes, 3:135
 - hyperhidrosis, 1:227
 - insomnia, 4:114, 116
 - interstitial cystitis, 1:123, 124
 - itching skin, 1:186
 - labyrinthitis, 5:162
 - lupus, 5:76
 - lymphedema, 2:83
 - Ménière's disease, 5:164
 - menopausal symptoms, 3:138; 4:100
 - menstrual cramps, 3:125
 - metastatic pain, 4:195
 - multiple sclerosis, 5:83
 - muscle pain, 5:106, 108, 109
 - musculoskeletal trauma, 5:96, 97, 98
 - myositis conditions, 5:71
 - nephropathy, 3:73
 - neuralgia, 4:35, 180
 - neurogenic bladder, 1:127
 - nociceptive pain, 4:179
 - oral allergic reactivity, 5:51
 - orbital cellulitis, 5:148
 - otitis externa, 5:163
 - otitis media, 5:161
 - overactive bladder, 1:130
 - pain, 4:169, 187
 - pancreatitis, 1:70
 - peripheral neuropathy, 4:44, 45, 46, 47
 - pigmentation disorders, 1:224, 226
 - pleurisy, 2:139
 - polycystic ovarian syndrome, 3:147
 - pompholyx, 5:55
 - premenstrual syndrome, 3:126
 - psoriasis, 1:210
 - PTSD, 4:111
 - restless legs syndrome, 4:33
 - sciatica, 5:131
 - seizures, 4:72
 - shingles, 1:231; 4:182
 - skeletal fractures and bone injuries, 5:101
 - skin trauma, 1:174, 175
 - smoking cessation, 4:133
 - streptococcal infections, 1:233
 - superficial pain, 4:191
 - telangiectasias, 2:66
 - tinnitus, 5:166
 - traumatic brain injury, 4:55
 - trigeminal neuralgia, 4:38, 39
 - ulcerated skin, 1:231, 232
 - urinary tract infections, 3:136
 - urinary tract reactivity, 5:57, 59
 - vaginal lubricant, 3:153
 - varicosities, 2:74, 75
 - venous congestion, 2:76
 - vertigo, 5:168
 - warts, 1:200
 - withdrawal symptoms, 4:130, 135, 136
 - GABAergic qualities, 4:110
 - for genital herpes, 3:109
 - for headaches, 4:159
 - for heart infections, 2:72
 - for Henoch-Schönlein purpura, 5:75
 - for herpes simplex viral infections, 5:181
 - for herpetic neuralgia, 4:40
 - for inflammatory bowel diseases, 1:34
 - for insomnia, 4:114
 - for itching skin, 1:187
 - for menopausal symptoms, 3:136t, 138t
 - multiple mechanisms of action, 3:2
 - for muscle pain, 4:183t
 - for musculoskeletal trauma, 5:96, 98
 - for myositis conditions, 5:70
 - nervine qualities, 1:30; 4:91
 - for neuralgia, 4:34–35, 180t; 5:131
 - for neurogenic bladder, 1:126, 127
 - for neurological conditions, 4:27
 - opiate agonist qualities, 4:134
 - for otitis externa, 5:163
 - for overactive bladder, 1:129
 - for pain, 4:154, 170t, 171t
 - for peripheral neuropathy, 4:42, 43t
 - photosensitizing qualities, 1:225
 - for pleurisy, 2:138
 - for premenstrual syndrome, 3:125
 - for restless insomnia, 1:15; 2:17; 3:17, 18; 4:20, 5:20
 - for restless legs syndrome, 4:32
 - for schizophrenia, 4:125
 - serotonin-promoting qualities, 4:92
 - for skin allergic conditions, 5:54t
 - for skin eruptions, 1:190, 194
 - for skin fissures, 1:235
 - for skin hypersensitivity, 1:232
 - for skin lesions and cancers, 1:237
 - for skin protection, 1:230
 - specific indications, 1:85, 162, 244; 2:97, 168; 3:59, 95–96, 171; 4:81, 143, 210; 5:91, 138, 197–98
 - for telangiectasias, 1:208
 - for thyroiditis, 3:31
 - for tinnitus, 5:165, 166
 - for topical skin products, 1:228
 - for trigeminal neuralgia, 4:37
 - for urinary tract reactivity, 5:58
 - for vascular pain, 4:200t
 - for vascular reactivity, 5:60
 - for warts, 1:199
 - for withdrawal symptoms, 4:128
 - for wound healing, 4:192t
- Hypericum scabrum* (hofarighon, alafe chai), 4:71
- hyperlipidemia
- Allium cepa* for, 3:89
 - Allium sativum* for, 3:90
 - Alpinia galanga* for, 3:165
 - Angelica sinensis* for, 3:90
 - Arctium lappa* for, 1:81, 101; 3:166
 - Atractylodes* spp. for, 2:91
 - Avena sativa* for, 2:91
 - Berberis aquifolium* for, 3:55, 90
 - Borago officinalis* for, 2:91
 - Centella asiatica* for, 1:182
 - Cinnamomum* spp., 3:91, 167
 - Commiphora mukul* for, 1:241; 2:93; 3:56, 168
 - Coptis chinensis* for, 2:93
 - Crataegus* spp. for, 2:93; 3:93, 168
 - Curcuma longa* for, 1:83, 104; 2:94; 3:57, 93, 168
 - Cynara scolymus* for, 1:104; 2:94; 3:93, 169
 - formulas for, 2:32–37, 47; 3:74–75
 - Ginkgo biloba* for, 3:58, 94
 - Glycine max* for, 2:95
 - Gynostemma pentaphyllum* for, 3:95
 - Hemidesmus indicus* for, 2:167
 - herbs for, 3:82
 - Hippophae rhamnoides* for, 2:96
 - hypolipidemic agents for, 2:34
 - Iris versicolor* for, 2:97
 - Leonurus cardiaca* for, 3:59
 - Linum usitatissimum* for, 2:98
 - Malus domestica* for, 2:99
 - Medicago sativa* for, 3:173
 - Ophiopogon japonicus* for, 2:99
 - Opuntia* spp. for, 2:100; 3:60
 - overview, 2:32
 - Panax ginseng* for, 2:100
 - as part of the deadly quartet, 3:65
 - Plantago* spp. for, 3:61, 97
 - Punica granatum* for, 3:97
 - Raphanus sativus* var. *niger* for, 2:101
 - Rheum palmatum* for, 2:102
 - role in cardiovascular disease, 2:26
 - Salvia miltiorrhiza* for, 2:103; 3:62, 97
 - Schisandra chinensis* for, 2:103
 - Scutellaria baicalensis* for, 2:103
 - Silybum marianum* for, 1:88, 106; 2:103
 - Stevia rebaudiana* for, 3:98
 - Syzygium cumini* for, 3:99
 - Taraxacum officinale* for, 2:104
 - Theobroma cacao* for, 2:105
 - Trachyspermum ammi* for, 2:105
 - Trifolium pratense* for, 3:178

- hyperlipidemia (*continued*)
Trigonella foenum-graecum for, 3:179
Vitis vinifera for, 3:99
Zingiber officinale for, 2:106; 3:63, 99
See also high cholesterol
- hyperpigmentation, with Addison's disease, 3:51
- hypersensitivity immune response
 formulas for, 5:35–36
 overview, 5:29
- hypertension
Achillea millefolium for, 2:89
Allium sativum for, 2:90; 3:90
Ammi visnaga for, 2:90
Angelica sinensis for, 2:90
Apium graveolens for, 2:90
Avena sativa for, 2:91
Camellia sinensis for, 2:91; 3:91
Castanospermum austrole for, 2:92
Ceanothus americanus for, 3:91
 from chronic renal failure, 1:152
Cinnamomum spp. for, 2:92; 3:91
Cnidium monnieri for, 2:92
Coleus forskohlii for, 2:177
Coptis chinensis for, 2:93
Crataegus spp. for, 2:93; 3:93, 168
Crinum glaucum for, 2:93
Desmodium styracifolium for, 2:94
 Dr. Stansbury's General Alterative Tea for, 1:27
Eleutherococcus senticosus for, 2:94
 energetic considerations, 2:14–15
Eschscholzia californica for, 2:95
Foeniculum vulgare for, 3:94
 folkloric herbs for, 2:44
 formulas for, 2:41–47; 3:141
Ginkgo biloba for, 2:95
Glycine max for, 2:95
Glycyrrhiza glabra concerns, 3:146
Gymnema sylvestre for, 2:96; 3:95
 herbs for, 1:103, 240, 247
Hibiscus sabdariffa for, 2:96; 3:95
Iris versicolor for, 2:97
Lavandula spp. for, 2:97
Leonurus cardiaca for, 2:98; 3:59, 139
Lepidium latifolium for, 2:98
Lepidium meyenii for, 3:96
Lobelia inflata for, 3:60
Lycopus europaeus for, 3:60
Matricaria chamomilla for, 2:99
Melissa officinalis for, 2:99; 4:146
 menopause-related, 3:141
Mitrugyna speciosa for, 4:146
Nigella sativa for, 2:99
Oplopanax horridus for, 2:99
 overview, 2:41–42
Panax ginseng for, 2:100
 as part of the deadly quartet, 3:65
Passiflora spp. for, 2:100; 4:148
Pinus pinaster for, 2:100
Piscidia piscipula for, 4:149
Plantago psyllium for, 2:101
- Pueraria montana* var. *lobata* for, 2:101; 3:97
Rauvolfia serpentina for, 3:61; 4:150
 role in cardiovascular disease, 2:25–26
Salvia miltiorrhiza for, 2:102
Schisandra chinensis for, 2:103
Scutellaria baicalensis for, 2:103
Selenicereus grandiflorus for, 2:103
Senna spp. for, 2:103
Silybum marianum for, 2:103
Taraxacum officinale for, 2:104
Theobroma cacao for, 2:105
Tilia × europea for, 2:105
Trachyspermum ammi for, 2:105
Uncaria tomentosa for, 2:105
Urtica dioica for, 2:105
Valeriana officinalis for, 2:106; 3:62
Veratrum viride for, 4:87
Ziziphus spinosa for, 2:106
- hyperthyroidism
Berberis aquifolium for, 3:55
Bupleurum falcatum for, 3:55
Citrus sinensis for, 3:56
Eleutherococcus senticosus for, 3:57
 formulas for, 2:53; 3:39–45
 hyperhidrosis with, 1:227
Hypericum perforatum for, 3:59
Iris versicolor for, 3:59
Leonurus cardiaca for, 3:172
Lithospermum spp. for, 3:59
Lobelia inflata for, 3:60
Lycopus virginicus for, 1:163; 3:60, 172
Melissa officinalis for, 3:60, 173
 overview, 3:26, 28, 39–41
Rauvolfia serpentina for, 3:61
 rosmarinic acid for, 3:43
Rosmarinus officinalis for, 3:62
Valeriana officinalis for, 3:62
- hyperthyroid-related diarrhea, 1:51, 57
See also diarrhea
- hyperventilation, dyspnea with, 2:124
- hyperventilation syndrome, treating, 2:140
- hypochlorhydria
 alteratives for, 1:25, 26
Artemisia absinthium for, 1:81
 digestive stimulants for, 1:25
 formulas for, 1:28–29
 herbs for, 1:74
 malabsorption from, 1:72–73
- Rumex crispus* for, 1:87, 105, 247
- hypolipidemic agents, 2:34
- hypotension
Aconitum carmichaelii for, 2:89
 with Addison's disease, 3:51
Adonis vernalis for, 2:89
 with adrenal insufficiency, 3:48
Coleus forskohlii for, 2:101
Crataegus spp. for, 2:93; 3:93
 formulas for, 2:85–86; 3:51
Fucus vesiculosus for, 2:95
Glycyrrhiza glabra for, 3:58
- Gymnema sylvestre* for, 2:96; 3:95
Strophantus hispidus for, 2:104
 hypothalamic-pituitary-adrenal (HPA) axis, 3:46, 53
 hypothyroidism
Camellia sinensis for, 3:91
Coleus forskohlii for, 3:56
Coptis trifolia for, 3:92
 dry, scaly skin from, 1:189
 dysfunctional uterine bleeding and, 3:117
Echinacea spp. for, 3:93
Eleutherococcus senticosus for, 3:57
 formulas for, 3:34–39
Fucus vesiculosus for, 2:95; 3:58
 hair loss from, 1:213
 heel fissures from, 1:234
Hypericum perforatum for, 3:59
Iris versicolor for, 3:59
Opuntia spp. for, 3:60
 overlap with metabolic syndrome, 3:66
 overview, 3:26–28, 34–35
Panax ginseng for, 3:61, 96
 with polycystic ovarian syndrome, 3:147
Raphanus spp. for, 3:176
Rosmarinus officinalis for, 3:61, 62
Zingiber officinale for, 3:63
- Hyssopus officinalis* (hyssop), 2:133, 168; 3:110
- I**
- IBD. *See* inflammatory bowel diseases (IBD)
- Iberis amara* (candytuft), 1:77
- iboga. See Tabernanthe iboga* (iboga)
- ibogaine, 4:137
- IBS. *See* irritable bowel syndrome (IBS)
- ice chips, for throat pain, 5:187, 190
- ice packs, for headaches, 4:163–64
- Ilicium verum* (star anise), 4:120
- imiquimod ointments, 3:111, 112
- immortal. *See* *Helichrysum* spp.
- immune deficiency
Cordyceps sinensis for, 5:88
Eleutherococcus senticosus for, 5:89
 immunomodulating herbs for, 5:64
- Oenothera biennis* for, 5:92
- immune-modulating and -supporting herbs
 for allergies, 5:28, 32, 33–34t, 44
Aloe spp., 3:110
Andrographis paniculata, 3:54
 for arthritis, 5:114, 119
- Asparagus racemosus*, 3:166
- Astragalus membranaceus*, 2:159; 3:31, 55, 84, 90, 166; 5:75, 193
 for autoimmune disorders, 5:64, 66
- Bupleurum falcatum*, 3:55, 73
 for colds, 5:169
- Coleus forskohlii*, 2:177
 for debility, 3:49
- Echinacea* spp., 3:93; 5:136, 196
- Eleutherococcus senticosus*, 1:84; 2:94; 3:47, 57, 169

immune-modulating and -supporting herbs
(continued)

- Epimedium grandiflorum*, 3:57, 169
- for eye, ear, nose, mouth, and throat conditions, 5:145
- Ganoderma lucidum*, 3:58, 94; 5:37, 66, 75, 90
- Glycyrrhiza glabra*, 2:96; 3:53, 58; 5:51, 52, 53, 75
- Grifola frondosa*, 1:104, 243; 5:91, 138
- Gynostemma pentaphyllum*, 3:95
- for inflammatory bowel diseases, 1:34
- for leaky gut syndrome, 1:78
- Melaleuca alternifolia*, 5:92
- Morinda citrifolia*, 2:172
- for multiple sclerosis, 5:82
- mushrooms, 3:69
- Neopicrorhiza scrophulariiflora*, 2:172
- Oenothera biennis*, 2:173; 5:92
- Panax ginseng*, 1:246; 2:174; 3:174; 5:92
- Perilla frutescens*, 5:45
- Persicaria tinctoria*, 2:175
- Phyllanthus amarus*, 5:93
- Phytolacca americana*, 3:175
- Piper longum*, 2:177
- Piper methysticum*, 2:177
- plant alkaloids, 5:79, 80
- for prostatitis, 1:151
- Rehmannia glutinosa*, 5:67
- Saussurea costus*, 2:179
- Schisandra chinensis*, 2:180
- Selaginella uncinata*, 2:180
- for SIBO, 1:75
- Smilax* spp., 3:177
- Thuja* spp., 3:178
- for thyroiditis, 3:29
- Uncaria tomentosa*, 1:166
- for warts, 1:199
- Withania somnifera*, 2:184; 3:47
- immune responses, types of, 5:29
- immunizations, childhood, 4:70–71
- immunoglobulin A vasculitis, 5:74–75
- immunoglobulin E (IgE), 5:28, 31
- immunosuppressants
 - for autoimmune disorders, 5:64–65
 - Celastrus aculeatus* as, 5:87
 - colchicine as, 5:73, 123
 - for lupus, 5:76
 - for multiple sclerosis, 5:81–82
 - Phyllanthus amarus* as, 5:93
- Impatiens balsamina* (garden balsam), 4:129, 134
- impetigo, herbs and formula for, 1:179, 249
- impotence. *See* erectile dysfunction
- incontinence
 - Atropa belladonna* for, 1:158
 - Elymus repens* for, 1:160
 - Equisetum* spp. for, 1:160
 - formulas for, 1:130–31
 - Thuja* spp. for, 1:166
 - Turnera diffusa* for, 1:166
- Indian coleus. *See* *Coleus forskohlii* (coleus, Indian coleus)

Indian frankincense. *See* *Boswellia serrata* (frankincense)

- Indian ginseng. *See* *Withania somnifera* (ashwagandha, Indian ginseng)
- Indian gooseberry. *See* *Phyllanthus emblica* (amla, amalaki, Indian gooseberry)
- Indian ipecac. *See* *Tylophora asthmatica*, *T. indica* (Indian ipecac)
- Indian lotus. *See* *Nelumbo nucifera* (lotus, Indian lotus)
- Indian sarsaparilla. *See* *Hemidesmus indicus* (hemidesmus, Indian sarsaparilla)
- Indian snakeroot. *See* *Rauvolfia serpentina* (Indian snakeroot)
- Indian tobacco. *See* *Lobelia inflata* (pukeweed, Indian tobacco)
- indigenous knowledge, honoring of, 2:1–8
- indirubin, 2:131, 175
- indole-3-carbinol, 3:157
- indole alkaloids, 5:80
- indoles, 3:103
- indwelling catheters, 1:117, 126
- infants
 - Chionanthus virginicus* for jaundice in, 1:83, 103
 - diarrhea in, 1:58
 - otitis media in, 5:160
 - Pimpinella anisum* for, 1:86
 - seborrhea in, 5:54
 - teething in, 5:198, 200, 202
 - thrush in, 5:181
- infections
 - Achillea millefolium* for, 1:237
 - Aconitum napellus* for, 5:131
 - Albizia lebbeck* for, 2:157
 - Allium cepa* for, 3:89
 - Alstonia scholaris* for, 2:157
 - Andrographis paniculata* for, 1:157, 238; 2:158; 3:54, 90
 - Armoracia rusticana* for, 5:193
 - Astragalus membranaceus* for, 1:103, 239; 2:159; 3:90, 166; 5:86, 193
 - Berberis aquifolium* for, 1:245; 2:160; 5:194
 - Caesalpinia sappan* for, 2:160
 - Capsicum annuum* for, 5:134
 - Chelone glabra* for, 1:83, 103
 - Cinnamomum verum* for, 5:195
 - Commiphora myrrha* for, 1:241; 5:195
 - cooling and warming antimicrobials, 1:197; 2:21; 3:21; 4:23t, 24t; 5:23t, 24t
 - Coptis trifolia* for, 1:83; 3:56, 92, 168; 5:195
 - Curcuma longa* for, 3:57, 93, 168; 5:89, 195
 - depression and anxiety with, 4:99
 - with diabetes, 3:71
 - diarrhea from, 1:51
 - digestive pain associated with, 1:26
 - Echinacea* spp. for, 1:241; 2:94, 163; 3:93; 5:136, 195, 196
 - Eleutherococcus senticosus* for, 1:242; 5:89
 - Ganoderma lucidum* for, 1:104; 5:90
 - Glycyrrhiza glabra* for, 1:243; 5:138
 - Grifola frondosa* for, 5:91
 - Henoch-Schönlein purpura* linked to, 5:74
 - Hypericum perforatum* for, 4:143
 - Hyssopus officinalis* for, 2:168
 - Isatis tinctoria* for, 2:168
 - Juniperus communis* for, 2:168–69
 - Lomatium dissectum* for, 5:139
 - Lycium barbarum* for, 2:170
 - Melissa officinalis* for, 4:146
 - Ocimum sanctum* for, 2:173
 - Oenothera biennis* for, 5:92
 - Origanum vulgare* for, 1:246; 2:174; 5:139
 - Panax ginseng* for, 1:246; 2:174; 5:139
 - Phellodendron amurense* for, 3:174
 - Phytolacca americana* for, 3:175; 5:139
 - Pimpinella anisum* for, 5:200
 - reactive arthritis from, 5:71
 - Reynoutria multiflora* for, 2:102
 - role of terrain in addressing, 2:9–10
 - Rosmarinus officinalis* for, 2:179
 - Rubia cordifolia* for, 4:214–15
 - Salix alba* for, 5:201
 - Salvia officinalis* for, 3:176; 5:201
 - skin eruptions from, 1:194
 - Spilanthes acmella* for, 5:141
 - as symptom of healing crises, 1:8
 - Tabebuia impetiginosa* for, 5:202
 - Thuja* spp. for, 3:178
 - Thymus vulgaris* for, 5:202
 - Uncaria tomentosa* for, 2:105, 183
 - Zingiber officinale* for, 5:203
 - See also specific types*
 - infectious arthritis
 - Achillea millefolium* for, 5:131
 - Melaleuca alternifolia* for, 5:139
 - infectious diarrhea, 1:54, 56, 84, 87
 - See also* diarrhea
 - infertility
 - Angelica sinensis* for, 3:166
 - antiandrogenic herb concerns, 3:148, 173–74
 - Astragalus membranaceus* for, 3:166
 - Epimedium grandiflorum* for, 3:169
 - Eurycoma longifolia* for, 3:169
 - Foeniculum vulgare* for, 3:170
 - formulas for, 3:129–134, 164
 - Glycyrrhiza glabra* for, 3:170
 - herbs for, 3:131t
 - Leonurus cardiaca* for, 3:172
 - Lepidium meyenii* for, 3:96, 132, 163, 172
 - Panax ginseng* for, 3:174
 - Tribulus terrestris* for, 3:178
 - Trifolium pratense* for, 3:178
 - Urtica* spp. for, 3:179
 - inflammation
 - Achillea millefolium* for, 4:201
 - Aconitum napellus* for, 4:181; 5:131
 - Acorus calamus* for, 4:202
 - Aloe vera* for, 1:81; 4:203
 - Alstonia scholaris* for, 2:157
 - Ananas comosus* for, 5:132

- inflammation (*continued*)
- Andrographis paniculata* for, 5:132
 - Anemone pulsatilla* for, 4:203
 - apitherapy for, 5:86
 - Arcium lappa* for, 3:166; 5:133
 - Arctostaphylos uva ursi* for, 1:157–58
 - Artemisia dracunculus* for, 4:204
 - Astragalus membranaceus* for, 3:166
 - Berberis aquifolium* for, 3:166; 5:134
 - Boswellia serrata* for, 4:204–5
 - bromelain for, 5:108
 - Bryonia dioica* for, 4:205
 - Bupleurum* spp. for, 3:55, 90–91; 4:27, 140
 - Butea monosperma* for, 4:205
 - Camellia sinensis* for, 2:91
 - Cannabis sativa* for, 4:205
 - Caulophyllum thalictroides* for, 5:134
 - Celastrus aculeatus* for, 4:206
 - Centella asiatica* for, 2:92; 3:55, 91
 - Chelidonium majus* for, 4:206
 - Cinnamomum* spp. for, 5:87, 135
 - Citrullus colocynthis* for, 4:206
 - Cnidium monnieri* for, 5:135
 - Coleus forskohlii* for, 3:56, 92, 167; 4:78
 - Conium maculatum* for, 5:136
 - Crataegus* spp. for, 3:57; 5:136
 - Cucurbita pepo* for, 3:168
 - Curcuma longa* for, 1:104; 3:93, 168; 4:78, 207; 5:89, 136
 - Dioscorea villosa* for, 4:207
 - Echinacea* spp. for, 5:136
 - Eclipta alba* for, 1:104
 - Eleutherococcus senticosus*, 3:57
 - Epimedium brevicornu* for, 5:137
 - Equisetum arvense* for, 3:93
 - Filipendula ulmaria* for, 5:137
 - Foeniculum vulgare* for, 1:242
 - Fucus vesiculosus* for, 5:90
 - Ganoderma lucidum* for, 1:243
 - Gastrodia elata* for, 4:79
 - Gaultheria procumbens* for, 5:137
 - Ginkgo biloba* for, 4:80
 - Glycyrrhiza glabra* for, 1:161, 243; 2:96; 3:170; 4:80, 143; 5:90
 - Hamamelis virginiana* for, 1:161, 243; 4:209
 - Harpagophytum procumbens* for, 4:209; 5:138
 - Hemidesmus indicus* for, 2:167
 - Humulus lupulus* for, 4:210
 - Huperzia serrata* for, 4:81
 - Hydrastis canadensis* for, 3:171
 - Hypericum perforatum* for, 1:85; 2:168; 3:59, 95–96; 4:27, 81, 210
 - Jasminum grandiflorum* for, 4:81
 - Lavandula angustifolia* for, 4:82, 210
 - Ligusticum striatum* for, 4:145, 211
 - Linum usitatissimum* for, 2:169; 4:82
 - Magnolia officinalis* for, 2:171; 4:82
 - Matricaria chamomilla* for, 4:82, 146
 - Medicago sativa* for, 3:173
 - Melaleuca alternifolia* for, 5:92
 - Melissa officinalis* for, 4:146
 - Morinda citrifolia* for, 2:172
 - Nigella sativa* for, 4:212
 - Ocimum sanctum* for, 2:173; 3:173; 4:148, 212
 - Oenothera biennis* for, 2:173
 - Olea europaea* for, 2:173
 - Paeonia lactiflora* for, 2:174
 - Panax ginseng* for, 4:27, 148; 5:139
 - Passiflora incarnata* for, 2:175
 - Perilla frutescens* for, 2:175; 4:148, 149
 - Persicaria tinctoria* for, 2:175
 - Petasites hybridus* for, 1:163; 4:212; 5:41, 93
 - Petroselinum crispum* for, 2:175; 3:174
 - Phellodendron amurense* for, 3:174
 - Phyllanthus amarus* for, 5:93
 - Phytolacca americana* for, 3:175; 4:213
 - Picrorhiza kurroa* for, 5:93
 - Pimpinella anisum* for, 5:200
 - Pinus pinaster* for, 2:176; 5:139
 - Piper longum* for, 2:177
 - Piper methysticum* for, 2:177; 4:27
 - Polygonum cuspidatum* for, 2:178
 - Populus tremuloides* for, 1:164
 - Poria cocos* for, 2:101
 - Rehmannia glutinosa* for, 4:213; 5:93
 - Reynoutria multiflora* for, 2:102
 - Rheum palmatum* for, 2:178
 - Rhodiola rosea* for, 3:61
 - Ribes nigrum* for, 4:85
 - Ricinus communis* for, 4:214
 - role in depression, 4:90
 - Rosa canina* for, 2:179
 - Rosmarinus officinalis* for, 2:179; 4:214
 - Rubia cordifolia* for, 4:214
 - Salix alba* for, 5:140, 201
 - Salvia miltiorrhiza* for, 3:176; 4:151; 5:93, 201
 - Salvia officinalis* for, 4:85
 - Saussurea costus* for, 2:179
 - Scutellaria baicalensis* for, 1:106; 2:103, 180; 4:27, 215; 5:93, 141
 - Selaginella uncinata* for, 2:180
 - Sesamum indicum* for, 5:141
 - Silybum marianum* for, 2:103, 180
 - Smilax* spp. for, 3:177; 4:86
 - smoothie for, 4:173
 - Solidago canadensis* for, 5:201
 - Stemona* spp. for, 2:181
 - Strychnos nux-vomica* for, 4:215
 - Tabebuia impetiginosa* for, 5:202
 - Tanacetum parthenium* for, 4:86, 216; 5:142, 202
 - Taraxacum officinale* for, 2:104
 - Tephrosia purpurea* for, 2:182
 - Terminalia chebula* for, 2:182
 - Tinospora cordifolia* for, 2:182
 - Trichosanthes kirilowii* for, 2:182
 - Trigonella foenum-graecum* for, 3:99
 - Tripterygium wilfordii* for, 4:216
 - Turnera diffusa* for, 3:179
 - Tylophora asthmatica* for, 2:183
 - Uncaria* spp. for, 2:183; 4:216
 - Urtica* spp. for, 5:142
 - Vaccinium myrtillus* for, 2:183; 4:87; 5:203
 - Valeriana officinalis* for, 4:87
 - Veratrum viride* for, 4:87
 - Verbena hastata* for, 5:143
 - Vitis vinifera* for, 2:184
 - Withania somnifera* for, 4:88; 5:143
 - Yucca schidigera* for, 5:143
 - Zingiber officinale* for, 1:167; 2:106, 184; 3:63, 99; 4:88; 5:94, 143, 203
 - See also specific types of inflammation*
 - inflammatory bowel diseases (IBD)
 - formulas for, 1:34–36; 5:80–81
 - herbs for, 5:79, 90
 - overview, 5:78–80
 - inflammatory diarrhea, 1:51
 - See also diarrhea*
 - influenza
 - Achillea millefolium* for, 2:156
 - Actaea racemosa* for, 2:157
 - Echinacea purpurea* for, 5:196
 - Ephedra sinica* for, 5:89
 - Eupatorium perfoliatum* for, 2:165; 5:196
 - formulas for, 2:123
 - hemoptysis with, 2:127
 - herbs for, 2:131; 5:148, 188
 - Hydrastis canadensis* for, 2:167
 - Isatis tinctoria* for, 2:168
 - Ligusticum porteri* for, 2:169
 - Ligusticum striatum* for, 2:169
 - Lomatium dissectum* for, 2:170; 5:139
 - Lonicera japonica* for, 2:170
 - Lophatherum gracile* for, 2:170
 - Melissa officinalis* for, 2:172
 - myalgia with, 5:108
 - Nepeta cataria* for, 2:173
 - Ocimum sanctum* for, 2:173
 - Pelargonium sidoides* for, 2:175
 - Persicaria tinctoria* for, 2:175
 - Sambucus canadensis* for, 2:179
 - Stemona* spp. for, 2:180
 - Sticta palmaria* for, 2:181
 - Taraxacum officinale* for, 2:182
 - Terminalia chebula* for, 2:182
 - infusions, definition of, 1:20; 2:22; 3:23; 4:25; 5:25
 - inhalers, for asthma, 5:46
 - innate immune response, 5:29
 - inner ear infections, 5:162, 168
 - Inonotus obliquus* (chaga mushroom), 3:69
 - inositol
 - biliary support qualities, 1:73
 - in *Ceratonia siliqua*, 3:91
 - for hormone-related infertility, 3:130
 - for insulin sensitivity, 3:70, 77
 - in legumes, 3:70
 - for malabsorption, 1:74
 - in *Medicago sativa*, 3:87
 - for supporting fertility, 3:132

- insect bites, formulas for, 4:188–89
See also bites and stings
- insomnia
Albizia julibrissin for, 4:139
 cortisol-related, 3:50
Corydalis cava for, 4:141
Eschscholzia californica for, 1:84; 4:142
 formulas for, 1:124; 3:50, 136, 138; 4:114–16
 herbs for, 3:136t
Humulus lupulus for, 1:85; 3:171; 4:143, 210
Lavandula angustifolia for, 4:144
Leonurus cardiaca for, 4:144
Magnolia officinalis for, 4:145
Matricaria chamomilla for, 4:146, 211
Melissa officinalis for, 4:146
 menopause-related, 3:136, 138
Nelumbo nucifera for, 4:147
Nepeta cataria for, 4:147
Nymphaea noctiflora var. *caerulea* for, 4:147
 overview, 4:113–14
Passiflora spp. for, 4:97, 148
Piscidia piscipula for, 4:149
Rhodiola rosea for, 4:150
 sample cases, 1:14–15, 14, 15; 2:16–17, 16, 17; 3:16–18, 16, 17; 4:18–20, 19; 5:18–20, 19
Schisandra chinensis for, 2:180; 4:86, 151; 5:141, 201
Scutellaria lateriflora for, 3:177; 4:151
Tilia americana for, 4:87
Tilia × europaea for, 2:105
Valeriana officinalis for, 3:62; 4:87, 152, 217
Withania somnifera for, 3:63; 4:152; 5:143
Ziziphus jujuba for, 4:152
Ziziphus spinosa for, 2:106
- insulin resistance
Astragalus membranaceus for, 3:90
Coleus forskohlii for, 3:92
Commiphora mukul for, 3:92
 diabetes and, 3:65
Glycyrrhiza glabra for, 3:59, 94
 herbs for, 3:71
 legume family herbs for, 3:70
Opuntia spp. for, 3:60, 83
 with polycystic ovarian syndrome, 3:144
- insulin sensitivity
Berberis aquifolium for, 3:90
Camellia sinensis for, 3:91
Ceratonia siliqua for, 3:91
Glycyrrhiza glabra for, 3:170
Gymnema sylvestre for, 3:95
Gynostemma pentaphyllum for, 3:95
Hibiscus sabdariffa for, 3:95
 legumes for, 3:68
Momordica charantia, 3:96
Nigella sativa for, 3:96
Ophiopogon japonicus for, 2:99
Tamarindus indica for, 3:99
Taraxacum officinale for, 2:104
Vaccinium myrtillus for, 3:99
- insurance, denial of natural medicine practitioners, 5:1, 4
- intercourse, painful. *See* dyspareunia (painful intercourse)
- “Interim Policy on Compounding Using Bulk Drug Substances Under Section 503A of the Federal Food, Drug, and Cosmetic Act” (FDA), 5:4
- interleukins, role in allergies, 5:29
- intermittent fasting, 3:66–67
- interstitial cystitis
 as bladder hypersensitivity, 1:127
 formulas for, 1:121–26
 herbs for, 1:158, 159, 162, 165
 overview, 1:121, 123
 potassium sensitivity test for, 1:150
 protocol for, 1:126
- intestinal cramps
 antispasmodics for, 1:24
 carminatives for, 1:31
Carum carvi for, 1:82
Foeniculum vulgare for, 1:84, 242
 formulas for, 1:28, 32
Matricaria chamomilla for, 1:86
Nepeta cataria for, 1:86
Pimpinella anisum for, 1:86
Syzygium aromaticum for, 1:88
Viburnum prunifolium for, 1:88
- intestinal dysbiosis
Allium sativum for, 1:81
 alterative herbs for, 5:34
Arctium lappa for, 1:81; 3:166
Berberis aquifolium for, 1:245; 3:55, 90, 167; 5:134, 194
Coptis trifolia for, 1:83; 3:92, 168; 5:195
Curcuma longa for, 1:84, 104; 3:57, 93, 168, 5:89
 fungal infections with, 1:195
 halitosis associated with, 1:50–51
Origanum vulgare for, 1:246; 5:199
Punica granatum for, 5:200
Rhamnus purshiana for, 1:247
 role in allergies, 5:28, 29
 role in musculoskeletal conditions, 5:96
Tabebuia impetiginosa for, 5:202
Taraxacum officinale for, 1:166
- intestinal gas. *See* flatulence; gas, intestinal
- intestinal health
 gut-joint axis linked to, 5:114
 importance of intestinal flora, 3:81
 importance to musculoskeletal health, 5:96, 105
- intestinal infections
Azadirachta indica for, 1:82
Coptis trifolia for, 1:83
Hydrastis canadensis for, 1:85
Tabebuia impetiginosa for, 1:88
- intestinal inflammation
Achillea millefolium for, 1:81, 238
Filipendula ulmaria for, 1:84
Salix alba for, 1:87
- intestinal pain. *See* digestive pain
- intestinal parasites
Artemisia absinthium for, 1:81
Chenopodium ambrosioides for, 1:83
Juglans nigra for, 1:85
Origanum vulgare for, 1:86, 246
Punica granatum for, 1:87
 therapies for, 1:55
- intestinal spasms
 formula for, 4:197
Hyoscyamus niger for, 4:210
Lobelia inflata for, 4:211
Matricaria chamomilla for, 4:211
Mentha piperita for, 4:211
- intestinal ulcerations
Equisetum arvense for, 1:242
Equisetum for, 1:84
Glycyrrhiza glabra for, 1:85
Matricaria chamomilla for, 1:86
- Inula cappa* (sheep’s ear), 5:80
- Inula helenium* (elecampane)
 for bronchitis, 2:131, 133
 formulas containing
 bronchitis, 2:133
 otitis media, 5:161
 inulin in, 3:69
 neuroprotective effects, 4:30
 for respiratory infections, 2:130
 specific indications, 2:168
- Inula racemosa* (inula), 2:144t; 5:31t, 33t
- inulin, 3:69, 81
- iodine
 for goiter, 3:32
 in paronychia hand soak, 1:194
 for skin infections, 1:176
 sources of, 3:27, 34
 for thyroid function, 3:30, 34
- iodine deficiency, 3:32, 34
- Ipomoea batatas* (sweet potato), 4:30
- Irish moss. *See* *Chondrus crispus* (Irish moss)
- Iris tenax* (wild iris), 5:24t
- Iris versicolor* (wild iris, blue flag, vegetable mercury), 3:33
 alterative qualities, 1:27
 for appendectomy recovery, 1:67
 for breast cysts, 3:143
 cholagogue action, 1:90
 for dermatologic conditions, 1:171t
 for dry mouth, 5:185
 energy dispersant qualities, 3:21t
 for eye conditions, 5:147t, 149t
 formulas containing
 acne, 1:202, 203
 anorexia, 1:38
 arthritis, 5:120
 autoimmune disorders, 5:68
 conjunctivitis, 5:150
 dry mouth, 5:186
 eczema, 1:189
 emphysema, 2:137
 gastroparesis, 1:77

- Iris versicolor* (wild iris, blue flag, vegetable mercury) (*continued*)

goiter, 3:32, 33, 34

headaches, 4:164

hyperlipidemia, 2:37

lung conditions, 2:123

peripheral vascular insufficiency, 2:58

renal failure, 1:155

thyroiditis, 3:30

vascular support, 2:28

for goiter, 3:32, 33, 34

for headaches, 4:160, 164

for malabsorption, 1:74

for otitis media, 5:159

for ovarian cysts, 3:144

overview, 3:33

for poor circulation, 2:63

for skin eruptions, 1:194

specific indications, 1:85, 104, 244; 2:97, 168; 3:59; 4:210; 5:198

for thyroiditis, 3:31

for tongue conditions, 5:178t

for varicosities, 2:74

as warming stimulant, 3:21t
- iritis, formula for, 5:84
- iron

absorption of, 5:128

for attention deficit hyperactivity disorder, 4:118

for glossitis, 5:179

for nerve pain, 4:180t

Plummer-Vinson syndrome and, 5:182

potential toxicity of, 2:68

for restless legs syndrome, 4:33

sources of, 2:68, 70
- iron deficiency anemia, formulas for, 2:68–70
- irritable bowel syndrome (IBS)

Achillea millefolium for, 1:81, 101, 238

Carum carvi for, 1:82

cautions about bitter alteratives, 1:31

Chionanthus virginicus for, 1:83, 103

definition of, 1:30

Elettaria cardamomum for, 1:84

energetic considerations, 1:12–13

formulas for, 1:30–33; 4:125

laxatives and, 1:48

Matricaria chamomilla for, 1:86

restorative agents for, 1:43

ruling out food allergies and intolerances, 1:24

SIBO associated with, 1:75
- irritant diuretics, 1:109
- irritant laxatives, 1:46, 47, 48
- Isatis tinctoria* (woad, dyer's woad, ban lan gen), 2:131, 144t, 168; 5:80
- ischemia-induced neuropathy, herbs for, 4:34
- isoflavones

amphotericism and, 3:127

for bladder cancer, 1:132, 134

for bone density, 5:125, 126

chemopreventive effects, 3:157
- in Dairy-Free Isoflavone Bean Chowder, 3:160
- for dental conditions, 5:175
- for fracture healing, 5:100
- influence on reproductive cancers, 3:155–56
- in legumes, 3:150, 157–58, 178
- in *Medicago sativa*, 5:139
- for prostate cancer, 1:148
- for prostatic diseases, 1:143, 146
- in *Pueraria* spp., 5:140
- in *Trifolium pratense*, 5:142

for uterine fibroids, 3:150
- isopetasins, 4:194
- isoquinoline alkaloids, 5:79–80
- isothiocyanates, 1:123, 132; 3:38–39, 157
- ispaghula. *See Plantago ovata* (plantain, ispaghula)
- itching skin

Avena sativa for, 1:239; 5:86

Chelidonium majus for, 1:240

from chronic renal failure, 1:152

Cnidium monnieri for, 5:87

Eugenia caryophyllata for, 5:89

formulas for, 1:186–87; 5:54, 55

Gaultheria procumbens for, 4:208

Grindelia squarrosa for, 5:91

Hamamelis virginiana for, 5:91

herbs for, 1:185, 187, 197

Hypericum perforatum for, 1:244; 5:91

Iris versicolor for, 1:244

Juglans spp. for, 1:244

Lavandula angustifolia for, 1:244

Mentha piperita for, 1:245; 4:211; 5:92

Phytolacca spp. for, 1:246

Picrorhiza kurroa for, 5:93

Rumex crispus for, 1:105, 247

Sanguinaria canadensis for, 1:247

Scrophularia nodosa for, 1:247

Symphtum officinale for, 1:248

Syzygium aromaticum for, 1:248; 4:216

Tanacetum parthenium for, 5:94

therapies for, 4:189t

topical protocols, 5:54

Urtica spp. for, 1:249; 5:94
- IV-induced phlebitis, compress for, 5:63
- J**
- jaborandi. *See Pilocarpus jaborandi* (jaborandi); *Pilocarpus microphyllus* (jaborandi)
- Jacobaea maritima* (dusty miller, silver ragwort), 5:152
- Jamaican dogwood. *See Piscidia piscipula* (Jamaican dogwood)
- jambolan, jambul. *See Syzygium cumini* (jambul, jambolan)
- jambul. *See Syzygium jambos* (roseapple)
- Japanese arrowroot. *See Pueraria montana* var. *lobata* (kudzu, gegen, Japanese arrowroot)
- Japanese bigleaf magnolia (*Magnolia obovata*), 2:144t
- Japanese cornel. *See Cornus officinalis* (Japanese cornel)
- Japanese knotweed. *See Polygonum cuspidatum* (Japanese knotweed)
- Japanese pepper. *See Zanthoxylum piperitum* (Japanese pepper)
- Japanese wireweed. *See Sargassum muticum* (Japanese wireweed)
- Jasminum grandiflorum* (jasmine)

for depression and anxiety, 4:102

for epilepsy and seizure disorders, 4:67

specific indications, 4:81, 144
- Jasminum sambac* (Arabian jasmine), 3:153
- jamamansi (*Valeriana jamamansi*), 4:87
- jaundice

Andrographis paniculata for, 1:101

Bupleurum spp. for, 1:103

Chelidonium majus for, 1:82, 103

Chelone glabra for, 1:103

Chionanthus virginicus for, 1:83, 103

Curcuma longa for, 1:104

Hydrastis canadensis for, 1:104

Morella cerifera for, 1:105

Podophyllum peltatum for, 1:105

Silybum Marianum for, 1:106

Stillingia sylvatica for, 1:106

Taraxacum officinale for, 1:88, 106

Terminalia spp. for, 1:106

Tinospora cordifolia for, 1:106

Java plum (*Syzygium cumini*), 3:98–99
- Jell-O-like dessert, 3:85–86
- Jerusalem artichoke (*Helianthus tuberosus*), 3:69
- jervanine alkaloids, 4:191
- jiaogulan. *See Gynostemma pentaphyllum* (jiaogulan)
- Jimsonweed. *See Datura stramonium* (Jimsonweed, devil's snare)
- Jiu Wei Zhen Xin, 4:106
- Job's tears. *See Coix lacryma-jobi* (Job's tears)
- joint pain

Alpinia galanga for, 4:203

Bryonia dioica for, 4:205

Colchicum autumnale for, 4:206, 207

Conium maculatum for, 4:207

Dioscorea villosa for, 4:207; 5:136

Equisetum spp. for, 5:101

Filipendula ulmaria for, 5:137

formula for, 4:185

Gaultheria procumbens for, 4:208

Harpagophytum procumbens for, 4:209; 5:138

herbs for, 4:166t

Mentha piperita for, 4:211

Rumex crispus for, 5:140

Salix alba for, 5:140

Sanguinaria canadensis for, 5:141

Scutellaria baicalensis for, 5:141

Spilanthes acmella for, 5:141

Stellaria media for, 5:141

topical protocol for, 4:187

Uncaria spp. for, 4:216

Urtica spp. for, 5:142

Withania somnifera for, 4:218

- joint pain (*continued*)
Zingiber officinale for, 5:143
jojoba (Simmondsia chinensis), 5:48
Jones, Eli, 4:200
Juglans spp., 1:54, 73
Juglans cinera (walnut), 5:198
Juglans nigra (black walnut)
 antimicrobial qualities, 1:61
 for dermatitis, 1:189
 for dermatologic conditions, 1:171t
 formulas containing
 acne, 1:202, 203
 diarrhea, 1:55
 malabsorption, 1:73
 seborrhea, 5:55
 skin lesions, 5:55t
 as irritant laxative, 1:47, 48
 for itching skin, 1:187
 for malabsorption, 1:74
 for seborrheic dermatitis, 1:190
 for skin infections, 1:176, 197
 specific indications, 1:85, 244
 for warts, 1:199
Juglans regia (English walnut), 1:73, 244; 4:69
 juices
 for arthritis, 5:117
 for bone health, 5:129
 for capillary fragility, 2:67
 for heavy metal neuropathy, 4:46, 50
 for retinopathies, 5:157
 vegetable, 2:31
jujube. *See Ziziphus jujuba* (Chinese date, jujube)
Juniperus communis (juniper)
 for congestive heart failure, 2:50
 formulas containing
 arthritis, 5:119
 carpal tunnel syndrome, 4:48
 congestive heart failure, 2:50
 peripheral neuropathy, 4:45
 renal failure, 1:155
 urinary conditions, 1:111, 112, 116
 for *Helicobacter pylori* infections, 1:43
 irritant diuretic qualities, 1:109
 for peripheral neuropathy, 4:43t
 for renal failure, 1:154t
 specific indications, 1:162; 2:97, 168–69; 3:172
 for tuberculosis, 2:156
 for urinary conditions, 1:108
Juniperus sabina (savín juniper), 3:128
Justicia adhatoda (Malabar nut), 2:169; 5:33t
Justicia vasica, 2:108t
jyotishmati. *See Celastrus paniculatus*
 (jyotishmati, malkangani)
- K**
kaempferol, 5:125
Kaiser Permanente, 4:90
kajya (Griffonia simplicifolia), 4:92
kanten diet, 3:85
kavain (kawain), 1:125, 135; 4:85; 5:107, 140
- kava kava*. *See Piper methysticum* (kava)
kavalactones, 1:125; 4:42, 149, 213
keloids
Allium cepa for, 5:85
Centella asiatica for, 5:87
Curcuma longa for, 5:89
 formulas for, 1:181–83
 herbs for, 1:181, 238, 239, 241, 242
Hippophae rhamnoides for, 5:91
kelp. *See Ascophyllum nodosum* (kelp); *Laminaria spp.* (kelp); *Macrocystis pyrifera* (kelp)
keratitis
Apis mellifica for, 5:192
 herpes-induced, 5:150–51
 infectious, 5:151
keratitis sicca. *See dry eyes*
ketogenic diet
Borago officinalis in, 4:76
 for epilepsy and seizure disorders, 4:68, 70
Oenothera biennis in, 4:84
Ribes nigrum in, 4:85
ketum. *See Mitragyna speciosa* (kratom, kratom, ketum)
khadira (Acacia catechu), 5:141
khella. *See Ammi visnaga* (khella)
khellin, 5:46, 62, 85
khellinone, 5:85
kratom. *See Mitragyna speciosa* (kratom, kratom, ketum)
 kicking the habit, as term, 4:135
kidney congestion. *See renal congestion*
kidney disorders. *See renal disorders*
kidney insufficiency. *See renal insufficiency*
kidney stones. *See urinary lithiasis*
king of bitters. *See Andrographis paniculata*
 (king of bitters)
kinnickinnick. *See Arctostaphylos uva ursi*
 (uva ursi)
kino tree. *See Pterocarpus marsupium* (kino tree)
Kloss, Jethro, 1:177
knee pain
Boswellia serrata for, 4:205
Colchicum autumnale for, 4:207
Withania somnifera for, 4:218
Korean perilla. *See Perilla frutescens* (Korean perilla, shiso, perilla)
koumine, 4:209; 5:66
kratom. *See Mitragyna speciosa* (kratom, kratom, ketum)
kudzu. *See Pueraria spp.* (kudzu)
kutki. *See Picrorhiza kurroa* (kutki)
kwandari. *See Terminalia spp.*
- L**
labor
Lobelia inflata for, 3:172
Rubus idaeus for, 3:176
Laburnum anagyroides (laburnum, golden chain)
 formulas containing, 4:134–35
 for inflammatory bowel diseases, 5:79
- safety concerns, 4:144
 specific indications, 4:144
labyrinthitis, 5:162, 168
Lachesis mutus (bushmaster snake), 1:171t
lacrimal gland strictures, 5:153
lactation
 antigalactagogue for excessive, 3:134
Cnicus benedictus for, 3:167
Foeniculum vulgare for, 3:170
 formulas for, 3:133, 143
 galactagogues for, 3:134
Salvia officinalis for reducing, 3:177
Urtica spp. for, 3:179
Vitex agnus-castus concerns, 3:148
lactoferrin, 5:68
lactose intolerance, 1:24
lady's mantle. *See Alchemilla vulgaris*
 (lady's mantle)
Laminaria spp. (kelp), 1:42, 214; 3:27, 27, 33
Langerhans cells, 5:49
lanolin, 4:189
large-headed atractylodes. *See Atractylodes ovata* (white atractylodes)
Larrea tridentata (chaparral), 1:224, 225, 230; 3:112, 113
laryngitis
Achillea millefolium for, 2:156
Aconitum napellus for, 2:156
Cinnamomum camphora for, 2:161
Collinsonia canadensis for, 2:161; 5:195
Dracocephalum rupestre for, 2:163
Eupatorium perfoliatum for, 2:165
 formulas for, 5:190–91
 herbs for, 5:191t
Lomatium dissectum for, 5:198
Lycopodium spp. for, 5:198
Rumex crispus for, 2:179
Sticta pulmonaria for, 2:181
Stillingia sylvatica for, 2:181
Lavandula spp. (lavender)
 formulas containing
 phlebitis, 2:81
 pneumonia, 2:141
 stasis ulcers, 2:60
 for hypertension, 2:41
 for poison ivy/oak dermatitis, 1:237
 for scabies and lice, 1:198
 specific indications, 2:97
Lavandula angustifolia (lavender)
 in Antifungal House-Cleaning Spray, 5:36
 anti-inflammatory qualities, 4:128
 for anxiety, 4:16, 17, 104; 5:17
 in aphrodisiac tea, 3:153
 aromatherapy with, 4:72–73, 104
 for bites and stings, 1:170–71
 carminative qualities, 1:31
 for depression and anxiety, 4:94, 101t, 102
 for eczema and allergic dermatitis, 1:188
 for epilepsy and seizure disorders, 4:67, 72–73
 footbaths with, 4:105

Lavandula angustifolia (lavender) (*continued*)

formulas containing
 burns, 1:172, 173
 bursitis and tendinitis, 5:103
 dermatitis, 1:186
 headaches, 4:165
 itching skin, 1:187
 neuralgia, 4:182
 restless legs syndrome, 4:33
 for fungal skin infections, 1:195, 196, 197
 for *Helicobacter pylori* infections, 1:43
 in mocktail syrup base, 4:136
 in Mouthwash for Halitosis, 1:51
 nervine qualities, 4:91
 opiate agonist qualities, 4:134
 for pain, 4:170t, 171t
 for painful itching, 4:189t
 for panic disorder, 4:109
 for poison ivy/oak dermatitis, 1:203
 for scabies and lice, 1:198
 for schizophrenia, 4:125
 specific indications, 1:244–45; 4:82, 144, 210
 for warts, 1:199
 for withdrawal symptoms, 4:128

Lavandula officinalis. *See Lavandula angustifolia* (lavender)

lawn daisy (*Bellis perennis*), 4:186

laxatives

Aloe vera, 1:101
 formulas for, 1:32–33
 irritant vs. bulk, 1:47, 48
Rhamnus purshiana, 1:247
Ricinus communis, 1:87
 lead herbs. *See* base herbs
 leafless mistletoe (*Viscum articulatum*), 2:48
 leaky gut syndrome
 autoimmune disorders linked to, 5:63
 inflammation from, 4:172
 overview, 1:78–81
 role in allergies, 5:28
 role in musculoskeletal conditions, 5:96
 lebbeck tree. *See* *Albizia lebbeck* (siris, lebbeck tree)

lecithin

 in Better Butter, 3:85
 for childhood immunization support, 4:71
 formulas containing
 Bell's palsy, 4:37
 leaky gut syndrome, 1:79
 liver disease, 1:97
 Parkinson's disease, 4:65
 peripheral neuropathy, 4:45
 in legumes, 3:70
 for liver support, 1:93
 sulfur in, 1:122
 lectins, 1:144; 2:54, 80, 132, 178
Ledum palustre (marsh tea), 1:171t
 legumes, 5:126
 for bone health, 5:125, 126
 Dairy-Free Isoflavone Bean Chowder, 3:160

for diabetes, 3:68–69
 for fracture healing, 5:100
 in high-fiber diet, 3:67
 hormonal cancers and, 3:157–58, 159
 for insulin resistance, 3:70
 isoflavones in, 3:150, 157–58
 in Legume Truffle Superfood for Chemotherapy Patients, 3:159–160

lei gong teng. *See* *Tripterygium wilfordii* (thunder god vine)

leiomyomas. *See* uterine fibroids

lemon. *See* *Citrus limon* (lemon)

lemon balm. *See* *Melissa officinalis* (lemon balm)

lemon grass. *See* *Cymbopogon citratus* (lemon grass)

Lentinula edodes (shiitake)

 formulas containing, 5:39
 for inflammatory bowel diseases, 1:34
 inulin in, 3:69
 as mineral source, 5:125
 for respiratory allergies, 5:42
 in soup, 1:35
 for warts, 1:199

Leonurus cardiaca (motherwort), 3:139

 for angina, 2:38
 for arrhythmias, 2:53, 55, 56–57
 beta-blocking properties, 3:41
 for depression and anxiety, 4:92, 101t
 fibrinolytic properties, 2:73

formulas containing

 amenorrhea, 3:122, 123
 amphetamine cessation, 4:135
 arrhythmias, 2:53, 55
 depression and anxiety, 4:98
 diarrhea, 1:57
 headaches, 4:165
 hyperhidrosis, 1:227
 hypertension, 2:42, 44, 45–46, 47
 hyperthyroidism, 3:41, 44
 hypothyroidism, 3:37
 menopausal symptoms, 3:138, 139, 141; 4:110
 panic disorder, 4:110
 thyroiditis, 3:30
 uterine fibroids, 3:151
 for headaches, 4:158
 for heart palpitations, 3:59, 139
 hormonal-balancing effects, 3:157
 for hyperthyroidism, 3:28
 for menopausal symptoms, 3:138, 138t, 139, 141
 for menorrhagia, 3:118
 opiate agonist qualities, 4:134
 for overactive bladder, 1:128
 for premenstrual syndrome, 3:125
 specific indications, 2:98; 3:59, 172; 4:144–45

for thyroiditis, 3:31
 for uterine fibroids, 3:150
 for uterine vascular congestion, 3:128
 for withdrawal symptoms, 4:128

Leonurus japonicus (Chinese motherwort,

yi mu co), 5:33t

leopard's bane. *See* *Arnica montana*

(leopard's bane)

leourine, 3:139

Lepidium apetalum (du xing cai), 2:153

Lepidium latifolium (rompe piedras), 2:98

Lepidium meyenii (maca), 3:163

5α-reductase inhibition, 1:218; 3:162

for anxiety, 4:101t

for arrhythmias, 2:55

for asthma, 2:145

for benign prostatic hypertrophy, 1:147

bismuth in, 1:63

for bone density, 5:125

bronchodilating properties, 2:108t

for congestive heart failure, 2:50

for depression, 4:103t

formulas containing

 arrhythmias, 2:55
 asthma, 2:145
 dyspnea, 2:124
 esophageal disorders, 1:44
 heart stress at high altitudes, 2:52
 hormone-related infertility, 3:130
 hypotension, 2:86
 impotence, 2:87
 menopausal symptoms, 3:139
 muscle weakness, 5:111
 overactive bladder, 1:130
 peripheral vascular insufficiency, 2:58, 61
 prostatic diseases, 1:146, 148, 151
 for fracture healing, 5:100
 for hormone-related infertility, 3:130, 131t
 hypoglycemic effects, 3:73
 lipid-lowering effects, 3:82
 for low libido, 3:152, 163
 milk shake recipe, 3:162
 minerals in, 5:100t
 for muscle weakness, 5:110, 111
 for myalgia, 5:109
 for myositis conditions, 5:70
 for poor circulation, 2:58, 63
 for prostatic diseases, 1:144
 specific indications, 1:162; 2:98, 169; 3:96, 172; 4:145
 for supporting fertility, 3:96, 132, 163
Leptandra virginica (Culver's root)
 alterative qualities, 1:27
 cholagogue action, 1:90
 specific indications, 1:85, 104
 leptin, 4:130
Lespedeza capitata (roundhead bushclover), 1:139, 154t, 163
 lesser periwinkle. *See* *Vinca minor*
 (lesser periwinkle)

- leukoplakia
formula for, 5:186
natural medicine for, 5:187
- leukotrienes, 5:35, 44
- Levisticum officinale* (lovage)
antispasmodic qualities, 1:138t
for cramping pain in the bladder, 1:124
diuretic qualities, 1:112
specific indications, 1:163
- levodopa (L-dopa), 4:60, 62
- levothyroxine, for hypothyroidism, 3:34
- Lewy bodies, 4:60
- libido, low
Asparagus racemosus for, 3:166
Epimedium grandiflorum for, 3:169
herbs for, 3:152–53, 163
overview, 3:151
Ptychopetalum olacoides for, 3:175
Serenoa repens for, 3:177
Tribulus terrestris for, 3:178
Turnera diffusa for, 3:153, 179
See also aphrodisiacs
- lice
Azadirachta indica for, 1:82, 239
Eucalyptus globulus for, 1:242
formulas for, 1:197–98
Hedemora pulegioides for, 1:243
Lavandula angustifolia for, 1:245
Melaleuca alternifolia for, 1:245
Syzygium aromaticum for, 1:248
Thymus vulgaris for, 1:249
- lichen planus
Cannabis sativa for, 1:240
Commiphora myrrha for, 1:241
formulas for, 1:211–12
Glycyrrhiza glabra for, 1:243
Sanguinaria canadensis for, 1:247
- lichen simplex chronicus, 1:192
- licorice. *See Glycyrrhiza glabra* (licorice)
- lidocaine, 2:114, 115
- lidocaine therapy, 4:169
- lignins, 3:156
- Ligusticum* spp.
for COPD, 2:148
for opportunistic lung infections, 2:134
for pleurisy, 2:138
- Ligusticum chuanxiong*. *See Ligusticum striatum* (ligusticum)
- Ligusticum officinale*. *See Cnidium officinale* (snow parsley)
- Ligusticum porteri* (osh)
for bronchitis, 2:131
formulas containing
arrhythmias, 2:53
bronchitis, 2:132
COPD, 2:151
coughs, 2:117
pneumonia, 2:141
for respiratory infections, 2:121
specific indications, 2:169
- Ligusticum striatum* (Chinese lovage root, Szechuan lovage, chuanxiang)
antiallergic qualities, 5:33t
for benign prostatic hyperplasia, 3:161
for cerebral vascular insufficiency, 2:61, 62
for depression, 4:103t
formulas containing
coronary artery disease, 2:40
depression, 4:105
goiter, 3:33
headaches, 4:164
hemochromatosis, 2:71
hyperthyroidism, 3:43
respiratory allergies, 5:43
schizophrenia, 4:125
vertigo, 5:167, 168
GABAergic qualities, 4:110
for headaches, 4:159
for hemochromatosis, 2:71
for neuralgia, 4:34
for peripheral neuropathy, 4:42, 43t
for respiratory infections, 2:130
specific indications, 2:98, 169; 4:145, 210–11
for strokes, 2:65
for viral infections, 2:131
- lignozazine, 2:61
- Ligustrum lucidum* (Chinese privet), 1:132
- lily of the valley. *See Convallaria majalis* (lily of the valley)
- linden. *See Tilia* spp.
- Lindera aggregata* (evergreen lindera, wu yao), 5:80
- liniments
for arthritis, 5:117
for bursitis and tendinitis, 5:102, 103
for lung conditions, 2:111, 113
for lung pain, 4:195
for muscle pain, 4:183
for muscle spasms and myalgia, 5:109
for musculoskeletal trauma, 5:96–97
for peripheral neuropathy, 4:45
- Linum usitatissimum* (flax), 4:69
- for allergies, 5:48
in Better Butter, 3:85
for bladder cancer, 1:134
as bulk laxative, 1:47, 48
for burning tongue syndrome, 5:182
for dermatitis, 1:189
for eczema and allergic dermatitis, 1:188
for epilepsy and seizure disorders, 4:69
essential fatty acids in, 5:84
- in Flax Crax, 3:79
- formulas containing
Bell's palsy, 4:37
demyelinating polyneuropathy, 4:49
hyperhidrosis, 1:227
in high-fiber diet, 3:67
in oatmeal, 2:33
PAF inhibiting properties, 2:77
for peripheral neuropathy, 4:43, 43t
- in *Poria* steam cakes, 4:107
for respiratory conditions, 2:108
for seborrheic dermatitis, 1:190
seed oil from, 2:43; 4:57
for skin fissures, 1:235
specific indications, 2:98, 169; 4:82; 5:91
for vascular support, 2:31
in Yacon Cookies, 3:80
- lip conditions
Echinacea purpurea for, 5:196
formulas for, 5:181–86
overview, 5:178–181
- lipids, elevated. *See hyperlipidemia*
- α-lipoic acid, 4:47
- liposomes, 4:64–65
- lipotropic formula capsules, 1:93
- Lippia alba* (bushy matgrass, pitiona), 4:110
- Lithospermum officinale* (gromwell)
for goiter, 3:32
rosmarinic acid in, 3:43
specific indications, 3:59
for thyroiditis, 3:31
- Lithospermum ruderale* (stoneseed), 3:41, 59
- Liu-He-Dan Ointment for Pancreatitis, 1:71
- liver and gallbladder formulas
categories of herbs for, 1:90–91
listing of formula types, 1:89
- liver cancer, 1:101, 104
- liver congestion
Achillea millefolium for, 1:81, 101, 238; 5:192
Berberis aquifolium for, 1:85, 105; 5:134, 194
Bupleurum spp. for, 1:103
Ceanothus americanus for, 1:82, 103, 240
Chelidonium majus for, 1:83, 103
Chelone glabra for, 1:83, 103
Cynara scolymus for, 1:84
eye conditions linked to, 5:149
formula for, 5:107
Iris versicolor for, 1:104
Morella cerifera for, 1:86, 105; 5:199
Podophyllum peltatum for, 1:164
Quercus spp. for, 1:247
Raphanus sativus var. *niger* for, 2:101
Rumex crispus for, 5:140
Silybum marianum for, 2:103; 5:201
Stillingia sylvatica for, 1:106; 5:94, 141
Taraxacum officinale for, 1:166, 248; 2:104; 5:142, 202
- liver disease
Arctium lappa for, 1:101
Astragalus membranaceus for, 1:103
Bupleurum falcatum for, 3:55
Bupleurum spp. for, 1:103
Glycyrrhiza glabra for, 1:85
Grifola frondosa for, 1:104
Hydrastis canadensis for, 1:104
Morella cerifera for, 1:86, 105
Paeonia spp. for, 1:105
Picrorhiza kurroa for, 1:246
Podophyllum peltatum for, 1:105

- liver disease (*continued*)
- Quercus alba* for, 1:105
 - Schisandra chinensis* for, 1:106
 - Scutellaria baicalensis* for, 1:106
 - Silybum marianum* for, 1:106; 3:62, 98
 - Smilax ornata* for, 3:177
 - Syzygium cumini* for, 3:99
 - Taraxacum officinale* for, 1:106
 - See also* cirrhosis of the liver
- liver disorders
- herbs for, 1:86, 88, 101–6
 - overview, 1:89
 - See also specific disorders*
- liver enlargement
- Bupleurum* spp. for, 1:103
 - Chionanthus virginicus* for, 1:83, 103
 - Eclipta alba* for, 1:104
 - Iris versicolor* for, 1:104, 244
 - Podophyllum peltatum* for, 1:105
 - Taraxacum officinale* for, 1:106
- liver function
- Achillea millefolium* for, 3:165
 - alteratives for, 1:26
 - Andrographis paniculata* for, 1:101, 238
 - Apium graveolens* for, 2:90
 - Arctium lappa* for, 1:239; 3:166
 - Berberis aquifolium* for, 3:167
 - Bupleurum falcatum* for, 3:55, 91
 - cholagogues for, 1:25
 - Cnicus benedictus* for, 1:103, 240; 2:92; 3:56, 167
 - Coptis chinensis* for, 2:93
 - Coptis trifolia* for, 3:56, 92
 - Curcuma longa* for, 1:103–4; 3:57, 93; 5:60, 84, 89, 195
 - Cynara scolymus* for, 2:94; 3:93, 168
 - environmental toxins exposure and, 3:67
 - importance to musculoskeletal health, 5:95–96, 105, 111
 - Juglans cinerea* for, 5:198
 - Nigella sativa* for, 2:99
 - Peumus boldo* for, 1:105
 - Phyllanthus amarus* for, 5:93
 - Raphanus* spp. for, 3:176
 - Rumex* for, 1:13
 - Schisandra chinensis* for, 2:103; 5:201
 - Silybum marianum* for, 3:98
 - Taraxacum* for, 1:13
 - Taraxacum officinale* for, 3:62, 99; 5:202
 - in TCM, 2:17
 - Tinospora cordifolia* for, 1:106
 - toxin-triggered disorders and, 5:68, 122
 - Trigonella foenum-graecum* for, 3:179
- liver herbs
- alterative, 1:26, 27
 - biliary support qualities, 1:73
 - for cystic fibrosis, 2:135
 - for esophageal varices, 1:45
 - for hypertension and hyperlipidemia, 2:35
 - for leaky gut syndrome, 1:79
- overview, 1:89–90; 4:95–96
- for poor circulation, 2:63
- for SIBO, 1:75
- for varicosities, 2:74
- liver infections, 1:94t, 106
- liver inflammation
- Cnicus benedictus* for, 1:103
 - Cynara scolymus* for, 1:104
 - Ganoderma lucidum* for, 1:104
 - Morella cerifera* for, 1:86, 105
 - overview, 1:89
- liver pain and fullness
- Chionanthus virginicus* for, 1:83, 103
 - Iris versicolor* for, 1:104, 244
 - Scutellaria baicalensis* for, 1:106
 - Silybum marianum* for, 1:106
- liver tonics
- Andrographis paniculata*, 1:101
 - Cynara scolymus*, 1:104
 - Eclipta alba*, 1:104
 - Schisandra chinensis*, 1:106
- Lloyd Brothers formulas, 1:63, 96, 125, 142, 189
- LOBARIA PULMONARIA*. *See* *Sticta pulmonaria* (lungwort)
- Lobelia inflata* (pukeweed, Indian tobacco), 2:122
- for altered breath sounds, 2:118
 - for angina, 2:38
 - anti-inflammatory qualities, 4:128
 - antispasmodic qualities, 1:11, 135, 136, 138t, 163; 2:13; 3:13; 4:16; 5:16, 97, 109
 - bronchodilating properties, 2:108t
 - in calming formulas, 1:18; 2:20; 3:20
 - for COPD, 2:149t
 - for coughs, 2:117, 130
 - as counterirritant, 2:132
 - for cramping pain in the bladder, 1:124
 - for depression and anxiety, 4:101t
 - for emphysema, 2:136, 137
- formulas containing
- allergic airway disorders, 5:47, 49
 - amphetamine cessation, 4:135
 - angina, 2:39
 - anginal coronary spasm, 4:201
 - asthma, 2:145, 146
 - bronchitis, 2:133
 - chest pain, 4:193
 - coughs, 2:117, 119, 120, 123
 - cystic fibrosis, 2:135
 - dyspepsia, 1:28
 - dyspnea, 2:125
 - emphysema, 2:137
 - enuresis, 1:131
 - hyperthyroidism, 3:44
 - interstitial cystitis, 1:124
 - lung pain, 4:195
 - menopausal cardiac symptoms, 3:141
 - methamphetamine and nicotine addiction, 4:133–34
 - miscarriage, 3:132
 - muscle pain, 5:109
- overactive bladder, 1:130
- pain, 4:172–73
- panic disorder, 4:110
- pleurisy, 2:139
- renal colic, 4:199
- smoking cessation, 4:203
- ulcerated veins, 4:201
- urinary colic, 1:139, 142
- urinary tract reactivity, 5:59
- for headaches, 4:158
- for hemoptysis, 2:127
- liniments containing, 2:111, 113
- for lung conditions, 2:109, 122
- for menstrual cramps, 3:124–25
- for pain, 4:154, 166t, 171t
- plasters containing, 2:110
- for pleurisy, 2:139
- for poison ivy/oak dermatitis, 1:203
- for respiratory conditions, 2:115
- safety concerns, 1:18; 2:20; 3:20; 4:22; 5:22
- specific indications, 1:163, 245; 2:98, 170; 3:60, 172; 4:145, 211; 5:92, 198
- for tempering adrenaline surges, 4:109
- for tongue conditions, 5:178t
- for urinary colic, 1:136, 137
- as uterine sedative, 3:124
- for vascular pain, 4:200t
- for wheezing, 5:32
- lobeline, 2:98, 109, 111, 122; 4:133–34, 145
- locust bean gum, 3:91
- Lomatium dissectum* (biscuitroot)
- for altered breath sounds, 2:118
 - antimicrobial qualities, 3:21t; 4:24t
 - for colds, 5:170t
 - for COPD, 2:148
- formulas containing
- chest pain, 4:193
 - colds, 5:170
 - cold sores, 5:184
 - conjunctivitis, 5:148
 - COPD, 2:148
 - coughs, 2:117, 119, 121
 - laryngitis, 5:190, 191
 - pharyngitis, 5:189
 - pleurisy, 2:139
 - pneumonia, 2:141
 - psoriasis, 1:210
 - respiratory allergies, 5:43
- for opportunistic lung infections, 2:134
- for pleurisy, 2:138
- for respiratory infections, 2:121, 130
- for skin eruptions, 1:194
- specific indications, 1:245; 2:170; 5:138–39, 198
- for throat pain, 5:191t
- for thyroiditis, 3:28
- for tonsillitis and pharyngitis, 5:188
- for viral infections, 2:131
- for warts, 1:199
- long pepper. *See* *Piper longum* (pippali, long pepper)

- Lonicera japonica* (honeysuckle, ren dong teng)
 antiallergic qualities, 5:33t
 formulas containing
 Behcet's disease, 5:74
 colds, 5:170
 contact dermatitis, 5:55
 hives, 1:185
 specific indications, 1:245; 2:170
Lophatherum gracile (dan zhu ye gen), 2:131, 170
lopimune, 3:111, 112
 lotus. *See Nelumbo nucifera* (lotus, Indian lotus)
 lovage. *See Levisticum officinale* (lovage)
 love-in-a-mist. *See Nigella sativa* (black cumin, black seed, love-in-a-mist)
 low back pain
 Capsicum frutescens for, 4:205
 Celastrus aculeatus for, 5:87
 formula for, 4:196
 Harpagophytum procumbens for, 4:209
 therapies for, 5:130–31
 Verbascum thapsus for, 4:217
 Viburnum spp. for, 5:143
 lower urinary epithelial dysfunction (LUED), 1:109, 125, 127, 150; 5:57
 See also urinary tract reactivity
 LSD (lysergic acid diethylamide). *See* lysergic acid diethylamide (LSD)
 lubricant, for painful intercourse, 3:151, 153
 lucerne. *See Medicago sativa* (alfalfa)
 lucuma. *See Pouteria lucuma* (lucuma)
 Lugol's solution, 3:40, 142–43
 lung cancer
 apigenin for, 2:113
 Camellia sinensis for, 2:160
 Hemidesmus indicus for, 2:167
 lack of formulas for, 2:7
 Origanum vulgare for, 2:174
 Saussurea costus for, 2:179
 Scutellaria baicalensis for, 2:180
 Silybum Marianum for, 2:180
 lung disorders
 Andrographis paniculata for, 2:158
 Angelica dahurica for, 2:158
 Brassica nigra for, 2:160
 Camellia sinensis for, 2:160
 Centella asiatica for, 2:161
 Cnidium monnieri for, 2:161
 Corydalis cava for, 2:162
 Curcuma longa for, 2:162
 Digitalis purpurea for, 2:163
 Dracoccephalum rupestre for, 2:163
 Echinacea angustifolia for, 2:163
 Epimedium brevicornu for, 2:164
 Equisetum spp. for, 2:164
 Eriodictyon californicum for, 2:164
 Euphorbia spp. for, 2:165
 Foeniculum vulgare for, 2:166
 herbs for, 2:89–106
 Inula helenium for, 2:168
 Lepidium meyenii, 2:169
Ligusticum porteri for, 2:169
Ligusticum striatum for, 2:169
Magnolia officinalis for, 2:171
Marrubium vulgare for, 2:171
Matricaria chamomilla for, 2:171
Melaleuca alternifolia for, 2:171
Melilotus suaveolens for, 2:171–72
Melissa officinalis for, 2:172
Morella cerifera for, 2:172
Morinda citrifolia for, 2:172
Neopicrorhiza scrophulariiflora for, 2:172
Ophiopogon japonicus for, 2:174
Origanum vulgare for, 2:174
Paeonia lactiflora for, 2:174
Panax ginseng for, 2:174
Passiflora incarnata for, 2:175
Phyllanthus emblica for, 2:176
Piper nigrum for, 2:101
Polygonum cuspidatum for, 2:178
Pueraria montana var. *lobata* for, 2:177
Rhamnus purshiana for, 2:178
Selaginella uncinata for, 2:180
Silybum Marianum for, 2:180
Stellaria media for, 2:104
Stillingia sylvatica for, 2:181
Syzygium aromaticum for, 2:181
Taraxacum officinale for, 2:182
 topical protocols for, 2:109–14
Trichosanthes kirilowii for, 2:182
Verbascum thapsus for, 2:184
Zingiber officinale for, 2:184
 See also specific disorders
 lung pain
 Alpinia galangal for, 4:203
 formulas for, 4:193–95
 Mentha piperita for, 4:211
 Myristica fragrans for, 4:212
 topical protocols for, 2:114
 lungwort. *See Sticta pulmonaria* (lungwort)
 luo han guo. *See Siraitia grosvenorii* (monk fruit, luo han guo)
 lupulin, 4:143
 lupus
 chemical exposure linked to, 5:99
 Cordyceps sinensis for, 5:88
 formulas for, 5:76–78
 Ganoderma lucidum for, 5:90
 mouthwash for, 5:51–52
 overview, 5:76
 Ulmus fulva for, 5:142
 luteolin, 2:108, 144, 148
Lycium barbarum (goji berry, wolfberry)
 formulas containing
 COPD, 2:153
 lupus, 5:77
 Parkinson's disease, 4:61
 for retinopathies, 5:157
 for Sjögren's syndrome, 5:69
 in soup, 1:35
 specific indications, 2:170
Lycium chinense. *See Lycium barbarum*
 (goji berry, wolfberry)
 lycopene, 1:39, 148, 151
Lycopodiella cernua (club moss), 4:53
Lycopodium spp. (ground pine, creeping cedar, club moss), 4:53, 81; 5:198
Lycopodium complanatum (groundcedar), 5:80
Lycopus europaeus (gypsywort), 3:60
Lycopus virginicus (bugleweed)
 formulas containing
 arrhythmias, 2:53
 diarrhea, 1:57
 goiter, 3:34
 hemoptysis, 2:127
 hypertension, 2:47
 hyperthyroidism, 3:43
 menopausal anxiety, 4:110
 ovarian cysts, 3:144
 varicoceles, 2:75
 venous congestion, 2:76
 for goiter, 3:32, 34
 for hyperthyroidism, 3:28
 for menopausal insomnia, 3:136t
 rosmarinic acid in, 3:43
 specific indications, 1:163; 2:98, 170; 3:60, 172
 Lyme disease, *Spilanthes acmella* for, 5:141
 lymphatic pain
 formula for, 4:201
Phytolacca americana for, 4:170, 201, 213
 lymphatic system
 Aloe vera for, 1:238
 alterative herbs having affinity for, 1:27
 Ceanothus americanus for, 3:91
 Galium aparine for, 1:161
 Iris versicolor for, 2:97; 3:59
 Phytolacca spp. for, 1:246; 2:100; 3:61, 175
 Quercus robur for, 2:101
 Scrophularia nodosa for, 1:88
 lymphedema
 Echinacea spp. for, 2:94
 formulas for, 2:82–83; 4:201
 Phytolacca decandra for, 2:100
 lysergic acid diethylamide (LSD), 4:5
 lysine, for genital herpes, 3:109–10
Lytta. *See Cantharis vesicatoria* (Spanish fly)
- M**
- maca. *See Lepidium meyenii* (maca)
 Maca Milkshake, 3:162
Macrocystis pyrifera (kelp), 1:42
 macroysts. *See Actaea racemosa* (black cohosh)
 macular degeneration
 Centella asiatica for, 5:194
 formulas for, 5:158
 Ginkgo biloba for, 5:197
 Vaccinium myrtillus for, 5:203
 maculopathy, as term, 5:158
 Madagascar periwinkle (*Catharanthus roseus*), 4:88
 madder (*Rubia cordifolia*), 4:214–15

- mad dog. *See Scutellaria lateriflora* (skullcap)
- magic mushroom. *See Psilocybe cubensis* (magic mushroom)
- magnesium
- for attention deficit hyperactivity disorder, 4:118, 119
 - for glycemic control, 3:78
 - for headaches, 4:165t
 - for insulin sensitivity, 3:77
 - for nerve pain, 4:180t
 - for pain, 4:156
 - for restless legs syndrome, 4:32, 33
 - for supporting fertility, 3:132
 - for withdrawal symptoms, 4:128
- Magnolia grandiflora* (magnolia), 3:162
- Magnolia macrophylla* var. *dealbata* (cloudforest magnolia), 4:82
- Magnolia obovata* (Japanese bigleaf magnolia), 2:144t
- Magnolia officinalis* (magnolia)
- 5 α -reductase inhibition, 1:218
 - antiallergic qualities, 5:33t
 - formulas containing
 - allergic airway disorders, 5:44, 46
 - esophageal disorders, 1:44
 - gastroparesis, 1:78
 - insomnia, 4:116
 - Parkinson's disease, 4:61
 - vascular reactivity, 5:61 - mast-cell stabilizing effects, 2:144t; 5:31t
 - for multiple sclerosis, 5:82
 - neuroprotective effects, 4:31
 - polyphenols in, 1:223
 - specific indications, 2:171; 4:82, 145–46
- magnolia vine. *See Schisandra chinensis* (magnolia vine)
- magnolol, 4:82
- Mahonia aquifolium*. *See Berberis aquifolium* (Oregon grape, mahonia)
- ma huang. *See Ephedra* spp.
- maidenhair tree. *See Ginkgo biloba* (ginkgo, maidenhair tree)
- maiden's tears (*Silene vulgaris*), 4:50
- mai men dong. *See Ophiopogon japonicus* (mai men dong)
- maitake. *See Grifola frondosa* (maitake)
- majit (*Rubia cordifolia*), 4:214–15
- Malabar nut (*Adhatoda vasica*), 2:169; 5:33t
- malabsorption
- alternatives for, 1:25
 - Arctium lappa* for, 1:81
 - Artemisia annua* for, 1:81, 102
 - digestive stimulants for, 1:25
 - Equisetum* spp. for, 1:84, 242
 - formulas for, 1:72–75
 - herbs for, 1:74
 - Medicago sativa* for, 1:86
 - overview, 1:72–73
 - Rumex crispus* for, 1:87, 105, 247
 - therapies for, 1:74
- malaria
- Alstonia scholaris* for, 2:157
 - Cinchona officinalis* for, 1:83
 - Hydrangea macrophylla* for, 2:167
 - Silybum marianum* for, 1:106
- maldigestion. *See digestion, poor*
- male pattern baldness
- formulas for, 1:214, 216, 217, 218
 - overview, 1:212–13
 - Piper* spp. for, 1:164
- male reproductive disorders, 3:160–64
- malkangani. *See Celastrus paniculatus* (jyotishmati, malkangani)
- mall meadow anemone (*Anemone pratensis*), 4:199
- malnutrition
- alternatives for, 1:25
 - Avena sativa* for, 1:82, 239
 - Berberis aquifolium* for, 1:105
 - Centella asiatica* for, 1:82
 - Equisetum arvense* for, 1:242
 - Equisetum* for, 1:84
 - Fucus vesiculosus* for, 1:84
 - Medicago sativa* for, 1:86, 245
 - mental-emotional effects, 4:4
 - mild cognitive impairment risks from, 4:29
 - nourishing herbs for, 1:37
 - Rubus idaeus* for, 1:87
 - Taraxacum officinale* for, 1:88, 248
- Malus* spp., as bulk laxative, 1:48
- Malus domestica* (apple), 2:39, 99; 5:32t
- mandarin (*Citrus reticulata*), 3:33; 4:194
- Mangifera indica* (mango), 1:218; 3:162
- mango. *See Mangifera indica* (mango)
- mangosteen. *See Garcinia* spp. (mangosteen)
- mania
- Aconitum napellus* for, 4:181
 - Conium maculatum* for, 4:207
 - Passiflora* spp. for, 4:148
 - Rauvolfia serpentina* for, 4:150
- mannose powder
- for bladder mucosal lesions, 1:123
 - for cystitis, 1:112, 114, 126
 - for nasal polyps, 5:43
 - for neurogenic bladder, 1:126, 127
 - for pyelonephritis, 1:119
 - for UTIs, 1:116, 117
- MAPS (Multidisciplinary Association for Psychedelic Studies), 4:4
- marijuana. *See Cannabis sativa* (marijuana, hemp)
- maritime pine. *See Pinus pinaster* (maritime pine)
- marlberry (*Ardisia japonica*), 2:153, 158
- Marrubium vulgare* (horehound)
- for bronchitis, 2:131
 - formulas containing, 2:133
 - specific indications, 2:171
- marshmallow. *See Althaea officinalis* (marshmallow)
- marsh tea. *See Ledum palustre* (marsh tea)
- Marsupella alpina* (Chinese liverwort), 4:53
- massage
- for headaches, 4:165
 - with lavender oil, 4:32, 144
- mastalgia. *See breast pain*
- mast cells
- adaptogens for inappropriate activation of, 5:28
 - role in allergies, 5:31–32
 - role in autoimmune disorders, 5:65
- mast cell stabilizers
- for allergic airway disorders, 5:44
 - definition of, 5:31
 - list of herbs serving as, 2:144t; 5:31t
 - mastering the actions of herbs, 1:11–13; 2:13–16; 3:13–16; 4:16–18; 5:15–17
- mastitis
- formula for, 3:143
 - Phytolacca americana* for, 3:175
- material doses, 1:157
- materia medica
- specific herb choice and, 1:10; 2:12; 3:12–13, 23–24; 4:14, 15, 26; 5:14–15, 26
 - as term, 1:3; 2:2
- Materia Medica* (Boericke), 1:113
- Matricaria chamomilla* (chamomile)
- for adrenal disorders, 3:46
 - for allergic pain in the gut, 5:39t
 - antiallergy qualities, 1:33
 - anti-inflammatory actions, 1:51
 - antimicrobial qualities, 1:39, 52, 61
 - antiparasitic qualities, 1:54
 - antispasmodic qualities, 1:25, 91
 - for anxiety, 4:16, 17, 94, 101t; 5:17
 - for burning tongue syndrome, 5:182
 - carminative qualities, 1:31
 - demulcent qualities, 1:52
 - for depression, 4:94
 - for dermatitis, 1:188, 189
 - for digestive pain, 4:197t
 - dopamine-reducing effects, 4:123
 - for eczema and allergic dermatitis, 1:188
 - for eye conditions, 5:147t
 - footbaths with, 4:105
 - formulas containing
 - acne rosacea, 1:206, 207
 - alcohol withdrawal seizures, 4:71
 - anorexia, 1:36, 37, 38
 - arrhythmias, 2:53
 - childhood skin eruptions, 1:193
 - contact dermatitis, 5:55
 - crankiness in children, 4:104
 - depression and anxiety, 4:96, 106
 - dermatitis, 1:186, 188
 - diarrhea, 1:53, 56, 57, 58
 - digestive organ pain, 4:197
 - diverticulitis and diverticulosis, 1:71
 - dyspepsia, 1:28
 - esophageal disorders, 1:44, 45, 46
 - gastritis and gastroenteritis, 1:60, 61, 62
 - gastrointestinal bleeding, 1:67
 - gastrointestinal hypersensitivity, 5:37, 38

- Matricaria chamomilla* (chamomile) (*continued*)
- gastroparesis, 1:77
 - GERD, 1:40
 - inflammatory bowel diseases, 5:81
 - insect bites, 4:188
 - interstitial cystitis, 1:124
 - intestinal spasms, 4:197
 - irritable bowel syndrome, 1:31, 32, 33
 - lupus, 5:77
 - malabsorption, 1:73
 - menorrhagia, 3:120
 - menstrual cramps, 3:124
 - migraines, 4:163
 - multiple sclerosis, 5:83
 - nausea of pregnancy, 3:132
 - oral allergic reactivity, 5:186
 - oral pain, 4:176
 - otitis media, 5:161
 - pancreatitis, 1:70
 - peptic ulcer pain, 4:197
 - premenstrual syndrome, 3:126
 - PTSD, 4:113
 - restless legs syndrome, 4:33
 - smoking cessation, 4:133
 - ulcers, 1:64, 66
 - withdrawal symptoms, 4:135
 - GABAergic qualities, 4:110
 - for gastroenteritis, 1:59
 - in General Carminative Tea, 1:30
 - for GERD, 1:39
 - GI tract and, 1:41
 - for *Helicobacter pylori* infections, 1:43
 - for hepatitis, 1:94t
 - for liver support, 1:90
 - for menopausal symptoms, 3:138t
 - for nasal polyps, 5:173t
 - nervine qualities, 1:30, 51, 245; 4:91
 - for pain, 4:154, 155, 166t, 170t, 171t
 - for panic disorder, 4:109
 - in porridge, 1:66
 - for restless insomnia, 1:15; 2:17; 3:17; 4:20; 5:20
 - as restorative, 1:43
 - for schizophrenia, 4:123, 125
 - specific indications, 1:86, 245; 2:99, 171; 3:173; 4:82, 146, 211; 5:92, 198
 - topical protocols, 2:114
 - as uterine sedative, 3:124
 - for vascular headaches, 2:27
 - for withdrawal symptoms, 4:128
- Matricaria recutita*. See *Matricaria chamomilla* (chamomile)
- matricin, 1:41
- mayapple. See *Podophyllum peltatum* (mayapple)
- Maytenus rigida* (maytenus), 4:134
- MCT oil
- for childhood immunization support, 4:71
 - in Superfood Dressing, 4:58
- MCTs. See medium-chain triglycerides (MCTs)
- MCT Snack, 4:58
- MDMA (ecstasy), 4:4
- meadowsweet. *See Filipendula ulmaria* (meadowsweet)
- Medicago sativa* (alfalfa), 3:87
- for arthritis, 5:114, 115
 - for benign prostatic hypertrophy, 1:147
 - for bladder cancer, 1:132
 - for bone density, 5:125, 126
 - in Digestive Vinegar, 1:74
 - formulas containing
 - alopecia, 1:216, 217
 - anorexia, 1:38
 - arthritis, 5:116
 - cardiopulmonary disease, 2:84
 - connective tissue weakness, 5:99, 100
 - COPD, 2:150
 - dental conditions, 5:175
 - dyspnea, 2:124
 - hormonal cancers, 3:158
 - hormone-related infertility, 3:131
 - hyperthyroidism, 3:42
 - muscle pain, 5:107, 108
 - musculoskeletal trauma, 5:98
 - osteoporosis, 3:141; 5:128
 - overactive bladder, 1:130
 - Paget's disease, 5:130
 - pigmentation disorders, 1:225
 - prostate cancer, 1:149
 - prostatic diseases, 1:146
 - prostatitis, 1:151
 - skeletal fractures and bone injuries, 5:101
 - tea for nursing mothers, 3:134
 - for fracture healing, 5:100
 - for healthy hormone regulation, 3:87
 - in High Chromium Summer Tea for Metabolic Support, 3:87
 - hypoglycemic effects, 3:73
 - for insulin resistance, 3:70
 - isoflavones in, 3:156
 - in Legume Truffle Superfood for Chemotherapy Patients, 3:159
 - for malabsorption, 1:73
 - minerals in, 5:100t, 112, 139, 198–99
 - mineral tonic diuretic qualities, 1:110
 - for musculoskeletal trauma, 5:96
 - nourishing qualities, 1:37
 - palmitoylethanolamide in, 4:44
 - for prostatic diseases, 1:143
 - regulation of reproductive hormones and, 4:96
 - for schizophrenia support, 4:123
 - specific indications, 1:86, 163, 245; 2:171; 3:96, 173; 5:139, 198–99
 - with tincture for fracture, 4:184
 - for weak fingernails, 1:236
- medical education, suppression of natural medicine, 5:3
- medicinal mushrooms, for bladder cancer, 1:134
- medium-chain triglycerides (MCTs)
- in Better Butter, 3:84–85
 - from coconut oil, 3:92; 4:57
 - in coconut oil dressing, 3:37, 39
- for dementia, 4:57
- for epilepsy and seizure disorders, 4:68
- for insulin sensitivity, 3:77
- in MCT Snack, 4:58
- Melaleuca alternifolia* (tea tree)
- in Antifungal House-Cleaning Spray, 5:36
 - antimicrobial qualities, 1:61
 - antiparasitic qualities, 1:54
 - for bites and stings, 1:170–71
 - for dental conditions, 5:175
 - for dermatologic conditions, 1:171t
 - for epilepsy and seizure disorders, 4:67
 - formulas containing
 - acne, 1:203
 - alopecia, 1:213
 - bites and stings, 4:188
 - dermatitis, 1:186
 - eyelid washes, 5:154–55
 - genital herpes, 3:111
 - paronychia hand soak, 1:194
 - skin infections, 1:176, 177, 178, 179
 - skin lesions, 5:55t
 - stasis ulcers, 2:60
 - thrush, 5:182
 - vaginitis, 3:106
 - for fungal skin infections, 1:195, 196, 197
 - for genital fungal infections, 1:197
 - for impetigo, 1:179
 - liniments containing, 2:113
 - for pain, 4:166t
 - for scabies and lice, 1:198
 - for skin infections, 1:176
 - specific indications, 1:245; 2:171; 5:92, 139
 - for urinary conditions, 1:114
 - for vaginitis, 3:105
 - for warts, 1:199
- melasma
- Curcuma longa* for, 1:241
 - formulas for, 1:222–23
- melatonin, 4:114, 118
- Melilotus officinalis* (sweet clover), 2:79, 99; 4:82
- Melilotus suaveolens* (sweet clover)
- for ARDS, 2:154
 - formulas containing, 2:85, 155
 - specific indications, 2:171
- Melissa officinalis* (lemon balm)
- for amenorrhea, 3:122
 - antiviral qualities, 1:201
 - for breast conditions, 3:142
 - for cognition, 4:53
 - for dental procedures, 5:146
 - for depression and anxiety, 4:92, 94, 101t, 103t
 - for epilepsy and seizure disorders, 4:66
 - formulas containing
 - Addison's disease, 3:51
 - adrenal disorders, 3:50
 - Alzheimer's disease, 4:56
 - arrhythmias, 2:53
 - cold sores, 5:184
 - Cushing's syndrome, 3:52

- Melissa officinalis* (lemon balm) (*continued*)
- depression and anxiety, 4:96, 102
 - dyspnea, 2:125
 - erythema multiforme, 1:220
 - gastroparesis, 1:77
 - genital herpes, 3:110, 111
 - goiter, 3:34
 - herpes-induced ophthalmia, 5:150, 151
 - herpes lesions, 1:232
 - herpetic neuralgia, 4:40, 41
 - hyperhidrosis, 1:227
 - hypertension, 2:46, 47
 - hyperthyroidism, 3:41, 43, 44
 - hyperventilation, 2:140
 - irritable bowel syndrome, 1:33
 - menopausal symptoms, 3:138; 4:110
 - Parkinson's disease, 4:63
 - polycystic ovarian syndrome, 3:145, 147
 - premenstrual syndrome, 3:126
 - restless legs syndrome, 4:33
 - smoking cessation, 4:133
 - thyroiditis, 3:30
 - warts, 1:200
 - withdrawal symptoms, 4:130, 135
- GABAergic qualities, 4:110
- for genital herpes, 3:110
 - for headaches, 4:159
 - for heavy metal neuropathy, 4:50
 - for *Helicobacter pylori* infections, 1:43
 - for herpes simplex viral infections, 5:181
 - for herpetic neuralgia, 4:40
 - for hypertension, 2:41, 46, 47
 - for hyperthyroidism, 3:28
 - for hyperventilation, 2:140
 - for inflammatory bowel diseases, 1:34
 - for menopausal symptoms, 3:138t
 - in mocktail syrup base, 4:136
 - nervine qualities, 1:30; 4:91
 - for neurological conditions, 4:28
 - neuroprotective effects, 4:31
 - opiate agonist qualities, 4:134
 - for pain, 4:171t
 - for premenstrual syndrome, 3:125
 - for restless insomnia, 1:15; 2:17; 3:17; 4:20; 5:20
 - for restless legs syndrome, 4:32
 - rosmarinic acid in, 3:43, 109; 5:65
 - specific indications, 1:245; 2:99, 172; 3:60, 173; 4:82–83, 146; 5:139, 199
 - for thyroiditis, 3:31
 - for warts, 1:199
 - for withdrawal symptoms, 4:128
- memory support
- Acorus calamus* for, 4:74, 75
 - Avena sativa* for, 4:140
 - Bacopa monnieri* for, 4:76
 - Celastrus paniculatus* for, 4:77, 141
 - Centella asiatica* for, 4:77
 - Cistanche tubulosa* for, 4:77
 - Crocus sativus* for, 4:78
 - Cyperus rotundus* for, 4:142
- Ginkgo biloba* for, 4:142, 143
- Hypericum perforatum* for, 4:93
- Ligusticum striatum* for, 4:145
- Magnolia officinalis* for, 4:82
- Melissa officinalis* for, 4:83, 146
- Nicotiana rustica* for, 4:83
- Nigella sativa* for, 4:84
- Panax ginseng* for, 4:84
- Perilla frutescens* for, 4:148
- Physostigma venenosum* for, 4:84
- Rhodiola rosea* for, 4:150
- Rosmarinus officinalis* for, 4:85
- Salvia officinalis* for, 4:85
- Schisandra chinensis* for, 4:86
- Urtica* spp. for, 4:87
- Ziziphus jujuba* for, 4:152
- men
- interstitial cystitis in, 1:121
 - male pattern baldness, 1:164, 212–13, 214, 216, 217, 218
- See also* prostatic diseases
- Ménière's disease, 2:101; 5:164
- menopausal symptoms
- Actaea racemosa* for, 1:238; 2:157; 3:165; 4:100, 139
 - Angelica sinensis* for, 3:165
 - Astragalus membranaceus* for, 3:166
 - Crataegus* spp. for, 3:168
 - Dioscorea villosa* for, 3:169; 4:208
 - Foeniculum vulgare* for, 3:170
 - formulas for, 3:134–141; 4:100, 109–10, 115
 - Glycine max* for, 2:95
 - hair loss, 1:216
 - heart palpitations, 2:53
 - herbs for, 3:138t
 - hot flashes, 1:83, 87, 226–27
 - Humulus lupulus* for, 3:171; 4:143
 - Hydrastis canadensis* for, 3:171
 - Hypericum perforatum* for, 3:171
 - insomnia, 4:114, 115
 - Leonurus cardiaca* for, 2:98; 3:172
 - Lepidium meyenii* for, 3:96; 4:145
 - Medicago sativa* for, 1:245; 3:96
 - overview, 3:134–35
 - Pimpinella anisum* for, 4:84
 - Pueraria* spp. for, 2:101; 3:97, 176
 - Salvia officinalis* for, 3:177
 - sample case, 1:10
 - Trifolium pratense* for, 1:249; 3:178–79
 - urinary tract infections, 1:118
 - Verbena* spp. for, 3:179
- menopause
- burning tongue syndrome associated with, 5:182
 - Caulophyllum thalictroides* for, 5:134
 - myalgia formula for, 5:109
 - Pueraria montana* var. *lobata* for, 5:140
 - Trifolium pratense* for, 5:142
- menorrhagia
- Achillea millefolium* for, 3:115, 118, 119, 120, 165
- Ceanothus americanus* for, 3:167
- Cinnamomum* spp. for, 3:167
- formulas for, 3:117–120
- Hamamelis virginiana* for, 2:96; 3:118, 171
- herbs for, 3:118
- Lepidium meyenii* for, 3:172
- Rubus idaeus* for, 3:176
- Urtica* spp. for, 3:179
- menstrual cramps
- Actaea racemosa* for, 3:165
 - Angelica sinensis* for, 1:81, 238; 3:117, 124, 165
 - Avena sativa* for, 3:166
 - Cinnamomum* spp., 3:167
 - Dioscorea villosa* for, 1:84; 3:169
 - Foeniculum vulgare* for, 3:170
 - formulas for, 3:117, 123–25
 - Lobelia inflata* for, 3:124–25
 - Matricaria chamomilla* for, 3:173
 - Petroselinum crispum* for, 3:174
 - specifics from traditional literature, 3:124
 - uterine sedatives for, 3:124
 - Viburnum opulus* for, 3:117, 123–24, 179
- menstrual cycle disorders
- Dioscorea villosa* for, 3:118, 120, 124
 - Foeniculum vulgare* for, 3:120, 125, 170
 - formulas for, 3:115–125
 - Fucus vesiculosus* for, 3:170
 - Glycyrrhiza glabra* for, 3:117, 119, 122, 123, 124, 146, 170
 - Leonurus cardiaca* for, 3:118, 122, 123, 172
 - Matricaria chamomilla* for, 3:120, 124, 173
 - overview, 3:115–16
 - Turnera diffusa* for, 3:179
 - Valeriana officinalis* for, 3:179
 - Verbena* spp. for, 3:179
 - Viburnum* spp. for, 3:179, 180
 - Viex agnus-castus* for, 3:117, 118, 119, 120, 122, 123, 180
- See also specific disorders*
- menstrual pain
- Angelica sinensis* for, 4:203
 - Foeniculum vulgare* for, 4:208
 - Hyoscyamus niger* for, 4:210
 - Lobelia inflata* for, 4:211
 - Rosmarinus officinalis* for, 4:214
 - Viburnum prunifolium* for, 4:217
- menstruation-related symptoms
- depression and anxiety, 4:100
 - headaches, 4:164–65, 218
 - irregularities, 4:147
- mental-emotional health
- definition of, 4:5
 - impediments to, 4:3–4
- mental health conditions
- as energetic infections, 4:12
 - increasing use of psychiatric medications for, 4:2–3
 - shortcomings of formal diagnoses, 4:1–2
- See also specific conditions*

- Mentha* spp.
- antimicrobial qualities, 1:71
 - antispasmodic qualities, 1:24, 39
 - avoiding for GERD, 1:42
 - for bites and stings, 1:170–71
 - for ear itching, 4:175
 - essential oil of, 1:53, 170–71
 - formulas containing
 - COPD, 2:151
 - hemorrhoids, 1:50; 4:198
 - musculoskeletal trauma, 5:97
 - pneumonia, 2:141
 - scabies, 4:189
 - shingles, 4:182
 - sinusitis, 5:172
 - stomatitis and gingivitis, 5:182
 - throat pain, 4:178
 - urinary colic, 1:139
 - varicosities, 2:75
 - for gastroenteritis, 1:59
 - minerals in, 5:100t
 - in Mouthwash for Halitosis, 1:51
 - for nerve pain, 4:180t
 - for painful itching, 4:189t
 - for peripheral neuropathy, 4:43t
 - for throat pain, 5:190
 - in topical antipruritics, 5:54
 - topical protocols using, 2:112–13
 - for traveler's diarrhea prevention, 1:53
- Mentha aquatica* (water mint), 4:110
- Mentha canadensis* (American wild mint, Canada mint), 5:80
- Mentha piperita* (peppermint)
- for allergic pain in the gut, 5:39t
 - anti-inflammatory qualities, 4:128
 - antispasmodic qualities, 1:25, 91, 138t
 - for biliary pain, 1:100t
 - carminative qualities, 1:31
 - cooling qualities, 3:21t
 - for crawling and tingling sensations, 1:232
 - for dental procedures, 5:177
 - for digestive pain, 4:197
 - for eczema and allergic dermatitis, 1:188
 - enteric-coated capsules of, 1:31, 32
 - for epilepsy and seizure disorders, 4:67, 73
 - footbaths with, 4:105
 - formulas containing
 - acne, 1:203
 - anemia, 2:69
 - anginal coronary spasm, 4:201
 - anorexia, 1:36, 37, 38
 - aphthous ulcers, 5:183
 - arthritis, 5:116
 - asthma, 2:146
 - biliary colic, 1:99; 4:198
 - bites and stings, 4:189
 - bronchitis, 2:133
 - capillary fragility, 2:66
 - cardiopulmonary disease, 2:84
 - chest pain, 4:193
 - childhood skin eruptions, 1:193
 - colds, 5:170
 - congestive heart failure, 2:50
 - connective tissue weakness, 5:99
 - dental conditions, 5:176
 - diarrhea, 1:54, 55, 56, 57, 58
 - digestive pain, 4:197, 198
 - diverticulitis and diverticulosis, 1:71, 72
 - dry mouth, 5:186
 - dyspepsia, 1:28
 - endometriosis, 3:149
 - esophageal disorders, 1:44
 - gastroenteritis, 1:62
 - gastroparesis, 1:77
 - halitosis, 1:51
 - headaches, 4:165
 - hemorrhoids, 2:78
 - herpetic neuralgia, 4:40
 - inflammatory bowel diseases, 1:36; 5:80, 81
 - intestinal spasms, 4:197
 - irritable bowel syndrome, 1:31, 32
 - itching skin, 1:186, 187
 - laryngitis, 5:191
 - menopausal cardiac symptoms, 3:141
 - menstrual cramps, 3:125
 - muscle pain, 5:109
 - musculoskeletal trauma, 5:98
 - nausea of pregnancy, 3:132
 - neuralgia, 4:35, 182
 - neurogenic bladder, 1:127
 - oral erythema multiforme, 5:187, 188
 - oral pain, 4:177
 - oral ulcers, 5:184
 - osteoporosis, 3:141; 5:128
 - overactive bladder, 1:130
 - peripheral neuropathy, 4:44
 - pharyngitis, 5:189
 - pleurisy, 2:139
 - scratchy throat, 5:191
 - SIBO, 1:76
 - sinusitis, 5:172
 - sinus pain, 4:177
 - stomatitis and gingivitis, 5:183
 - throat pain, 4:179
 - throbbing pain, 4:200
 - thrush, 5:181
 - ulcers, 1:64, 66
 - urinary conditions, 1:110
 - vocal strain, 5:191
- for fungal skin infections, 1:197
- in General Carminative Tea, 1:30
- for genital fungal infections, 1:197
- for *Helicobacter pylori* infections, 1:43
- for itching skin, 1:187
- liniments containing, 2:111
- for liver support, 1:90
- with *Lobelia* compress, 3:125
- mast-cell stabilizing effects, 2:144t; 5:31t
- for nasal polyps, 5:173t
- nebulized form, 2:137
- for pain, 4:154, 170t, 171t
- for SIBO, 1:76
- for skin eruptions, 1:194
- for skin protection, 1:230
- specific indications, 1:86, 105, 245–46; 2:172; 4:83, 211; 5:92, 199
- for throat pain, 5:190
- as uterine sedative, 3:124
- Mentha pulegium*. See *Hedeoma pulegioides* (pennyroyal)
- Mentha spicata* (spearmint)
- 5α-reductase inhibition, 1:218; 3:162
 - for amenorrhea, 3:122
 - carminative qualities, 1:31
 - for epilepsy and seizure disorders, 4:67
 - formulas containing
 - alopecia, 1:213, 216
 - asthma, 2:145
 - hirsutism, 1:214
 - hot flashes, 3:135
 - irritable bowel syndrome, 1:31
 - polycystic ovarian syndrome, 3:147
 - tea for nursing mothers, 3:134
 - for hormone-related infertility, 3:131t
 - nebulized form, 2:137
 - for ovarian cysts, 3:144
 - for polycystic ovarian syndrome, 3:145, 147
 - specific indications, 1:86, 246
 - testosterone-reducing effects, in women, 3:145, 147
- menthol
- for itching skin, 5:92
 - for pain, 4:170t
 - for peripheral neuropathy, 4:43t
 - topical protocols using, 2:112–13
- Mercurius solubilis* (mercury), 4:186
- metabolic acidosis, dyspnea with, 2:124
- metabolic conditions, 3:65–100
- Astragalus membranaceus* benefits, 3:84, 84
 - beta cell regenerators, 3:74
 - blueberry benefits, 3:72, 72
 - chromium benefits, 3:80
 - Coleus forskohlii* for, 5:135
 - Commiphora mukul* for, 5:136
 - considerations for metabolic conditions, 3:77
 - Curcuma longa* for, 5:136
 - deadly quartet, 3:65
 - diabetes formulas, 3:68–76
 - dietary considerations, 3:66–67, 76, 77
 - Foeniculum vulgare* for, 3:94
 - Gymnema sylvestre* benefits, 3:75, 75
 - Hibiscus sabdariffa* for, 3:95
 - high-flavone fruits, 3:87
 - hypoglycemic herbs, 3:73
 - legume family herbs for, 3:70
 - lipid-lowering herbs, 3:82
 - magnesium benefits, 3:78
 - Medicago sativa* benefits, 3:87, 87
 - medicinal foods for diabetics, 3:66, 69, 76–89
 - Opuntia* spp. benefits, 3:83, 83

- metabolic conditions (*continued*)
 overview, 3:65–66
Phellodendron amurense for, 3:174
 plantain benefits, 3:67, 67
 role of environmental toxins, 3:67–68
Smallanthus sonchifolius benefits, 3:80
 specific herbs for, 3:89–100
 sweetener alternatives, 3:79, 79, 85, 85, 88
- metabolic distress
Glycine max for, 3:58
Hypericum perforatum for, 3:59
Rosmarinus officinalis for, 3:62
Taraxacum officinale for, 3:62
- metabolic function
Berberis aquifolium for, 3:166
Cinnamomum spp., 3:167
Coleus forskohlii for, 3:56, 92
Curcuma longa for, 3:168
Pueraria montana var. *lobata* for, 3:176
Raphanus spp. for, 3:176
Trigonella foenum-graecum for, 3:179
- metabolic insufficiency
Panax ginseng for, 3:96
Smilax ornata for, 3:62
- Metabolic Medicine Smoothie, 3:77
- metabolic syndrome
Angelica sinensis for, 3:90
Astragalus membranaceus for, 3:90
Ceratonia siliqua for, 3:91
Chionanthus virginicus for, 3:91
Curcuma longa for, 3:57, 93
Cynara scolymus for, 3:93
 dietary considerations, 3:66–67
Equisetum arvense for, 3:93
 formulas for, 3:74–75, 76
Ginkgo biloba for, 3:58, 94
Hibiscus sabdariffa for, 2:96; 3:95
 legume family herbs for, 3:70
Leonurus cardiaca for, 3:59
Lepidium meyenii for, 3:96
 link to polycystic ovarian syndrome, 3:144, 145
Opuntia spp. for, 2:100; 3:96
 overview, 3:65–66, 68–70
Salvia miltiorrhiza for, 3:62, 97
Stevia rebaudiana for, 2:104
Trigonella foenum-graecum for, 3:99
Vitis vinifera for, 3:99
- metallothionein, 4:50, 51
 metals, oral allergic reactivity to, 5:49–50
 metal toxicity. *See* heavy metal toxicity
 metastatic pain
Corydalis cava for, 4:78
Dioscorea villosa for, 4:208
 formulas for, 4:179, 186, 188, 195
Petasites hybridus for, 4:194, 195, 212
Uncaria spp. for, 4:216
- methamphetamine addiction, lobeline for, 4:133–34
- Methicillin Resistant *Staphylococcus aureus* (MRSA), 1:114, 178–79
- methionine, 1:122; 4:47, 50, 51
 methylcobalamin, 4:36
 methyl salicylate, 4:208–9
 methylsulfonylmethane (MSM), 1:122, 126; 5:104
 methylxanthines, 5:44
 methysticin, 1:125
 microbes
 hygiene hypothesis considerations, 5:30–31
 potential therapeutic benefits, 5:31
 role in allergies, 5:28, 34
 microdosing, with *Psilocybe*, 4:137, 149
- microsporidiosis, 1:52
- migraines
Angelica sinensis for, 4:173
Atropa belladonna for, 4:204
 causes of, 4:157–58, 160
 enuresis connection, 1:130
 formulas for, 4:160–65; 5:61
Gastrodia elata for, 4:79
Gelsemium sempervirens for, 5:137
Ginkgo biloba for, 5:90
 herbs for, 1:33
Ligusticum striatum for, 4:211
Melissa officinalis for, 4:146
 overview, 4:156–57
 pathophysiology of, 4:157–58
Petasites hybridus for, 1:163; 5:93
Pimpinella anisum for, 4:84
 POUND criteria for, 4:157
 principles of creating formulas for, 4:158–160
Salvia miltiorrhiza for, 5:93
Scutellaria baicalensis for, 4:215
Tanacetum parthenium for, 2:104; 4:86, 216; 5:94, 142, 202
 underlying contributors to, 4:158
Vitex agnus-castus for, 4:218
- Mikania glomerata* (huaco), 2:108t, 172
- milk thistle. *See* *Silybum Marianum* (milk thistle)
- milk vetch. *See* *Astragalus membranaceus* (milk vetch)
- milkweed. *See* *Asclepius tuberosa* (pleurisy root)
- milkwort (*Polygala* spp.), 2:177
- mimosa. *See* *Albizia julibrissin* (silk tree, mimosa)
- Mimosa pudica* (sensitive plant, sleepy plant, dormilonia), 4:31, 53
- minerals
 in *Apium graveolens*, 5:133
 in *Avena sativa*, 5:133
 in *Equisetum arvense*, 5:137, 196
 in *Foeniculum vulgare*, 5:100t, 196
 high-mineral vinegar, 5:100
 impairment of absorption by phytic acid, 5:128
 list of herbs high in, 5:100t
 in *Medicago sativa*, 5:100t, 112, 139, 198–99
 in mushrooms and seaweed, 5:125
 in *Taraxacum officinale*, 5:142
 in *Ulmus rubra*, 5:202
 in *Urtica dioica*, 5:203
- mineral tonic diuretics, 1:109–10
- miroestrol, 3:137
- miscarriage
 formulas for, 3:132–33
Trifolium pratense for, 3:178
- Viburnum* spp. for, 3:132, 179
- mistletoe. *See* *Viscum album* (mistletoe)
- Mitchella repens* (partridge berry)
 as emmenagogue, 3:128
- formulas containing, 3:132
 specific indications, 3:173
 as uterine tonic, 3:119
- Mitragyna speciosa* (kratom, khratom, ketum)
 for anxiety, 4:101t
 for depression, 4:103t
 for opiate addiction, 4:129
 opiate agonist qualities, 4:134
 for side effects of antipsychotic medications, 4:122
 specific indications, 4:146–47, 211
 MMR vaccine, possible link to seizures, 4:70
- mocktails, 2:30
- mocktail syrup base, 4:136
- A Modern Herbal* (Grieve), 4:104
- mogrosides, 3:85
- molasses, formulas containing, 2:68, 69, 70
- mold, role in allergies, 5:28, 47
- molecular constituents, against hepatitis, 1:93
- molecular research
 inflammatory bowel disease herbs, 5:79t
 limitations of, 3:1
 support for herbal formulas, 4:1
- molecular strategies, for neurological conditions, 4:29
- moles
Podophyllum peltatum for, 1:246
 scaly or precancerous, 1:225
- Thuja* spp. for, 1:249
- Momordica charantia* (bitter melon)
 fluoride in, 5:176
- hypoglycemic effects, 3:73
- for metabolic syndrome, 3:76
- specific indications, 3:96; 4:211; 5:199
- Momordica grosvenorii* (monk fruit). *See* *Siraitia grosvenorii* (monk fruit, luo han guo)
- Monascus purpureus* (red yeast), 2:37
- monodgrass. *See* *Ophiopogon japonicus* (mai men dong)
- monk fruit. *See* *Siraitia grosvenorii* (monk fruit, luo han guo)
- monk's pepper. *See* *Vitex agnus-castus* (chaste tree)
- monoamine hypothesis, 4:3, 90
- monoamines, neurotransmitters as, 4:3, 90
- monoclonal antibodies, for autoimmune disorders, 5:65
- mononeuropathy, 4:41–42
See also peripheral neuropathy
- mood-altering medications, increasing use of, 4:2–3

- mood disorders
- Aconitum napellus* for, 4:138
 - Actaea racemosa* for, 4:139
 - Albizia julibrissin* for, 4:139
 - Ginkgo biloba* for, 4:143
 - Melissa officinalis* for, 4:146
 - Poria cocos* for, 4:149
 - Rhodiola rosea* for, 4:150
 - Salvia miltiorrhiza* for, 4:151
 - Schisandra chinensis* for, 4:151
 - See also specific disorders*
 - Morella cerifera* (bayberry)
 - for colds, 5:170t
 - as drying agent, 2:133
 - formulas containing, 5:170
 - for fungal skin infections, 1:196
 - specific indications, 1:86, 105; 2:172; 5:199
 - for tongue conditions, 5:178t
 - Morinda citrifolia* (noni), 2:172
 - Morinda officinalis* (Indian mulberry), 4:99
 - Mormon tea (*Ephedra* spp.), 4:154; 5:89
 - morphaea, 5:103
 - Morus alba* (white mulberry)
 - dopamine-reducing effects, 4:123
 - formulas containing, 4:61
 - neuroprotective effects, 4:31
 - for psychosis, 4:122
 - mosquito repellents
 - Hedeoma pulegioides*, 1:243, 244
 - Syzygium aromaticum*, 1:248
 - Mother's Cordial, 3:132, 173
 - motherwort. *See Leonurus cardiaca* (motherwort)
 - motilin agonists, 1:75, 76
 - motility-enhancing agents
 - Chenopodium ambrosioides*, 1:83
 - Dr. Stansbury's General Alterative Tea, 1:26
 - for gastroparesis, 1:76, 77
 - gum chewing, 1:41
 - Rheum palmatum*, 1:87
 - for SIBO, 1:75, 76
 - motion sickness, herbal therapies for, 5:167, 168
 - mountain germander (*Teucrium polium*), 3:109
 - moutan. *See Paeonia × suffruticosa* (moutan, tree peony)
 - mouth allergic reactivity. *See oral allergic reactivity*
 - mouth conditions. *See oral conditions*
 - mouth infections. *See oral infections*
 - mouth pain. *See oral pain*
 - mouth pastes
 - Aloe vera* in, 5:192
 - Origanum vulgare* in, 5:199
 - for stomatitis, 5:50
 - mouth rinses and mouthwashes
 - Achillea millefolium* in, 5:192
 - for angioedema, 5:57
 - for aphthous ulcers, 5:183
 - Arnica montana* in, 5:193
 - Azadirachta indica* in, 5:193
 - Cinnamomum verum* in, 5:195
 - Commiphora myrrha* in, 5:195
 - Coptis trifolia* in, 5:195
 - for dental conditions, 5:175, 176, 177
 - for erythema multiforme, 1:220
 - Eucalyptus globulus* in, 1:242
 - for glossitis, 5:179
 - for halitosis, 1:51
 - Hamamelis virginiana* in, 5:197
 - Hydrastis canadensis* in, 1:244
 - Matricaria chamomilla* in, 5:198
 - Morella cerifera* in, 5:199
 - for oral allergic reactivity, 5:51–52
 - for oral erythema multiforme, 5:187
 - for oral lichen planus, 1:211
 - for oral pain, 4:40–41, 176, 177
 - Origanum vulgare* in, 5:199
 - Punica granatum* in, 5:200
 - Rubus idaeus* in, 5:200
 - Salix alba* in, 5:201
 - Sanguinaria canadensis* in, 5:201
 - for stomatitis and gingivitis, 5:50, 183
 - Syzygium aromaticum* in, 5:202
 - Tabebuia impetiginosa* in, 1:248
 - Thymus vulgaris* in, 5:202
 - Vaccinium myrtillus* in, 5:203
 - mouth ulcers. *See oral ulcers*
 - moving/driving formulas, 1:18; 2:20; 3:20; 4:22; 5:22
 - MRSA (Methicillin Resistant *Staphylococcus aureus*), 1:114, 178–79
 - MSM (methylsulfonylmethane), 1:122, 126; 5:104
 - mucilage, extraction of, 1:20; 2:23; 3:23
 - mucilaginous herbs
 - for gastric ulcers, 1:65
 - for GERD, 1:39
 - as osmotic diuretics, 1:109, 111
 - for renal and ureteral colic, 1:136, 137, 138t
 - for urinary colic, 1:136
 - mucolytic herbs, 2:88, 114, 120, 136
 - mucopolysaccharides, 1:78, 79
 - mucous in the urine
 - Agathosma betulina* for, 1:156
 - Apocynum cannabinum* for, 1:157
 - Equisetum arvense* for, 1:113
 - Hamamelis virginiana* for, 1:162
 - Piper cubeba* for, 1:164
 - Turnera diffusa* for, 1:166
 - Zingiber officinale* for, 1:167
 - mucous membranes
 - Agrimonia eupatoria* for, 1:156
 - Aloe vera* for, 1:101
 - Anemopsis californica* for, 2:158
 - Berberis aquifolium* for, 1:245; 2:160
 - Calendula officinalis* for, 5:194
 - Centella asiatica* for, 5:87, 194
 - Collinsonia canadensis* for, 2:93
 - Commiphora mukul* for, 1:83
 - Commiphora myrrha* for, 5:88
 - Equisetum* spp. for, 1:84, 242; 5:196
 - Filipendula ulmaria* for, 1:84
 - Geranium maculatum* for, 1:243
 - Glycyrrhiza glabra* for, 1:85, 161; 2:166
 - Hamamelis virginiana* for, 1:243; 2:96
 - Hydrastis canadensis* for, 2:167; 5:189
 - Hyssopus officinalis* for, 2:168
 - Marrubium vulgare* for, 2:171
 - Morella cerifera* for, 2:172
 - overview, 2:120
 - Prunus serotina* for, 2:177
 - Quercus* spp. for, 1:246; 2:101
 - restorative agents for, 1:43
 - Salvia officinalis* for, 2:179
 - Sanguinaria canadensis* for, 2:179
 - stomach, 1:62, 63, 64, 65
 - sulfur gasotransmitters and, 2:143
 - Symphytum officinale* for, 2:181
 - Urtica* spp. for, 1:249; 5:94
 - Mucuna pruriens* (velvet bean, cowage, cow-itch), 4:62
 - for erectile dysfunction, 3:161
 - formulas containing
 - dementia, 4:58
 - Parkinson's disease, 4:61, 65
 - withdrawal symptoms, 4:130
 - for hemochromatosis, 2:71
 - for low libido, 3:152
 - for nerve pain, 4:180t
 - for Parkinson's disease, 4:60
 - for restless legs syndrome, 4:32
 - serotonin-promoting qualities, 4:92
 - specific indications, 4:83
 - mud poultices, 1:170
 - mugwort. *See Artemisia vulgaris* (mugwort)
 - muira puama. *See Ptychopetalum olacoides* (muira puama)
 - mullein. *See Verbascum thapsus* (mullein)
 - Multidisciplinary Association for Psychedelic Studies (MAPS), 4:4
 - multiple sclerosis
 - Ammi visnaga* for, 5:85
 - apitherapy for, 5:86
 - bee-venom therapy for, 4:75
 - Camellia sinensis* for, 5:87
 - formulas for, 5:83
 - Gastrodia elata* for, 5:90
 - herbs for, 5:82
 - Linum usitatissimum* for, 5:91
 - neuropathy from, 4:45, 48
 - Oenothera biennis* for, 5:92
 - overview, 5:81–82
 - Rehmannia glutinosa* for, 4:49
 - mum. *See Chrysanthemum morifolium* (mum, chrysanthemum)
 - muscarinic antagonists
 - for gastroparesis, 1:76
 - for overactive bladder, 1:128, 150
 - in *Pilocarpus jaborandi*, 1:246
 - in *Solidago* spp., 1:150
 - as urinary antispasmodics, 1:135, 136, 141

muscle cramps. *See* muscle spasms and tension
muscle pain

Aconitum napellus for, 5:132
Actaea racemosa for, 3:165; 4:183t, 202
Arnica montana for, 4:183t, 204
 categories of herbs for, 5:106t
Caulophyllum thalictroides for, 4:206
Cinnamomum verum for, 5:87
Curcuma longa for, 5:136
Eleutherococcus senticosus for, 5:136
Equisetum arvense for, 3:57
Eupatorium perfoliatum for, 4:208; 5:137
Filipendula ulmaria for, 5:137
 formulas for, 3:141; 4:182–88; 5:105–9
Gaultheria procumbens for, 4:208
Hamamelis virginiana for, 5:138
 herbal therapies for, 4:183t
Lomatium dissectum for, 5:139
Melissa officinalis for, 5:139
Mentha piperita for, 4:83
 overview, 5:105
Piper methysticum for, 3:13–14
Piscidia piscipula for, 4:213
Spilanthes acmella for, 5:141
Sticta pulmonaria for, 4:215
Valeriana officinalis for, 5:143
Viburnum spp. for, 4:217
See also musculoskeletal pain
muscle relaxants
Ammi visnaga, 1:156
Apiaceae herbs, 1:135
 list of herbs and minerals, 4:165t
Mentha spp., 1:28, 32, 44
 for overactive bladder, 1:129
Piper methysticum, 1:14, 125, 129
 sample case, 1:14–15
 muscles, observing, 3:11
 muscle spasms and tension
Achillea millefolium for, 4:201
Actaea racemosa for, 3:165
Atropa belladonna for, 5:133
Capsicum frutescens for, 4:205
Corydalis spp. for, 1:160
Curcuma longa for, 5:136
Dioscorea villosa for, 1:11, 160
Eschscholzia californica for, 3:57, 169; 5:137
 formulas for, 4:167; 5:105–9, 113
Herniaria glabra for, 1:162
Humulus lupulus for, 4:210
Hyoscyamus niger for, 4:210
Lobelia inflata for, 1:11, 163
Melissa officinalis for, 5:139
 overview, 5:105
Piper methysticum for, 1:11, 135, 138t; 4:213; 5:107
Rosmarinus officinalis for, 4:214
Valeriana officinalis for, 4:217; 5:143
Viburnum opulus for, 4:217
Viburnum spp. for, 1:11, 88, 135
See also specific types of spasms

muscle stiffness, formula for, 3:141
muscle weakness

Avena sativa for, 5:133–34
Berberis aquifolium for, 1:105
Coleus forskohlii for, 5:135
Commiphora mukul for, 5:136
 formulas for, 5:111–13
Glycyrrhiza glabra for, 3:58; 5:138
Lepidium meyenii for, 1:162
 overview, 5:110–11
Paeonia spp. for, 1:105
Rhodiola rosea for, 3:61, 176; 5:140
Schisandra chinensis for, 5:141
Smilax ornata for, 1:88, 248; 3:62, 177; 5:94
Withania somnifera for, 5:143
Zanthoxylum clava-herculis for, 5:143
musculoskeletal conditions
Actaea racemosa for, 5:132
Ananas comosus for, 5:132
Andrographis paniculata for, 5:132
Angelica sinensis for, 5:132
Atropa belladonna for, 5:133
Berberis aquifolium for, 5:134
Calendula officinalis for, 5:134
Caulophyllum thalictroides for, 5:134
Cinnamomum verum for, 5:135
Cnicus benedictus for, 5:135
Commiphora mukul for, 5:135–36
Eupatorium perfoliatum for, 5:137
Glycyrrhiza glabra for, 5:138
Grifola frondosa for, 5:138
 gut-joint axis linked to, 5:114
Harpagophytum procumbens for, 5:138
Hedeoma pulegioides for, 5:138
 overview, 5:95–96
Panax ginseng for, 5:139
Phytolacca americana for, 5:139
Salix alba for, 5:140
Schisandra chinensis for, 5:141
Scutellaria lateriflora for, 5:141
Tanacetum parthenium for, 5:142
Ulmus fulva for, 5:142
Vaccinium myrtillus for, 5:143
Verbena hastata for, 5:143
Viburnum spp. for, 5:143
Withania somnifera for, 5:143
Zingiber officinale for, 5:143–44
See also specific conditions

musculoskeletal pain
Arctium lappa for, 5:133
Arnica montana for, 4:203, 204
Boswellia serrata for, 4:205
 bromelain for, 5:108
Cannabis sativa for, 4:205
Capsicum annuum for, 5:134
Colchicum autumnale for, 5:135
Curcuma longa for, 4:207
Equisetum arvense for, 4:208
Gaultheria procumbens for, 5:137
Gelsemium sempervirens for, 5:137

Phyllanthus amarus for, 4:212
Piper methysticum for, 4:16; 5:16, 140
Rheum officinale for, 5:140
Ricinus communis for, 4:214
Rumex crispus for, 5:140
Scutellaria baicalensis for, 5:141
Viburnum spp. for, 5:143
Withania somnifera for, 4:218
Yucca schidigera for, 5:143
Zanthoxylum clava-herculis for, 5:143
See also muscle pain; myalgia
musculoskeletal tightness
Equisetum spp. for, 1:160
Eschscholzia californica for, 1:84
Piper methysticum for, 1:11
musculoskeletal trauma
Achillea millefolium for, 5:131
 acute treatments for, 5:98
Arnica montana for, 5:133
Calendula officinalis for, 5:134
Capsicum annuum for, 5:134
Crataegus spp. for, 5:136
Curcuma longa for, 5:136
Eschscholzia californica for, 5:137
 formulas for, 5:96–98
Hamamelis virginiana for, 5:138
Hypericum perforatum for, 5:138
 overview, 5:96
Veratrum viride for, 5:143
 mushrooms, 3:69; 5:125, 125
See also specific types
 muskroot (*Valeriana jatamansi*), 4:87
 mustard, medicinal, 3:44
 mustard plaster, for gastrointestinal pain, 4:197t
 mustard poultices, 2:109, 111, 160
 mustard seed (*Sinapis alba*), 3:43
 myalgia. *See* muscle pain
 mycotoxicosis, 5:47
 myocardial infarction
Aconitum carmichaelii for, 2:89
Calendula officinalis for, 2:91
Centella asiatica for, 2:92
Olea europaea for, 2:99
Schisandra chinensis for, 2:103
Scutellaria baicalensis for, 2:103
 myocardial ischemia
Punica granatum for, 2:101
Schisandra chinensis for, 2:103
Myrica cerifera. *See* *Morella cerifera* (bayberry)
Myristica fragrans (nutmeg)
 formulas containing
 hemorrhoidal pain, 4:198
 peripheral neuropathy, 4:44
 throbbing pain, 4:200
 for *Helicobacter pylori* infections, 1:43
 in Mouthwash for Halitosis, 1:51
 for peripheral neuropathy, 4:43t
 safety concerns, 4:212
 specific indications, 4:212
 myrobalan. *See* *Terminalia chebula* (myrobalan)

myrrh. *See Commiphora myrrha* (myrrh)
myrtle berries, for GERD, 1:39

N

N-acetylcysteine (NAC)
expectorant properties, 2:143
for fatty liver, 1:96
formulas containing
 bronchitis, 2:133
 COPD, 2:150
 emphysema, 2:138
for heavy metal detoxification, 4:50
for liver support, 3:67
sulfur in, 1:122
for supporting fertility, 3:132
for toxin-induced neuropathy, 4:47
NAFLD (nonalcoholic fatty liver disease), 1:96–97
naltrexone therapy, 4:130
naringenin, 2:29
naringin, 4:155
nasal lavage, 5:173
nasal polyps
 formulas for, 5:43, 173–74
 overview, 5:172–73
NASH (nonalcoholic steatohepatitis), 1:96–97
nasturtium. *See Tropaeolum majus* (nasturtium)
National Formulary, 1:1; 5:4
National Institutes of Health (NIH), 5:2
Natrum muriaticum, for eye injuries, 5:154
nattokinase, 2:46, 80; 4:43t
nature, importance of connection to, 4:4
naturopathic medicine
 importance of treating person, not diagnosis, 1:7; 2:7; 3:9; 4:11; 5:11
 suppression of, 5:1–6
 understanding of healing crises, 1:8; 2:10; 3:12; 4:12; 5:12
 unity of disease, as core tenet, 1:4; 2:7; 3:7; 4:8; 5:8
nausea
 Cannabis sativa for, 1:32
 Chelidonium majus for, 1:82, 103
 from chemotherapy, 1:36, 37
 Cinnamomum spp. for, 3:167
 formulas for, 1:28
 Gelsemium sempervirens for, 4:161, 209
 Gentiana lutea for, 1:243
 Hydrastis canadensis for, 1:104
 Iris versicolor for, 1:104, 244
 Leptandra virginica for, 1:104
 Lobelia inflata for, 5:198
 Matricaria chamomilla for, 1:86; 5:92
 menstrual, 3:120
 Mentha spp. for, 1:86; 4:198, 211
 Morella cerifera for, 1:105
 Pimpinella anisum for, 1:86
 pregnancy-related, 3:131–32
 Rheum palmatum for, 4:214
 ruling out food allergies and intolerances, 1:24

Rumex acetosella for, 1:87
Rumex crispus for, 1:105
Silybum marianum for, 1:106
Syzygium aromaticum for, 1:88
Terminalia spp. for, 1:106
 See also motion sickness, herbal therapies for nebulized medications, 2:137
neem. *See Azadirachta indica* (neem)
Nelumbo nucifera (lotus, Indian lotus)
 dopamine-reducing effects, 4:123
 formulas containing, 4:126
 for inflammatory bowel diseases, 5:80
 for opiate addiction, 4:129
 opiate agonist qualities, 4:134
 specific indications, 4:147
Neopicrorhiza scrophulariiflora (picrorhiza)
 for COPD, 2:149t
 picrosides in, 2:149t, 154
 specific indications, 2:172–73
 as substitute for *Picrorhiza kurroa*, 2:176
Nepeta cataria (catnip), 4:104
 antiallergy qualities, 2:127
 carminative qualities, 1:31
 formulas containing
 childhood skin eruptions, 1:193
 crankiness in children, 4:104
iron in, 2:70
 for otitis media, 5:159
 specific indications, 1:86; 2:173; 4:147; 5:199
nephritis
 Atropa belladonna for, 1:141, 158
 autoimmune, 1:154
 Bupleurum spp. for, 1:103
 Cantharis vesicatoria for, 1:159
 Eucalyptus globulus for, 1:160
 Juniperus communis for, 1:162
 Solidago spp. for, 1:165
 See also pyelonephritis
nephropathies. *See renal disorders*
nerolidol, 4:67
nerve entrapment syndrome, 4:46, 77
nerve pain. *See neuralgia*
nerve suppression, formula for, 4:179
nerve trauma
 formula for, 1:175
 Hypericum perforatum for, 1:126, 175; 3:171
 neurogenic bladder from, 1:126
nerve wounds, herbs for, 4:192t
nervines
 for adrenal disorders, 3:46
 for breast conditions, 3:142
 for dementia, 4:54
 for emotion-related diarrhea, 1:51, 56
 for hypertension, 2:41, 42, 43, 46
 for hyperventilation, 2:125, 140
 for irritable bowel syndrome, 1:30, 33
 list of, 4:91
 for low libido, 3:151
 for mood disorders, 4:90
 for neurodermatitis, 1:192
for overactive bladder, 1:128, 129
for premenstrual syndrome, 3:125
for PTSD, 4:111
sample case, 1:15
for trigeminal neuralgia, 4:37
nervous disorders
 anorexia from, 1:36
 Avena sativa for, 1:82, 158, 239; 3:166
 Centella asiatica for, 1:182
 Eleutherococcus senticosus for, 1:84, 242
 Hypericum perforatum for, 1:85
 irritable bowel syndrome with, 1:30
 Leonurus cardiaca for, 2:98; 3:59
 Matricaria chamomilla for, 1:30, 51, 245; 2:99
 Piper methysticum for, 1:164
 Scutellaria spp. for, 1:165, 248; 3:177
 skin hypersensitivity from, 1:232
 Valeriana officinalis for, 3:179
 Verbena hastada for, 1:249
 Viscum album for, 2:106
 Withania somnifera for, 2:106
nervous tonics, 4:125
neti pot lavage, 5:171, 173
nettle. *See Urtica* spp.
Nettle Truffles, 5:123
neuralgia
 Aconitum napellus for, 4:35, 74; 5:132
 Acorus calamus for, 4:74–75
 Amanita muscaria for, 4:203
 Arnica montana for, 4:76
 Atropa belladonna for, 4:76
 bee-venom therapy for, 4:75
 Borago officinalis for, 4:76
 bromelain for, 4:75
 Capsicum annuum for, 4:35, 77, 205; 5:134
 Cinnamomum verum for, 5:87
 Colchicum autumnale for, 4:78
 Conium maculatum for, 4:184, 207; 5:136
 Corydalis cava for, 4:78
 Curcuma longa for, 4:78
 Eschscholzia californica for, 4:79
 Eugenia caryophyllata for, 5:89
 formulas for, 1:231; 4:35–36, 179–182
 Gaultheria procumbens for, 4:80; 5:137
 Gelsemium sempervirens for, 1:161; 4:209; 5:137, 197
 Hamamelis virginiana for, 5:138
 Harpagophytum procumbens for, 4:209
 herbs for, 1:232; 4:180t
 Hyoscyamus niger for, 4:210
 Hypericum perforatum for, 1:231, 244; 4:81, 143, 210
 Lavandula angustifolia for, 4:82
 Lobelia inflata for, 4:211
 Melilotus officinalis for, 4:82
 Mentha piperita for, 4:83, 211
 Myristica fragrans for, 4:212
 Oenothera biennis for, 4:84
 overview, 4:33–35

- neuralgia (continued)**
- Passiflora* spp. for, 4:97, 148
 - Phyllanthus amarus* for, 4:212
 - Phytolacca americana* for, 5:139
 - Piper methysticum* for, 4:85
 - Piscidia piscipula* for, 4:213
 - Smilax* spp. for, 4:86
 - Syzygium aromaticum* for, 1:187; 4:216
 - therapies for specific types of, 4:180t
 - Zanthoxylum clava-herculis* for, 5:143, 203
 - Zingiber officinale* for, 4:88
 - See also* herpetic neuralgia; neuropathic pain; trigeminal neuralgia
- neurasthenia**
- Actaea racemosa* for, 4:202
 - herbs for, 4:180t
 - Passiflora* spp. for, 4:148
 - similarities to fibromyalgia, 5:110
- neurodegenerative disorders**
- Centella asiatica* for, 4:77
 - Curcuma longa* for, 4:78
 - Cyperus rotundus* for, 4:142
 - Linum usitatissimum* for, 4:82
 - Magnolia officinalis* for, 4:82
 - Melissa officinalis* for, 4:83
 - Oenothera biennis* for, 4:84
 - overview, 4:28
 - potential ayahuasca benefits, 4:138
 - Ribes nigrum* for, 4:85
 - Schisandra chinensis* for, 4:151
 - supplements for, 4:54
 - Withania somnifera* for, 4:88
 - See also* specific disorders
- neurodermatitis**
- formula for, 1:192
 - Scutellaria lateriflora* for, 1:248
 - Verbena hastada* for, 1:249
- neuroendocrine regulation of the reproductive system, 3:102–3**
- neurogenic bladder**
- Arnica montana* for, 1:158
 - Atropa belladonna* contraindicated for, 1:128
 - formulas for, 1:126–27
 - herbs for, 1:127
- neurological conditions**
- Borago officinalis* for, 4:76
 - combating oxidative damage, 4:27–28
 - Cyperus rotundus* for, 4:142
 - Ginkgo biloba* for, 4:80
 - herbs with neuroprotective effects, 4:30–31
 - Lavandula angustifolia* for, 4:82
 - Nelumbo nucifera* for, 4:147
 - nutrients for cognitive function, 4:29
 - overview, 4:27, 28
 - Poria cocos* for, 4:149
 - Rosmarinus officinalis* for, 4:85
 - screening for, 4:29–32
 - Smilax* spp. for, 4:86
 - specific herbs for, 4:74–88
- See also** Bell's palsy; dementia; epilepsy and seiural disorders; neuralgia; Parkinson's disease; peripheral neuropathy; restless legs syndrome
- neuropathic pain**
- Aconitum napellus* for, 4:202
 - Acorus calamus* for, 4:202
 - alpha-lipoic acid for, 4:155
 - Artemisia dracunculus* for, 4:204
 - Butea monosperma* for, 4:205
 - Cannabis sativa* for, 4:205
 - Centella asiatica* for, 4:77
 - Curcuma longa* for, 4:207
 - Cyperus rotundus* for, 4:142
 - definition of, 4:179
 - formulas for, 4:179
 - Hypericum perforatum* for, 4:210
 - Mentha piperita* for, 4:83
 - Momordica charantia* for, 4:211
 - Nigella sativa* for, 4:212
 - Ocimum tenuiflorum* for, 4:212
 - Rosmarinus officinalis* for, 4:214
 - Syzygium aromaticum* for, 4:86
 - See also* neuralgia
- neuropathy**
- Borago officinalis* for, 2:91
 - flavonoids for, 2:26
 - Hypericum perforatum* for, 2:97; 3:95–96
 - See also* diabetic neuropathy
- neuroprotective herbs, list of, 4:30–31**
- neurotransmitters**
- effects of negative thoughts on, 4:2–3
 - effects of psychiatric medications on, 4:2–3
 - as monoamines, 4:3, 90
 - role of reproductive hormones in modulating, 4:96
- neurotrophins, 4:29; 5:82**
- neutralizing cordials, 4:197–98**
- New Jersey tea. *See* Ceanothus americanus (red root, New Jersey tea)**
- niacinamide, 5:35**
- Nicotiana rustica (wild tobacco), 4:63, 83**
- Nicotiana tabacum (tobacco)**
- bladder cancer cautions, 1:134
 - for inflammatory bowel diseases, 5:79t
 - for nasal polyps, 5:173t
 - for Parkinson's disease, 4:63
- nicotine**
- for Parkinson's disease, 4:63
 - specific indications, 4:83
- nicotinic agonists, 4:133**
- nifedipine, 1:137, 139**
- Nigella sativa (black cumin, black seed, love-in-a-mist)**
- for allergies, 5:48
 - in Blueberry Dressing and Marinade, 3:76–77
 - for depression, 4:103t
 - for epilepsy and seiural disorders, 4:68, 72
- formulas containing**
- arthritis, 5:120
- demyelinating polyneuropathy, 4:49**
- multiple sclerosis, 5:83**
- Parkinson's disease, 4:65**
- seizures, 4:72**
- for multiple sclerosis, 5:82**
- for Parkinson's disease, 4:64**
- for peripheral neuropathy, 4:43t, 44**
- seed oil from, 2:43; 4:57, 58**
- specific indications, 2:99; 3:96; 4:83–84, 212; 5:92**
- night-blooming cactus. *See* Selenicereus grandiflorus (night-blooming cactus)**
- nightshades. *See* Solanaceae herbs**
- night sweats**
- Cinchona officinalis* for, 1:83
 - with hyperthyroidism, 3:45
 - menopause-related, 3:135
 - Populus tremuloides* for, 1:164
 - Salvia officinalis* for, 1:247; 3:177
 - Taraxacum officinale* for, 1:88, 106; 3:62, 99
 - See also* hyperhidrosis
- nipple salve, 1:234, 239**
- nitrates, endocrine-disrupting concerns, 3:38**
- nitric oxide, 2:41, 42**
- nitric oxide synthase (NOS), 1:65**
- nitroglycerin patches, 2:113**
- NMDA (N-methyl-D-aspartate), 4:65**
- nociceptive pain**
- Agrimonia eupatoria* for, 4:203
 - Artemisia dracunculus* for, 4:204
 - Cannabis sativa* for, 4:205
 - Citrullus colocynthis* for, 4:206
 - definition of, 4:33, 154
 - formula for, 4:179
 - Hypericum perforatum* for, 4:210
 - Piper methysticum* for, 4:213
 - resveratrol for, 4:33
 - Rosmarinus officinalis* for, 4:214
 - Syzygium aromaticum* for, 4:215
 - Tanacetum parthenium* for, 4:216
 - See also* pain
- nonalcoholic fatty liver disease (NAFLD), 1:96–97**
- nonalcoholic steatohepatitis (NASH), 1:96–97**
- noni (*Morinda citrifolia*), 2:172**
- nonspecific pain**
- formulas for, 4:166–173
 - herbs for, 4:166t
- Noon, Leonard, 5:30**
- nordihydroguaiaretic acid (NDGA), 3:113**
- Norovirus infections, 1:51–52**
- North American ginseng. *See* Panax quinquefolius (North American ginseng)**
- northern white cedar. *See* Thuja occidentalis (northern white cedar)**
- northern prickly ash. *See* Zanthoxylum americanum (northern prickly ash)**
- northern white cedar. *See* Thuja occidentalis (northern white cedar)**
- Norwood's tincture, 4:190**
- NOS (nitric oxide synthase), 1:65**

- nosebleeds (epistaxis), 2:99; 5:174
- nose conditions
- Berberis aquifolium* for, 5:194
 - Calendula officinalis* for, 5:194
 - overview, 5:145–46
- notoginseng. *See Panax notoginseng* (san qi, notoginseng)
- nourishing herbs
- base herbs, 1:9, 10, 12, 21; 2:11, 12; 3:11, 12; 4:17; 5:16
 - for malnutrition, 1:37
 - teas of, 4:24; 5:24
- nuciferine, 4:147
- nuclear factor kappa b, 1:69, 78
- number of herbs in a formulary, 1:5, 10; 2:7, 12; 3:12, 23–24; 4:9, 15; 5:8, 15
- nursing mothers. *See lactation*
- nutgrass. *See Cyperus rotundus* (nutgrass)
- nutmeg. *See Myristica fragrans* (nutmeg)
- nutraceuticals
- for human papillomavirus, 3:114
 - for ischemic and hemorrhagic stroke, 2:63
 - for liver support, 1:93
 - for neuralgia, 4:33
 - for neurogenic bladder, 1:126
 - for pain, 4:154–56
 - for premenstrual syndrome, 3:125
- nutrient deficiencies, from malabsorption, 1:72
- nutritional psychiatry, founding of, 4:5
- nutritional supplements. *See supplements*
- nuts and seeds
- adrenal-supporting qualities, 5:111t
 - anti-inflammatory actions, 5:29
 - for epilepsy and seizure disorders, 4:69, 69
 - in Nettle Truffles, 5:123
- Nymphaea nouchali* var. *caerulea* (blue water lily, sacred lotus), 4:123, 147–48
- ## O
- Oatmeal for Diabetes, 3:83–84
- oats. *See Avena sativa* (oats)
- obesity
- Coleus forskohlii* for, 3:56, 92, 167
 - Commiphora mukul* for, 1:83; 2:93; 3:56
 - Curcuma longa* for, 1:104
 - Fucus vesiculosus* for, 1:242; 3:58, 170
 - Galega officinalis* for, 3:94
 - Glycyrrhiza glabra* for, 3:59
 - Hemidesmus indicus* for, 2:167
 - Hibiscus sabdariffa* for, 3:95
 - legume family herbs for, 3:70
 - Opuntia* spp. for, 3:96
 - as part of the deadly quartet, 3:65
 - Pueraria montana* var. *lobata* for, 3:176
 - Punica granatum* for, 3:97
 - Raphanus* spp. for, 3:176
 - Rheum palmatum* for, 2:102
 - Stellaria media* for, 2:104
 - Syzygium cumini* for, 3:99
 - tea for, 3:70–71
- obsessive-compulsive disorder (OCD), 4:116–17
- obstructive sleep apnea, treating, 2:88–89
- Ocimum basilicum* (sweet basil), 4:67, 102
- Ocimum sanctum*, *O. tenuiflorum* (holy basil), 4:112
- adaptogenic qualities, 4:112
 - bronchodilating properties, 2:108t
 - for depression, 4:103t
 - formulas containing
 - allergic hypersensitivity, 5:36
 - depression and anxiety, 4:98
 - PTSD, 4:113
 - schizophrenia, 4:125
- GABAergic qualities, 4:110
- for hypertension, 2:41
- mast-cell stabilizing effects, 2:144t; 5:31t
- nervine qualities, 4:91
- for panic disorder, 4:109
- for peripheral neuropathy, 4:42
- for prostatitis, 1:151
- for skin protection, 1:230
- specific indications, 2:173; 3:173–74; 4:148, 212
- ocotillo. *See Fouquieria splendens* (ocotillo)
- octopamine, 4:159
- ocular allergies
- Euphrasia officinalis* for, 5:89
 - Tanacetum parthenium* for, 5:202
- ocular lesions, from Behcet's disease, 5:72
- Oenothera biennis* (evening primrose)
- for allergies, 5:48
 - for dermatitis, 1:189
 - essential fatty acids in, 5:84
 - formulas containing
 - demyelinating polyneuropathy, 4:49
 - hyperhidrosis, 1:227
 - multiple sclerosis, 5:83
- for multiple sclerosis, 5:82
- for peripheral neuropathy, 4:43t, 44
- for respiratory conditions, 2:108
- for seborrheic dermatitis, 1:190
- seed oil from, 2:43; 4:57
- for skin fissures, 1:235
- specific indications, 2:173; 4:84; 5:92
- ointments
- pancreatitis, 1:71
 - psoriasis, 1:210
 - scabies, 1:198
- okera (*Atractylodes japonica*), 4:61
- Oldenlandia diffusa* (snake needle grass, baihua sheshao), 5:78
- old man's beard. *See Usnea barbata*
- (old man's beard)
- Olea europaea* (olive)
- for dermatitis, 1:189
 - formulas containing, 1:227
 - neuroprotective effects, 4:31
 - for respiratory infections, 2:121
 - for seborrheic dermatitis, 1:190
 - seed oil from, 2:43
 - specific indications, 2:99, 173–74
- olfactory auras, 4:66
- oligodendrocytes, 5:81
- oliguria
- Chimaphila umbellata* for, 1:159
 - definition of, 1:152
 - formula for, 1:111
 - herbs for, 1:154
 - Solidago* spp. for, 1:165
- olive. *See Olea europaea* (olive)
- omega-3 fatty acids
- cardiovascular benefits, 2:32, 43, 63
 - for dry eyes, 5:150
 - for epilepsy and seizure disorders, 4:69
 - for fatty liver, 1:96
 - in *Linum usitatissimum*, 2:169; 4:82
 - lipid metabolism benefits, 2:34
 - for macular degeneration, 5:150
 - for neuropathic pain, 4:179
 - in *Oenothera biennis*, 2:173
 - in *Perilla frutescens*, 2:175
 - for respiratory allergies, 5:40
- omega-6 fatty acids, 4:69, 82
- onion. *See Allium cepa* (onion)
- oolong tea, for gastroparesis, 1:77
- opening the emunctories, 1:2, 8, 108, 175
- Ophiopogon japonicus* (mai men dong)
- for congestive heart failure, 2:48
 - formulas containing
 - arrhythmias, 2:53
 - COPD, 2:153
 - specific indications, 2:99, 174
- ophthalmia
- Euphrasia officinalis* for, 5:89
 - formula for, 5:150–51
 - See also* herpes-induced ophthalmia
- ophthalmic pain. *See eye pain*
- opiate addiction
- Cannabis sativa* for, 4:140
 - formula for, 4:185
 - Mitragyna speciosa* for, 4:211
 - overview, 4:128–29
 - See also* drug addiction
- opiate agonists, 4:134
- opiate crisis, 4:3
- opiate medications, shortcomings of, 1:137
- opium poppy. *See Papaver somniferum* (opium poppy, breadseed poppy)
- Oplapanax horridus* (devil's club)
- as chi tonic, 2:16
 - for insomnia with exhaustion, 1:14; 2:16; 3:16; 5:18
 - for panic disorder, 4:109
 - for poor circulation, 2:63
 - for PTSD, 4:111
 - specific indications, 2:99–100
- opportunistic infections
- Andrographis paniculata* for, 2:155, 158
 - herbs for, 2:134, 138
 - Origanum vulgare* for, 2:174
 - pulmonary disease and, 2:151

- Opuntia* spp.
 flavones in, 3:87
 specific indications, 3:96
 for supporting fertility, 3:132
- Opuntia ficus-indica* (prickly pear), 3:83
 for dermatologic conditions, 1:170
 flavonoids in, 2:33
 formulas containing
 hangovers, 4:132–33
 hyperlipidemia, 2:35, 36
 for fungal skin infections, 1:197
 hypoglycemic effects, 3:73
 for insulin resistance, 3:71, 83
 lipid-lowering effects, 3:82
 for poor circulation, 2:58
 for retinopathies, 5:156
 specific indications, 2:100; 3:60
 for vascular support, 2:30, 31
- Opuntia streptacantha* (prickly pear), 3:60
- oral allergic reactivity
 formulas for, 5:49–50
 overview, 5:49–50, 181, 186
- oral cancers
 formula for, 5:186
 natural medicine for, 5:187
- oral conditions
Achillea millefolium for, 5:192
Allium sativum for, 5:192
Aloe vera for, 5:192
Atropa belladonna for, 5:193
Azadirachta indica for, 5:193
Baptisia tinctoria for, 5:193
Chionanthus virginicus for, 5:194
Coptis trifolia for, 5:195
Curcuma longa for, 5:195
Eupatorium perfoliatum for, 5:196
 formulas for, 5:181–86
Hamamelis virginiana for, 5:197
 herbs for, 5:146
Hippophae rhamnoides for, 5:197
Humulus lupulus for, 5:197
Hypericum perforatum for, 5:198
Juglans cinerea for, 5:198
Lobelia inflata for, 5:198
 overview, 5:145–46, 178–181
Phytolacca americana for, 5:200
Sanguinaria canadensis for, 5:180
Thymus vulgaris for, 5:202
Veratrum album for, 5:203
Zingiber officinale for, 5:203
See also specific conditions
- oral erythema multiforme
 formulas for, 5:187
Hypericum perforatum for, 5:198
 overview, 5:187
- Piper methysticum* for, 5:200
Sanguinaria canadensis for, 5:93
- oral health, significance of, 5:146
- oral herpes, herbs for, 4:40
- oral infections
Allium sativum for, 5:192
Commiphora myrrha for, 5:195
Gymnema sylvestre for, 5:197
 herbs for, 5:146
Mentha piperita for, 5:199
Punica granatum for, 5:200
Tabebuia impetiginosa for, 5:202
Vaccinium myrtillus for, 5:203
- oral lesions
Apis mellifera for, 5:193
 from Behçet's disease, 5:72
 from burning tongue syndrome, 5:182
Calendula officinalis for, 5:194
Capsicum annuum for, 5:194
Commiphora myrrha for, 1:241; 5:183
Coptis spp. for, 1:241
Curcuma longa for, 5:195
 with erythema multiforme, 1:220–21
Eucalyptus globulus for, 1:242
 formulas for, 1:38–39, 211–12; 5:51
Galium aparine for, 1:242
Glycyrrhiza glabra for, 1:243; 5:90
Hippophae rhamnoides for, 5:197
Hydrastis canadensis for, 5:189
Hypericum perforatum for, 1:244
Mentha piperita for, 5:199
 from oral allergic reactivity, 5:186
 from oral erythema multiforme, 5:187
 from oral leukoplakia, 5:187
Phytolacca americana for, 5:200
Pimpinella anisum for, 5:200
Sanguinaria canadensis for, 1:247
Schisandra chinensis for, 5:201
 supportive therapies for, 5:50, 146
Thuja occidentalis for, 5:202
- oral mucositis
Achillea millefolium for, 5:192
Coptis chinensis for, 5:195
 formulas for, 4:176
 herbs for, 4:166t
Hippophae rhamnoides for, 5:197
Matricaria chamomilla for, 4:211; 5:198
- oral pain
Aloe vera for, 4:203
Baptisia tinctoria for, 4:204
 formulas for, 4:176–77
 herbs for, 4:166t, 167; 5:177
Mentha piperita for, 5:199
 mouthwashes for, 4:40–41, 176, 177
Phytolacca americana for, 4:213
Rheum palmatum for, 5:200
Salvia officinalis for, 5:201
Spilanthes acmella for, 5:141
Stillingia sylvatica for, 1:88
Syzygium aromaticum for, 4:215; 5:202
Ulmus rubra for, 5:202
Zanthoxylum clava-herculis for, 5:203
- oral ulcers
Aloe vera for, 5:192
- Baptisia tinctoria* for, 5:193
Equisetum arvense for, 5:196
Foeniculum vulgare for, 5:196
 formula for, 5:184
Ganoderma lucidum for, 5:90
Glycyrrhiza glabra for, 5:197
Hydrastis canadensis for, 5:189
Hypericum perforatum for, 5:91
Matricaria chamomilla for, 5:198
 orange (*Citrus sinensis*), 3:56; 4:176
 orange, bitter. *See* *Citrus aurantium* (bitter orange)
 orbital cellulitis, 5:147–48
 orchitis, 1:161
 oregano. *See* *Origanum vulgare* (oregano)
 oregano chiquito (*Hedeoma patens*), 3:128
 Oregon grape. *See* *Berberis aquifolium* (Oregon grape, mahonia)
 organic acids, chemopreventive effects, 3:157
 organomegaly
Bupleurum spp. for, 1:103
 portal congestion from, 1:50, 100t
Scutellaria baicalensis for, 1:100t, 106
See also specific types
 organs of elimination, 1:2, 8, 175
See also specific organs
Origanum spp.
 antimicrobial qualities, 1:71
 as warming stimulant, 3:21t
Origanum dictamnus (dittany of Crete, hop marjoram), 4:67
Origanum marjorana (marjoram)
 formulas containing, 1:177
 for *Helicobacter pylori* infections, 1:43
Origanum onites (oregano), 1:198
Origanum vulgare (oregano)
 for acute infections, 1:53
 in Antifungal House-Cleaning Spray, 5:36
 antimicrobial qualities, 1:61
 antiparasitic qualities, 1:54
 for Behçet's disease, 5:74
 carminative qualities, 1:31
 for COPD, 2:148
 for digestive pain, 1:26
 essential oil of, 1:53, 76
 for eye conditions, 5:147
 formulas containing
 alopecia, 1:213
 COPD, 2:148
 coughs, 2:119
 dental conditions, 5:176
 depression and anxiety, 4:102
 esophageal disorders, 1:45
 herpetic neuralgia, 4:40
 orbital cellulitis, 5:148
 SIBO, 1:76
 skin infections, 1:177, 179
 stomatitis and gingivitis, 5:182
 vertigo, 5:168
 for fungal skin infections, 1:196

Origanum vulgare (oregano) (*continued*)
 for opportunistic lung infections, 2:134
 for otitis media, 5:159
 for pain, 4:166t
 for scabies, 1:198
 for skin infections, 1:176
 specific indications, 1:86, 246; 2:174; 5:199
 for traveler's diarrhea prevention, 1:53
 orthomolecular psychiatry, 4:5
osha. *See Ligusticum porteri* (osha)
 osmotic diarrhea, 1:52
See also diarrhea
 osmotic diuretics, 1:109, 111
osteitis deformans (Paget's disease), 5:129–130
 osteoarthritis
Ananas comosus for, 5:132
Angelica sinensis for, 5:133
Arnica montana for, 5:133
Berberis aquifolium for, 5:134
Celastrus aculeatus for, 5:87
Curcuma longa for, 5:136
 formulas for, 5:115–19
Urtica spp. for, 5:142
See also arthritis
 osteoclasts, 5:129
 osteomyelitis
Achillea millefolium for, 5:131
Aesculus hippocastanum for, 5:132
Cinnamomum verum for, 5:135
Melaleuca alternifolia for, 5:139
 osteopenia
Medicago sativa for, 5:139, 199
Urtica dioica for, 5:203
 osteoporosis
Angelica sinensis for, 5:133
Apium graveolens for, 5:133
Centella asiatica for, 5:135
Epimedium brevicornu for, 5:137
Epimedium grandiflorum for, 3:169
Eurycoma longifolia for, 3:169
 formulas for, 5:101, 127–29
Medicago sativa for, 3:173; 5:139
 overview, 5:124–27
Pueraria montana var. *lobata* for, 5:140
 risk factors, 5:127
Schisandra chinensis for, 5:112
Symphytum officinale for, 5:142
Taraxacum officinale for, 1:248; 5:142
 tea for preventing, 3:141
Trifolium pratense for, 1:249; 5:142
Urtica spp. for, 5:142
 osthole
 in *Angelica archangelica*, 2:80
 in Apiaceae family plants, 5:62
 for arrhythmias, 2:56
 as calcium channel blocker, 2:46
 in *Cnidium monnieri*, 2:87, 144, 161; 5:87, 135
 hypolipidemic properties, 2:34
 osthole. *See Cnidium monnieri* (osthole, snow parsley)

OTC Drug Review, 5:4
 otitis externa
 earwash for, 4:175
 formulas for, 5:163
 overview, 5:162
 prevention of, 5:163
 otitis media
 chewing gum benefits, 1:41
Collinsonia canadensis for, 5:195
 complementary therapies for, 5:145
Euphrasia officinalis for, 5:89
 overview, 5:159
Stillingia sylvatica for, 1:88
 ovarian cysts
 formulas for, 3:144
 link to unopposed estrogen, 3:102
 ovarian pain
Actaea racemosa for, 4:202
Bryonia dioica for, 4:205
 formula for, 4:196
 herbs for, 4:166t
 overactive bladder
Angelica sinensis for, 1:130, 157
 botanical stimulants to avoid, 1:129
Cucubita spp. for, 1:160
 formulas for, 1:127–130
Hypericum perforatum for, 1:162
 overdose deaths, 4:3
 overeating, aromatherapy for, 4:103
 ox bile, for malabsorption, 1:74
 oxidative stress
 activation of TRP channels and, 4:178
Albizia julibrissin for, 4:139
Bupleurum falcatum for, 3:55
Camellia sinensis for, 3:55
Cnicus benedictus for, 3:167
Commiphora mukul for, 3:168
Crocus sativus for, 4:78
Curcuma longa for, 3:57, 168; 4:142
 damage from, 4:27–28
Ganoderma lucidum for, 3:94
Gastridria elata for, 4:79
Ginkgo biloba for, 3:58, 94; 4:143
 herbs for, 3:31
Huperzia serrata for, 4:81
 importance of reducing, 3:66
Ocimum tenuiflorum for, 4:148
Passiflora incarnata for, 4:97
Raphanus spp. for, 3:176
Rhodiola rosea for, 3:61
 role in seizure disorders, 4:65
Rosmarinus officinalis for, 3:62
Salvia miltiorrhiza for, 3:62; 4:151
Salvia officinalis for, 4:85
Sargassum muticum for, 3:62
Schisandra chinensis for, 4:86
Scutellaria baicalensis for, 4:215
Taraxacum officinale for, 3:62
 thyroid hormones and, 3:28, 29
Withania somnifera for, 4:88

P

Pacific yew (*Taxus brevifolia*), 3:112
 paclitaxel, for venereal warts, 3:112
Paeonia spp.
 for depression and anxiety, 4:94, 101t, 103t
 for epilepsy and seizure disorders, 4:67
 serotonin-promoting qualities, 4:92
Paeonia anomala, 2:153
Paeonia emodi (Himalayan peony), 2:149t
Paeonia lactiflora (white/red peony)
 for allergic airway disorders, 5:46
 as aromatase promoter, 1:216
 for arthritis, 5:120
 for COPD, 2:149t
 for depression and anxiety, 4:94
 formulas containing
 allergic rhinosinusitis, 2:130
 amenorrhea, 3:123
 arrhythmias, 2:53
 arthritic pain, 4:185
 biliaryness, 4:105
 depression and anxiety, 4:99
 dyspnea, 2:124
 endometriosis, 3:150
 hepatitis, 1:92
 lupus, 5:78
 menstrual cramps, 3:117
 ovarian cysts, 3:144
 pancreatitis, 1:69
 Parkinson's disease, 4:61
 premenstrual syndrome, 3:129
 uterine fibroids, 3:150, 151
 for hormone-related infertility, 3:131t
 isoflavones in, 3:150
 neuroprotective effects, 4:31
 for pancreatic diseases, 1:68, 69
 for polycystic ovarian syndrome, 3:146
 specific indications, 1:86, 105; 2:100, 174
 for strokes, 2:65
 for vascular reactivity, 5:61
Paeonia officinalis (peony), 5:157
Paeonia × suffruticosa (mountain, tree peony)
 as aromatase promoter, 1:216
 formulas containing
 allergic airway disorders, 5:49
 colds, 5:170
 depression and anxiety, 4:106
 diverticulitis and diverticulosis, 1:72
 pancreatitis, 1:69, 70
 premenstrual syndrome, 3:129
 uterine fibroids, 3:151
 vascular protection, 3:78
 for hepatitis, 1:90
 for hormone-related infertility, 3:131t
 neuroprotective effects, 4:31
 for pancreatic diseases, 1:68, 69, 70
 specific indications, 1:105
 paeoniflorin, 2:108
 PAF (platelet-activating factor), 4:159
 Paget's disease, 5:129–130

- pain**
- Aconitum napellus* for, 4:17, 138, 156, 171t, 181, 202
 - Acorus calamus* for, 4:202
 - Aesculus hippocastanum* for, 4:202
 - Arnica montana* for, 4:154, 170t, 171t
 - Atropa belladonna* for, 4:204
 - Boswellia serrata* for, 4:204–5
 - Cannabis sativa* for, 4:205; 5:87
 - Capsicum frutescens* for, 4:38
 - Cinnamomum* spp. for, 3:167; 5:135
 - Citrullus colocynthis* for, 4:206
 - Coleus forskohlii* for, 3:167
 - Corydalis cava* for, 4:141
 - Corydalis yanhusuo* for, 3:168
 - Curcuma longa* for, 4:207
 - Eschscholzia californica* for, 1:84; 4:142
 - Gaultheria procumbens* for, 4:80
 - Gelsemium sempervirens* for, 4:209
 - guidelines for treating, 4:154–56
 - Harpagophytum procumbens* for, 4:209
 - Hemidesmus indicus* for, 4:81
 - herbs for, 4:171t
 - Humulus lupulus* for, 4:210
 - Hyoscyamus niger* for, 4:210
 - Hypericum perforatum* for, 3:59
 - insomnia with, 4:115
 - Leonurus cardiaca* for, 4:144
 - Matricaria chamomilla* for, 3:173; 4:82
 - Melilotus officinalis* for, 4:82
 - Mitrugyna speciosa* for, 4:146, 147, 211
 - Myristica fragrans* for, 4:212
 - Nigella sativa* for, 4:84, 212
 - Ocimum tenuiflorum* for, 3:173
 - overview, 4:153–54
 - Paeonia* spp. for, 1:105
 - palliation vs. suppression of, 4:155
 - Petasites hybridus* for, 4:194, 212
 - Phyllanthus amarus* for, 4:212
 - Phytolacca americana* for, 3:175
 - Piper methysticum* for, 3:175; 4:85, 213
 - Piscidia piscipula* for, 4:149, 213
 - Rehmannia glutinosa* for, 4:213
 - Rhus toxicodendron* for, 1:165
 - Ricinus communis* for, 4:214
 - Rosmarinus officinalis* for, 4:214
 - rubefacients for, 4:192
 - Rubia cordifolia* for, 4:214
 - Scutellaria* spp. for, 4:151, 215
 - Smilax* spp. for, 4:86
 - specific herbs for, 4:201–18
 - synergist herbs for, 4:17
 - Syzygium aromaticum* for, 4:86
 - Taraxacum officinale* for, 1:106
 - therapies for various qualities of, 4:170t
 - Tripterygium wilfordii* for, 4:216
 - TRP channels and, 4:178
 - Valeriana officinalis* for, 4:217
 - See also specific types of pain*
 - Palmaria palmata* (dulse), 5:100t
- palmatine, 5:79**
- palmitoylethanolamide (PEA)**
- for atopic dermatitis, 5:35
 - for inflammatory bowel diseases, 5:78
 - ointments with, 4:44–45, 188
- palpitations**
- Eleutherococcus senticosus* for, 2:94
 - Leonurus cardiaca* for, 2:98
 - Melilotus officinalis* for, 2:99
 - Tilia × europaea* for, 2:105
 - Ziziphus spinosa* for, 2:106
- Panax ginseng** (ginseng, ren shen)
- 5α-reductase inhibition, 1:218; 3:162
 - adaptogenic qualities, 3:49, 53; 4:90, 112
 - for adrenal disorders, 3:46, 49; 5:11t
 - for allergies, 5:28
 - alterative qualities, 1:27
 - for altered breath sounds, 2:118
 - for amenorrhea, 3:122
 - for arrhythmias, 2:55
 - for attention deficit hyperactivity disorder, 4:119
 - for Bell's palsy, 4:36
 - for cerebral vascular insufficiency, 2:62
 - for congestive heart failure, 2:48
 - for COPD, 2:148
 - for dementia, 4:54
 - for depression and anxiety, 4:95, 101t, 103t
 - for epilepsy and seizure disorders, 4:68, 72
 - for erectile dysfunction, 3:15, 161
 - ergogenic effects, 5:112
 - for eye conditions, 5:147t
- formulas containing**
- Addison's disease, 3:51
 - adrenal disorders, 3:49, 50
 - allergic hypersensitivity, 5:36
 - Alzheimer's disease, 4:56
 - anovulatory cycles, 3:123
 - arrhythmias, 2:53, 55
 - arthritis, 5:122
 - asthma, 2:145
 - attention deficit hyperactivity disorder, 4:121
 - autoimmune disorders, 5:66, 67
 - Bell's palsy, 4:37
 - black eyes, 5:155
 - bronchitis, 2:133
 - cardiopulmonary disease, 2:84
 - colds, 5:169
 - COPD, 2:148, 153
 - coughs, 2:120
 - Cushing's syndrome, 3:52
 - depression and anxiety, 4:98, 99, 102, 106
 - dry skin, 1:190
 - dyspepsia, 1:29
 - dyspnea, 2:125
 - emphysema, 2:138
 - esophageal disorders, 1:44
 - food allergies, 5:40
 - fungal skin infections, 1:195
 - gastroparesis, 1:77
- genital herpes, 3:110**
- GERD, 1:43**
- Guillain-Barré syndrome, 4:49**
- hepatitis, 1:95**
- hormone-related infertility, 3:130**
- hypertension, 2:44**
- hypothyroidism, 3:35, 37**
- impotence, 2:87**
- insomnia, 4:115**
- itching skin, 1:186**
- low libido, 3:154**
- lupus, 5:77, 78**
- malabsorption, 1:73, 75**
- male infertility, 3:164**
- muscle pain, 5:108, 109**
- muscle strength, 5:112**
- muscle weakness, 5:111**
- myositis conditions, 5:70**
- neurogenic bladder, 1:127**
- overactive bladder, 1:130**
- pancreatitis, 1:69**
- Parkinson's disease, 4:61**
- peripheral vascular insufficiency, 2:58, 61**
- pneumonia, 2:142**
- polymyositis, 5:71**
- renal failure, 1:155**
- Sjögren's syndrome, 5:69**
- steroids, withdrawal from, 1:188**
- thyroiditis, 3:30, 31**
- tinnitus, 5:166**
- vertigo, 5:167**
- for fungal skin infections, 1:197**
- for Henoch-Schönlein purpura, 5:75**
- for herpes-induced ophthalmia, 5:151**
- histamine-blocking qualities, 5:32t**
- for hormone-related infertility, 3:129, 130, 131t**
- for hyperlipidemia, 2:36**
- for hyperventilation, 2:140**
- hypoglycemic effects, 3:73**
- immunomodulating qualities, 5:32, 64**
- for increasing deficient adrenergic tone, 4:95**
- for insomnia, 2:16; 3:16; 4:18, 23, 114; 5:18, 23**
- for liver support, 1:90**
- for low libido, 3:152**
- for menopausal symptoms, 3:136t, 138t**
- for multiple sclerosis, 5:82**
- for muscle weakness, 5:110**
- for myositis conditions, 5:70**
- for neurological conditions, 4:27, 28**
- neuroprotective effects, 4:31**
- PAF inhibiting properties, 2:77**
- for panic disorder, 4:109**
- polyphenols in, 1:223**
- for poor circulation, 2:63**
- for premenstrual syndrome, 3:125**
- for renal failure, 1:153, 154t**
- for schizophrenia, 4:125**
- for skin protection, 1:230**
- specific indications, 1:86, 163, 246; 2:100, 174; 3:61, 96, 174; 4:84, 148; 5:139, 199–200**

Panax ginseng (ginseng, ren shen) (*continued*)
 for thyroid disorders, 3:41
 tonic effects, 3:47, 48
 as warming stimulant, 3:21t
Panax notoginseng (san qi, notoginseng), 3:21t, 144; 5:157, 158
Panax pseudoginseng (pseudoginseng), 5:80
Panax quinquefolius (North American ginseng), 3:21t, 96
 pancreas disorders, *Silybum Marianum* for, 1:88, 106
 pancreatic enzyme supplements, 1:68, 74
 pancreatic insufficiency, 1:72, 73
 pancreatitis
 acute vs. chronic, 1:68
 Centella asiatica for, 1:82
 formulas for, 1:68–71
 panic disorder
 Aconitum napellus for, 4:138, 181
 dyspnea with, 2:124
 formulas for, 2:125; 4:108–10
 hyperventilation with, 2:140
 pantethine, for fatty liver, 1:96
 papain, 4:43t, 190–91
 papaverine alkaloids, 1:160
Papaver somniferum (opium poppy, breadseed poppy), 4:134
 papaya. *See Carica papaya* (papaya)
 papillomas, *Allium sativum* for, 1:238
 paracress. *See Spilanthes acmella* (pinkroot, paracress)
 paraffin, in plaster base, 2:110
 parasites
 potential therapeutic benefits, 5:31, 78–79
 role in allergies, 5:28
 parasitic infections
 Artemisia annua for, 1:81, 102
 Artemisia vulgaris for, 1:81, 102
 Azadirachta indica for, 1:82, 239
 Chenopodium ambrosioides for, 1:83
 Eucalyptus globulus for, 1:242
 Hedeoma pulegioides for, 1:243
 herbs for, 1:54
 Lavandula angustifolia for, 1:245
 skin, 1:242, 243
 urinary, 1:119
Parastrephia quadrangularis (tola), 4:134
 parathyroid hormone, 5:127
Parkia biglobosa (African locust bean), 1:39
 Parkinson's disease
 Albizia julibrissin for, 4:139
 Apium graveolens for, 4:75
 Atropa belladonna for, 4:76
 bee-venom therapy for, 4:75
 caffeine for, 4:120
 Coleus forskohlii for, 4:78
 Corydalis cava for, 4:78
 dysphagia associated with, 1:44
 formulas for, 4:60–65
 Ganoderma lucidum for, 4:79

Huperzia serrata for, 4:81
Leonurus cardiaca for, 4:145
Ligusticum striatum for, 4:145
Matricaria chamomilla for, 4:82
 motility issues, 1:77
Mucuna pruriens for, 4:62, 83
 nutrients for, 4:29
Nymphaea nouchali var. *caerulea* for, 4:148
 overview, 4:28, 60
Piper methysticum for, 4:85
 potential ayahuasca benefits, 4:138
 SIBO associated with, 1:75
Valeriana officinalis for, 4:87
Vinca minor for, 4:88
Withania somnifera for, 4:64, 88
 paronychia, 1:193–94, 248
 parsley. *See Petroselinum crispum* (parsley)
 parthenolide, 4:163, 178, 216; 5:56, 202
 partridge berry. *See Mitchella repens* (partridge berry)
 partus preparators, 3:132, 173, 179, 180
 pasque flower. *See Anemone pulsatilla* (pulsatilla, pasque flower)
Passiflora edulis (passionflower, granadilla), 4:148, 165t
Passiflora incarnata (passionflower), 4:97
 anti-inflammatory qualities, 4:128
 antispasmodic qualities, 5:97
 for anxiety, 4:17; 5:17
 for attention deficit hyperactivity disorder, 4:119
 bronchodilating properties, 2:108t
 for depression and anxiety, 4:92, 97, 101t
 for epilepsy and seizure disorders, 4:66
 formulas containing
 adrenal disorders, 3:50
 alcohol recovery, 4:136
 alcohol withdrawal seizures, 4:71
 attention deficit hyperactivity disorder, 4:122
 depression and anxiety, 4:96, 98
 esophageal disorders, 1:44
 hypertension, 2:42, 43
 insomnia, 4:114, 115
 menopausal symptoms, 3:139
 migraines, 4:163
 muscle pain, 5:106
 muscle tension, 5:107
 Parkinson's disease, 4:61, 63
 seizures, 4:72
 GABAergic qualities, 4:110, 114
 for headaches, 4:158
 for *Helicobacter pylori* infections, 1:43
 for hypertension, 2:41
 for irritable bowel syndrome, 1:30
 for menopausal symptoms, 3:136t, 138t, 139
 for muscle pain and spasms, 5:105
 for nerve pain, 4:91, 180t
 for opiate addiction, 4:129
 for pain, 4:154, 155, 171t
 for panic disorder, 4:109
 for Parkinson's disease, 4:60
 for restless insomnia, 1:14, 15; 2:16, 17; 3:17, 18; 4:19, 20; 5:19, 20
 for restless legs syndrome, 4:32
 specific indications, 2:100, 174–75; 4:148
 for tinnitus, 5:165
 for trigeminal neuralgia, 4:37
 for withdrawal symptoms, 4:128
 passionflower. *See Passiflora* spp.
 passive hemorrhage, *Achillea millefolium* for, 1:81
 patch testing, 5:52–53
 patents, on herbal-derived drugs, 5:3, 4, 5
 patuletin, 1:41
 pau d'Arco. *See Tabebuia impetiginosa* (pau d'Arco)
Paullinia cupana (guarana), 3:161
Pausinystalia johimbe (yohimbe)
 for erectile dysfunction, 3:16
 for increasing deficient adrenergic tone, 4:94
 for low libido, 3:152
 specific indications, 3:174
 PEA. *See* palmitoylethanolamide (PEA)
 peach. *See Prunus persica* (peach)
 peanut (*Arachis hypogaea*), 2:31
 Peanut Butter Blondies, 3:82–83
 pectic acid, 1:79
 pectin gel, in Sweet and Sour Alginate "Cordial" for GERD, 1:39
Pelargonium sidoides (African geranium), 2:131, 175
 pelvic congestion and stagnation
 Angelica sinensis for, 1:81, 238; 3:165; 5:132
 Berberis aquifolium for, 3:167
 Ceanothus americanus for, 1:82, 103, 240; 3:91
 Cinnamomum verum for, 5:87
 Collinsonia canadensis for, 1:159
 Hamamelis virginiana for, 1:85, 243; 3:171; 5:138
 pelvic inflammatory disease (PID)
 Equisetum spp. for, 1:160
 formulas for, 3:108–9
 pyelonephritis vs., 1:118
 pelvic musculature, *Hernaria glabra* for, 1:162
 pelvic pain
 Arctostaphylos uva ursi for, 1:157
 Arnica montana for, 4:204
 Caulophyllum thalictroides for, 4:206
 Convallaria majalis for, 1:160
 Equisetum spp. for, 1:160
 Eupatorium purpureum for, 1:161; 4:208
 formulas for, 4:195–96
 Lobelia inflata for, 4:211
 Paeonia spp. for, 1:86, 105
 Scutellaria lateriflora for, 1:165
 Ulmus fulva for, 1:166
 pemphigus, formulas for, 1:221
 pennyroyal. *See Hedeoma pulegioides* (pennyroyal)
 pennywort. *See Centella asiatica* (gotu kola)
 penzosan polysulfate sodium (Elmiron), 1:122
 peony. *See Paeonia* spp.

peony, tree. *See Paeonia × suffruticosa*
 (moutan, tree peony)

peony, white. *See Paeonia lactiflora* (peony)

pepper, black. *See Piper nigrum* (black pepper)

pepper, long. *See Piper longum* (long pepper)

peppermint. *See Mentha piperita* (peppermint)

pepperweed. *See Lepidium latifolium*
 (rompe piedras)

pepperwood. *See Zanthoxylum clava-herculis*
 (southern prickly ash)

peptic distension, *Foeniculum vulgare* for,
 1:84, 242

peptic ulcers

- alteratives for, 1:26
- Elettaria cardamomum* for, 1:84
- formula for, 4:197
- Helicobacter pylori* infections and, 1:43
- teas for, 1:21
- See also* gastric ulcers

perchlorate, endocrine-disrupting concerns, 3:38

performance-enhancing herbs

- Cordyceps sinensis* as, 5:136
- Eleutherococcus senticosus* as, 5:136–37
- formula containing, 5:111–12
- Panax ginseng* as, 5:139
- Rhodiola rosea* as, 5:140
- Tribulus terrestris* as, 5:142

perfusion-enhancing diuretics, 1:109, 111, 115

pericarditis

- Calendula officinalis* for, 2:91
- Centella asiatica* for, 2:92
- Glycyrrhiza glabra* for, 2:96

Perilla frutescens (Korean perilla, shiso, perilla), 5:45

- for allergic pain in the gut, 5:39t
- for allergies, 2:127; 5:34t, 45
- for depression and anxiety, 4:101t, 103t
- for diarrhea, 1:55, 58
- dopamine-reducing effects, 4:123
- formulas containing

 - allergic airway disorders, 5:44, 46
 - allergic hypersensitivity, 5:35
 - angioedema, 5:57
 - contact dermatitis, 5:55
 - esophageal disorders, 1:44
 - multiple sclerosis, 5:83
 - respiratory allergies, 5:42

- for hyperthyroidism, 3:41
- rosmarinic acid from, 5:65
- specific indications, 2:175; 4:148–49; 5:92

perimenopause

- Hypericum perforatum* for, 3:171
- Melissa officinalis* for, 3:173
- menstrual irregularities and, 3:119, 134
- symptoms, 3:134
- thyroid disorders and, 3:37
- Valeriana officinalis* for, 3:179
- Vitex agnus-castus* for, 3:63
- Withania somnifera* for, 3:63
- See also* menopausal symptoms

perineal issues

- Collinsonia canadensis* for, 1:83
- Petroselinum crispum* for, 1:163

periodontal disease

- Allium sativum* for, 5:192
- Apis mellifera* for, 5:193
- Camellia sinensis* for, 5:194
- Melaleuca alternifolia* for, 5:92
- overlap with inflammatory musculoskeletal disorders, 5:113
- overview, 5:175

perioral dermatitis, 1:190

peripheral artery disease

- cramps from, 5:113
- Ginkgo biloba* for, 5:165

peripheral neuropathy

- Butea monosperma* for, 4:205
- formulas for, 4:44–51
- overview, 4:41–44
- therapeutic actions for polyneuropathy formulas, 4:43t
- Vaccinium myrtillus* for, 4:87

peripheral vascular insufficiency

- Angelica sinensis* for, 2:90
- Collinsonia canadensis* for, 2:93
- Crataegus* spp. for, 2:93
- Equisetum* spp. for, 2:95
- formulas for, 2:57–61
- Ginkgo biloba* for, 2:69
- Hamamelis virginiana* for, 2:96
- herbs for, 2:89–106
- overview, 2:57–58

peripheral vasodilators

- Achillea millefolium* as, 2:35, 61, 89
- formulas containing, 2:61, 76
- Ginkgo biloba* as, 2:61, 69
- warming stimulants, 1:19t; 2:21t; 3:21t; 4:23t; 5:23t

peristalsis

- Allium sativum* for, 1:81
- antispasmodics for, 1:24
- Capsicum annuum* for, 1:82
- formulas for, 1:28–29
- Rhamnus purshiana* for, 1:87
- Syzygium aromaticum* for, 1:88

peritonitis

- diverticulitis and, 1:71
- herbal therapies for, 4:197t
- Silybum marianum* for, 1:106

periwinkle (*Catharanthus roseus*), 4:88

peroxisome proliferator-activated receptor alpha (PPAR α), 1:32

Persian oak (*Quercus brantii*), 3:110

Persian sage. *See Salvia rhytidia*
 (Persian sage)

Persicaria tinctoria (Chinese indigo), 2:131, 175; 5:80

Peruvian bark. *See Cinchona officinalis*
 (Peruvian bark)

petasins, 4:194

Petasites hybridus (butterbur), 2:129; 4:194; 5:41

- antiallergic qualities, 1:33; 2:127; 5:34t
- for colds, 5:170t
- for coughs, 2:130
- for cystic fibrosis, 2:135
- for dysuria, 1:116
- for enuresis, 1:131
- for eye conditions, 5:149t
- formulas containing

 - allergic rhinosinusitis, 2:128
 - anginal coronary spasm, 4:201
 - asthma, 2:147
 - bronchitis, 2:134
 - chest pain, 4:193
 - cystic fibrosis, 2:135
 - dermatitis, 1:190
 - emphysema, 2:138
 - enuresis, 1:131
 - itching skin, 1:186
 - metastatic pain, 4:186, 188, 195
 - migraines, 4:161, 162
 - neuralgia, 4:180
 - nociceptive pain, 4:179
 - Paget's disease, 5:130
 - respiratory allergies, 5:42, 43, 44
 - upper respiratory infections, 2:119
 - vascular support, 2:29, 30

- for hay fever, 5:42
- for headaches, 4:158–59
- for inflammation, 5:41
- for itching skin, 1:185, 186
- mast-cell stabilizing effects, 5:32
- for Ménière's disease, 5:164
- for otitis media, 5:159
- for pain, 4:166t, 194
- for prostatitis, 1:151
- for respiratory allergies, 2:129
- safety concerns, 4:212
- specific indications, 1:163; 2:175; 4:212; 5:93
- for vascular headaches, 2:27
- for wound healing, 4:192t

Petasites japonicus (butterbur), 2:70, 129

Petroselinum crispum (parsley)

- alterative qualities, 1:27
- antispasmodic qualities, 1:135, 138t
- for arthritis, 5:114
- diuretic qualities, 1:112; 3:21t
- for dysuria, 1:116
- formulas containing

 - congestive heart failure, 2:50
 - contact dermatitis, 5:54
 - headaches, 4:165
 - peripheral vascular insufficiency, 2:59
 - premenstrual symptoms, 3:126; 4:195
 - psoriasis, 1:210
 - urinary conditions, 1:110, 111, 112

- for heavy metal neuropathy, 4:50
- mineral tonic diuretic qualities, 1:110
- for muscle pain, 4:183t
- for neuralgia, 4:34

Petroselinum crispum (parsley) (*continued*)
 photosensitizing qualities, 1:225
 for renal failure, 1:154t
 specific indications, 1:163; 2:100, 175; 3:174
 for urinary tract reactivity, 5:58
 for vascular support, 2:29

Petroselinum sativum. *See Petroselinum crispum* (parsley)

Peumus boldo (boldo), 1:105

Peyer's patches, 1:78

Peyronie's disease, 5:103

pharmaceuticals
 for allergies, 5:31–32
 for asthma, herbal alternatives for, 2:143t
 for attention deficit hyperactivity disorder, 4:119
 for autoimmune disorders, 5:64–65
 for contractures, 5:103
 for dementia, 4:52
 development of petrochemical-based, 5:2–3
 diuretics, 2:47
 growing power of the industry, 5:3–6
 increasing reliance on, 1:1
 for mood disorders, 4:2, 89, 90
 physiologic therapy vs., 1:13; 2:15; 3:15; 4:18; 5:18
 for rheumatoid arthritis, 5:115
 for schizophrenia, 4:8, 122, 123
 side effects of, 5:32
 transdermal drug delivery, 2:109

pharyngitis
Arnica montana for, 5:193
Baptisia tinctoria for, 5:193
Collinsonia canadensis for, 5:195
 herbs for, 5:188, 191t
Hydrastis canadensis for, 2:167
Pelargonium sidoides for, 2:175
Salvia officinalis for, 2:179; 5:201
 therapies for, 5:190
Tinospora cordifolia for, 2:182
Zanthoxylum clava-herculis for, 5:203

Phaseolus spp. (beans), 1:146; 3:69

phellodendrine, 1:56

Phellodendron spp. (cork tree)
 antimicrobial qualities, 1:56; 5:148
 formulas containing, 1:211

Phellodendron amurense (Amur cork tree)
 berberine in, 3:109
 for eye conditions, 5:148
 formulas containing
 food allergies, 5:40
 nasal polyps, 5:173t
 for inflammatory bowel diseases, 5:79
 for lupus, 5:76
 specific indications, 3:174–75

Phellodendron chinense (Amur cork tree, huang bai)
 antimicrobial qualities, 5:148
 for inflammatory bowel diseases, 5:79

phenolic acids, 5:45

phlebitis
Centella asiatica for, 2:92
 compress for, 5:63
Coptis chinensis for, 2:93
 formulas for, 2:81
 nattokinase for, 2:80
 overview, 2:74
Phytolacca decandra for, 2:100
 phlegm
Magnolia officinalis for, 2:171
Ophiopogon japonicus for, 2:174
Perilla frutescens for, 2:175
Pinellia ternata for, 2:176
Poria cocos for, 2:101
Trichosanthes kirilowii for, 2:183
 warming stimulants for, 2:20

Phoradendron chrysocladon (mistletoe)
 for angina, 2:38
 for arrhythmias, 2:57
 for hypertension, 2:44
 phosphatidylcholine
 for Bell's palsy, 4:36, 37
 for leaky gut syndrome, 1:79
 for liver support, 1:93, 97
 for Parkinson's disease, 4:64
 sulfur in, 1:122
 phosphatidylserine, 4:54, 119
 phosphocreatine, 4:54
 photodynamic therapy, for bladder cancer, 1:132, 133, 162

photosensitizing agents
Ammi visnaga, 1:225
 Apiaceae herbs, 1:210, 225, 226
 berberine, 5:189
Citrus bergamia, 1:210, 225, 226, 240
Cnidium spp., 1:240
Coriandrum sativum, 1:241
Hypericum perforatum, 1:132, 133, 162, 210, 225; 5:131, 197
Petroselinum crispum, 1:209–10, 225
 for pigmentation disorders, 1:225, 226
 for psoriasis, 1:209, 210, 238

phyllanthin, 1:93
Phyllanthus amarus (chanca piedra, bahupatra, hurricane weed)
 for skin protection, 1:230
 specific indications, 2:100; 4:212; 5:93

Phyllanthus emblica (amla, amalaki, Indian gooseberry)
 5α-reductase inhibition, 1:218; 3:162
 for COPD, 2:149t
 formulas containing
 arthritis, 5:117
 hemoptysis, 2:126
 hepatitis, 1:95
 pancreatitis, 1:69
 tuberculosis, 2:156
 for gout, 5:123
 specific indications, 2:176
 for thick and cloudy urine, 1:139

Phyllanthus niruri (stonebreaker)
 5α-reductase inhibition, 1:218; 3:162
 formulas containing, 1:95
 for hepatitis, 1:90
 for liver support, 1:90

Phyllanthus urinaria (stonebreaker, chanca piedra, gripeweed), 4:166t
 physical therapies, for headaches, 4:165t
 physiologic vs. pharmacologic therapy, 1:13; 2:15; 3:15; 4:18; 5:18

Physostigma venenosum (Calabar bean), 4:84
 physostigmine, 4:84
 phytase enzymes, role in enhancing mineral absorption, 5:128
 phytic acid, 2:68; 5:128
 phytochelatins, 4:50
 phytochelation, 3:93
 phytochemicals, for neurological conditions, 4:28, 29, 52
 phytoestrogens
 amphotericism and, 3:127
 dehydrogenase inhibitors in, 1:146
 in *Epimedium brevicornu*, 5:137
 for fracture healing, 5:100
 influence on reproductive cancers, 3:154–58
 in legumes, 5:126
 for prostatic diseases, 1:143, 144, 146, 149
 research on, 3:156–58
 in *Trifolium pratense*, 5:142

Phytolacca americana, *P. decandra* (pokeroot)
 alterative qualities, 1:27
 for altered breath sounds, 2:118
 for Behçet's disease, 5:74
 for breast conditions, 3:142
 for breast cysts, 3:143
 for bursitis and tendinitis, 5:102
 for colds, 5:170t
 for dermatitis, 1:189
 for dermatologic conditions, 1:171t
 for eye conditions, 5:147, 147t
 formulas containing
 acne, 1:203
 acne rosacea, 1:208
 appendicitis recovery, 1:68
 arthritis, 5:118, 119, 120
 autoimmune disorders, 5:68
 Behçet's disease, 5:74
 bites and stings, 1:172
 breast conditions, 3:143
 breast pain, 4:195
 cirrhosis of the liver, 1:96
 colds, 5:169, 170, 171
 cold sores, 5:184
 eczema, 1:189
 erythema multiforme, 1:220
 folliculitis, 1:193
 gangrene, 1:236
 goiter, 3:32, 33
 gout, 5:123, 124
 hives, 1:185

- Phytolacca americana*, *P. decandra* (pokeroot)
(continued)
- lupus, 5:76
 - lymphatic pain and lymphedema, 4:201
 - lymphedema, 2:83
 - orbital cellulitis, 5:148
 - ovarian cysts, 3:144
 - ovarian neuralgia, 4:196
 - pain, 4:171
 - peripheral vascular insufficiency, 2:59
 - pharyngitis, 5:189
 - pigmentation disorders, 1:225
 - pneumonia, 2:141
 - premenstrual syndrome, 3:127
 - reactive arthritis, 5:72
 - renal failure, 1:155
 - skin infections, 1:180
 - sore throat, 5:190
 - stridor, 2:121
 - throat and gingival pain, 4:178–79
 - thyroiditis, 3:30
 - ulcers, 1:64
 - uterine fibroids, 3:151
 - warts, 1:200
 - for goiter, 3:32
 - for lymphatic pain, 4:170, 201, 213
 - as lymph mover, 1:18; 2:20; 3:20; 4:22; 5:22
 - for Ménière's disease, 5:164
 - for muscle pain and spasms, 4:183t; 5:105
 - for otitis media, 5:159
 - for ovarian cysts, 3:144
 - for pain, 4:154, 166t, 170
 - safety concerns, 4:212
 - for scabies, 1:198
 - for skin allergic conditions, 5:54t
 - for skin eruptions, 1:194
 - for skin infections, 1:183
 - for skin ulcers, 1:231
 - specific indications, 1:246; 2:100, 176; 3:61, 175; 4:212–13; 5:139, 200
 - for stasis ulcers, 2:60
 - for throat pain, 5:191t
 - for tongue conditions, 5:178t
 - for tonsillitis and pharyngitis, 5:188
 - for vascular reactivity, 5:60
 - for warts, 1:199
 - phytomelatonin, 4:114
 - Phytonoxon N, 4:142
 - phytoremediation, 4:50
 - phytosterols
 - amphoteric action of, 3:3
 - influence on reproductive cancers, 3:154–55
 - for prostate cancer, 1:148
 - from *Pueraria* spp., 3:137
 - as selective estrogen response modifiers, 3:159
 - in *Solidago* spp., 1:150
 - sources of, 1:143; 3:155
 - Picrasma excelsa* (quassia)
 - formulas containing, 1:29
 - specific indications, 1:86
 - Picrorhiza kurroa* (kutki)
 - antiallergy qualities, 1:33
 - bronchodilating properties, 2:108t
 - for ear pain, 4:175t
 - formulas containing
 - allergic hypersensitivity, 5:35
 - contact dermatitis, 5:54
 - COPD, 2:148
 - migraines, 4:163
 - pain, 4:172
 - skin pain, 4:190
 - histamine-blocking qualities, 5:32t
 - for itching skin, 1:185, 187
 - mast-cell stabilizing effects, 2:144t; 5:31t
 - PAF inhibiting properties, 2:77
 - for pain, 4:170t
 - for painful itching, 4:189t
 - specific indications, 1:246; 2:176; 5:93
 - for vascular pain, 4:200t
 - Picrorhiza scrophulariiflora*. See *Neopicrorhiza scrophulariiflora* (picrorhiza)
 - picrosides, 1:93; 2:149t, 154, 176
 - pigmentation disorders
 - Aloe vera* for, 1:238
 - Arctostaphylos uva ursi* for, 1:239
 - formulas for, 1:222–26
 - Iris versicolor* for, 1:244
 - Podophyllum peltatum* for, 1:246
 - Salvia miltiorrhiza* for, 1:247
 - Trifolium pratense* for, 1:249
 - pills, use of, 1:20; 2:22; 3:22; 4:24–25; 5:24–25
 - pilocarpine
 - for dry eyes, 5:150, 151, 200
 - for glaucoma, 5:155, 156, 200
 - for Sjögren's syndrome, 5:68, 69
 - Pilocarpus jaborandi* (jaborandi), 5:151
 - for dry eyes, 5:151
 - for dry mouth, 5:185
 - formulas containing
 - autoimmune disorders, 5:68
 - dry mouth, 5:186
 - eye drops, 5:149
 - hyperhidrosis, 1:227
 - oral allergic reactivity, 5:52
 - Sjögren's syndrome, 5:69
 - as secretory stimulant, 1:18, 246; 5:22
 - specific indications, 1:246; 5:200
 - as tissue mover, 2:20; 4:22
 - Pilocarpus microphyllus* (jaborandi), 3:20, 21t
 - Pimpinella anisum* (anise)
 - anti-inflammatory actions, 1:62
 - antispasmodic qualities, 1:25
 - bronchodilating qualities, 5:62
 - carminative qualities, 1:31
 - for epilepsy and seizure disorders, 4:67, 73
 - formulas containing
 - asthma, 2:146
 - neuralgia, 4:35
 - otitis media, 5:161
 - seizures, 4:72
 - for *Helicobacter pylori* infections, 1:43
 - liniments containing, 2:111
 - nebulized form, 2:137
 - specific indications, 1:86; 2:176; 4:84; 5:200
 - for vascular support, 2:29
 - pineapple. See *Ananas comosus* (pineapple)
 - Pinellia ternata* (crow dipper)
 - for allergic airway disorders, 5:44
 - for Behcet's disease, 5:74
 - formulas containing
 - allergic rhinosinusitis, 2:130
 - esophageal disorders, 1:44
 - gastroparesis, 1:77
 - goiter, 3:33
 - Parkinson's disease, 4:61
 - for hepatitis, 1:90
 - specific indications, 2:176
 - for vascular reactivity, 5:61
 - pine tar, 1:209; 4:189
 - pinitol, 3:70, 91, 130
 - pink eye, 5:147
 - pinkroot (*Spigelia anthelmia*), 5:177
 - pins and needles sensation, herbs for, 4:200t
 - Pinus* spp. (pine), 4:182; 5:173t
 - Pinus pinaster* (maritime pine)
 - for increasing deficient adrenergic tone, 4:118
 - Pycnogenol from, 2:127
 - specific indications, 2:100, 176; 5:139–140
 - Pinus sylvestris* (Scots pine), 4:48, 165; 5:103
 - Piper cubeba* (cubebs)
 - 5 α -reductase inhibition, 1:145
 - for cystitis and pyelonephritis, 1:116
 - for dysuria, 1:116
 - for hematuria, 1:115
 - for pyuria, 1:115
 - specific indications, 1:164
 - piperidine alkaloids, 1:136, 159
 - piperine
 - 5 α -reductase inhibition, 1:145
 - for epilepsy and seizure disorders, 4:67
 - for liver support, 1:97
 - in *Piper cubeba*, 1:164
 - Piper longum* (pippali, long pepper)
 - antiallergic qualities, 5:34t
 - formulas containing
 - hemoptysis, 2:126
 - pigmentation disorders, 1:226
 - tuberculosis, 2:156
 - for skin protection, 1:230
 - specific indications, 2:177
 - Piper methysticum* (kava), 1:125; 5:107
 - anti-inflammatory qualities, 4:128
 - antispasmodic qualities, 1:11, 135, 138t; 2:13; 3:13–14; 4:16; 5:16, 97, 109
 - for bladder cancer, 1:132
 - for cramping pain in the bladder, 1:124
 - for dental conditions, 5:175
 - for dental procedures, 5:177

- Piper methysticum* (kava) (*continued*)

for depression and anxiety, 4:92, 101t

for dysuria, 1:125

for epilepsy and seizure disorders, 4:66, 72

for fibromyalgia, 5:10

formulas containing

adrenal disorders, 3:50

bladder cancer, 1:132, 134

costochondritis, 2:123

delirium tremens, 4:132

dental conditions, 5:176, 177

fibromyalgia, 5:110

headaches, 4:164, 165

herpetic neuralgia, 4:182

hypertension, 2:46

insomnia, 4:115, 116

interstitial cystitis, 1:124

menopausal symptoms, 3:138, 141

migraines, 4:162

muscle cramps, 5:106

muscle pain, 4:183, 186

neuralgia, 4:35, 180

opiate withdrawal and musculoskeletal pain, 4:185

overactive bladder, 1:129

pain, 4:169

panic disorder, 4:109

polymyositis, 5:71

renal colic, 4:199

sciatica, 5:131

seizures, 4:72

shingles lesions, 1:231

trigeminal neuralgia, 4:38, 39

urinary colic, 1:138, 139

urinary tract reactivity, 5:59

withdrawal symptoms, 4:135, 136

GABAergic qualities, 4:110, 114, 149

for headaches, 4:158, 165t

for hypertension, 2:46

for interstitial cystitis, 1:123

for menopausal insomnia, 3:136t

for muscle pain and spasms, 4:183t; 5:105, 107

for neuralgia, 4:34, 35, 91, 180t

for neurogenic bladder, 1:127

for neurological conditions, 4:27

for overactive bladder, 1:129

for pain, 4:154, 155, 166t, 171t, 178

for peripheral neuropathy, 4:42, 43t, 44

for prostatitis, 1:151

for restless insomnia, 1:14, 15; 2:16, 17; 3:17, 18; 4:19, 20; 5:19, 20

for restless legs syndrome, 4:32

safety concerns, 4:85, 149, 213; 5:107, 200

specific indications, 1:164; 2:177; 3:175; 4:84–85, 149, 213; 5:140, 200

for tinnitus, 5:165

for withdrawal symptoms, 4:128

Piper nigrum (black pepper)

5α-reductase inhibition, 1:145

for anorexia, 1:36

for bladder cancer, 1:132

digestive stimulant qualities, 1:25

for epilepsy and seizure disorders, 4:67

formulas containing

coronary artery disease, 2:40

ear pain, 4:174, 176

osteoporosis, 3:141

vascular support, 2:29

for malabsorption, 1:73

specific indications, 1:164; 2:101

pippali. *See Piper longum* (pippali, long pepper)

pipsissewa (*Chimaphila umbellata*), 4:199

Piscidia erythrina. *See Piscidia piscipula* (Jamaican dogwood)

Piscidia piscipula (Jamaican dogwood)

antispasmodic qualities, 5:97, 109

for dental procedures, 5:177

for depression and anxiety, 4:101t

formulas containing

amphetamine cessation, 4:135

depression and anxiety, 4:98

endometriosis, 3:149

headaches, 4:165

insomnia, 4:115

pain, 4:167

pancreatitis, 1:69

panic disorder, 4:110

for headaches, 4:158, 165t

for muscle pain, 4:183t

for pain, 4:171t

safety concerns, 4:213

specific indications, 4:149, 213

as uterine sedative, 3:24

pitonia (*Lippia alba*), 4:110

pituitary-thyroid-gonadal axis, 3:26

pitryiasis

Avena sativa for, 1:239

herbal treatment for, 1:212

Plantago spp. (plantain)

alterative qualities, 1:27

as bulk laxative, 1:47

formula containing, 3:43

in high-fiber diet, 3:67

mucous-enhancing qualities, 1:64

specific indications, 3:61, 97

Plantago lanceolata, 1:170

Plantago ovata (plantain, ispaghula), 3:67

formulas containing, 1:170

for inflammatory bowel diseases, 1:34

Plantago psyllium (plantain)

as bulk laxative, 1:47, 48

for intestinal health, 1:76

in smoothies, 1:47

specific indications, 2:101

for vascular support, 2:31

plantain. *See Plantago* spp. (plantain)

plantar fasciitis, 5:71, 103

plant latex, for warts, 1:199

plants as teachers, 1:21; 3:24

plasters, 2:110–11

platelet-activating factor (PAF), 4:159

platelet antiaggregators, 2:73, 77, 92

Platycodon grandiflorus (balloon flower), 5:61, 170

Plectranthus forskohlii. *See Coleus forskohlii* (coleus)

Plectranthus scutellarioides (coleus), 4:102

pleurisy

Asclepius tuberosa for, 2:159

formulas for, 2:138–39

herbs for, 2:118

overview, 2:138

Prunus serotina for, 2:177

Stemona spp. for, 2:180

pleurisy root. *See Asclepius tuberosa* (pleurisy root)

pleuritis

herbs for, 2:118

overview, 2:138

Pleurotus spp. (oyster mushroom), 5:125

Plummer-Vinson syndrome, 5:182

pneumonia

Allium sativum for, 2:157

Ananas comosus for, 2:158

Asclepius tuberosa for, 2:159

from biofilms, 2:137

from bronchitis, 2:130

Curcuma longa for, 2:162

dyspnea with, 2:124

formulas for, 2:140–42

Hyoscyamus niger for, 2:168

Juniperus communis for, 2:169

Ligusticum porteri for, 2:169

Lomatium dissectum for, 2:170

Lycopus virginicus for, 2:170

Melilotus suaveolens for, 2:172

Origanum vulgare for, 2:174

overview, 2:140–41

Panax ginseng for, 2:174

Pelargonium sidoides for, 2:175

Polygala spp. for, 2:177

Prunus serotina for, 2:177

Stemona spp. for, 2:181

Thymus vulgaris for, 2:182

podophyllin

for age spots, 1:224

for genital warts, 3:112, 113

for warts, 1:199, 200

Podophyllum peltatum (mayapple)

alterative qualities, 1:27

anticancer properties, 1:236

formulas containing

constipation, 1:48

genital warts, 3:113

human papillomavirus, 3:114

pigmentation disorders, 1:224, 225

pyelonephritis, 1:120

for hepatitis, 1:94t

for human papillomavirus, 3:112, 114

as irritant laxative, 1:47, 48

- Podophyllum peltatum* (mayapple) (continued)
- for malabsorption, 1:74
 - podophyllin from, 3:112, 113
 - for skin lesions and cancers, 1:237
 - for skin protection, 1:230
 - specific indications, 1:105, 164, 246; 3:175
 - for warts, 1:199, 200
- poison hemlock. *See Conium maculatum* (poison hemlock)
- poison ivy/oak
- Actaea racemosa* for, 1:203, 207, 238
 - Alnus serrulata* for, 1:237, 238
 - Grindelia squarrosa* for, 1:243; 5:91
 - Hedera pulegioides* for, 1:244
 - herbs for, 1:203, 237
 - Lobelia inflata* for, 1:245
 - Sanguinaria canadensis* for, 1:247; 5:93
 - See also Rhus toxicodendron* (poison ivy)
- poison nut. *See Strychnos nux-vomica* (poison nut, azraqi)
- pokeroot. *See Phytolacca americana, P. decandra* (pokeroot)
- pollen extracts, 1:148, 150
- polycystic ovarian syndrome (PCOS)
- amenorrhea associated with, 3:123
 - Curcuma longa* for, 3:168
 - dysfunctional uterine bleeding and, 3:117
 - formulas for, 3:144–47
 - Glycyrrhiza glabra* for, 1:243; 3:170
 - hirsutism associated with, 1:213, 214
 - insulin resistance associated with, 3:131
 - legume family herbs for, 3:70
 - measures for supporting fertility, 3:131, 132
 - Mentha spicata* for, 1:246
 - overlap with metabolic syndrome, 3:66
 - overview, 3:144–45
 - Serenoa repens* for, 1:165, 248; 3:145, 177
 - Trigonella foenum-graecum* for, 3:179
 - Vitex agnus-castus* for, 3:180
- polydatin, 2:108
- Polygonum* spp. (milkwort), 2:177
- Polygonia karensium* (snakeroot), 2:131
- Polygonia senega* (Seneca snakeroot), 4:67
- Polygonia tenuifolia* (yuan zhi), 4:99, 106
- Polygonum cuspidatum* (Japanese knotweed)
- emodin in, 2:110
 - formulas containing, 2:151
 - for hepatitis, 1:90
 - for hyperlipidemia, 2:36
 - specific indications, 2:101, 178
- Polygonum multiflorum*. *See Reynoutria multiflora* (fo ti, he shou wu, Chinese knotweed)
- Polygonum tinctorium*. *See Persicaria tinctoria* (Chinese indigo)
- polymyositis, formulas for, 5:70–71
- polyneuropathy, 4:41–42, 48, 49
- See also peripheral neuropathy*
- polyphenols
- for acne rosacea, 1:205
 - antiallergic qualities, 5:28
- in *Arctostaphylos uva ursi*, 1:114
- in *Camellia sinensis*, 1:202, 223
- for pancreatitis, 1:68, 71
- for pigmentation disorders, 1:223
- in *Pinus pinaster*, 5:139
- in *Punica granatum*, 1:87
- in *Vitis vinifera*, 1:144, 148
- in *Yucca schidigera*, 5:143
- polyunsaturated fatty acids (PUFAs)
- for attention deficit hyperactivity disorder, 4:118
 - for epilepsy and seizure disorders, 4:69
 - in Superfood Dressing, 4:57–58
- polyuria, diabetic, 1:157, 158
- pomegranate. *See Punica granatum* (pomegranate)
- pompholyx, formula for, 5:55
- poor circulation. *See circulation, poor*
- poor digestion. *See digestion, poor*
- poor elimination. *See elimination, poor*
- Populus* spp. (aspen)
- for arthritis, 5:114
 - for peripheral neuropathy, 4:43t
 - for prostatic pain, 4:199
 - specific indications, 1:164
- Poria cocos* (hoelen, fu ling)
- for depression and anxiety, 4:101t
 - formulas containing
 - allergic airway disorders, 5:44
 - dementia, 4:57; 5:61
 - depression and anxiety, 4:99, 106
 - esophageal disorders, 1:44
 - gastroparesis, 1:77
 - hepatitis, 1:92
 - lupus, 5:77
 - macular degeneration, 5:158
 - uterine fibroids, 3:150, 151
- for hepatitis, 1:90
- in soup, 1:35
- specific indications, 2:101; 4:149
- steam cakes with, 4:106–7
- for strokes, 2:65
- porridge, for anxiety, 4:106
- portal congestion
- Aesculus hippocastanum* for, 1:81, 101
 - Aloe vera* for, 1:238
 - Angelica sinensis* for, 2:90
 - Berberis aquifolium* for, 2:91
 - Ceanothus americanus* for, 1:82, 103, 240
 - Chionanthus virginicus* for, 1:83, 103
- formulas for, 1:50; 2:79–80
- herbs for, 4:200t
- Iris versicolor* for, 2:97
- Podophyllum peltatum* for, 1:105
- Quercus* spp. for, 1:87, 105, 247
- Silybum marianum* for, 1:106
- postherpetic neuralgia
- formulas for, 4:40–41, 180, 182
 - Glycyrrhiza glabra* for, 4:80
 - overview, 4:39–40
- postmenopausal conditions
- Hypericum perforatum* for, 1:162
 - Juniperus communis* for, 3:172
 - Medicago sativa* for, 1:163, 245
 - Panax ginseng* for, 3:174
 - Serenoa repens* for, 1:165
 - Trifolium pratense* for, 1:249
 - urinary tract infections, 1:118
- postpartum hemorrhage
- Cinnamomum* spp. for, 3:167
 - formula for, 3:133–34
- postpartum pain
- Equisetum arvense* for, 4:208
 - Matricaria chamomilla* for, 4:211
- postpartum thyroiditis, formula for, 3:30–31
- postsurgical recovery. *See surgical recovery*
- posttraumatic stress disorder (PTSD), 4:111–13, 144, 148
- potassium, 4:165t, 198
- potassium citrate, for alkalinizing the urine, 1:150
- potassium iodide, 3:34
- potassium sensitivity test, 1:150
- potassium supplements, 1:53
- pot marigold. *See Calendula officinalis* (pot marigold)
- poultices
- for burns, 4:190–91, 192–93
 - for ear pain, 4:175–76
 - for peripheral neuropathy, 4:44
- POUND criteria for migraines, 4:157
- Pouteria lucuma* (lucuma), 3:83, 84
- PPAR α (peroxisome proliferator-activated receptor alpha), 1:32
- PQRST (provocation, quality, radiation, severity, time) questions, 1:8–9; 2:10–11; 3:11; 4:13; 5:13
- Praneeem, for venereal warts, 3:112
- prazosin, 1:142
- prebiotics, 3:81; 5:39t
- pre-diabetic states, *Chionanthus virginicus* for, 1:83, 103
- pregnancy
- cholestasis during, 1:98
 - formulas for, 3:129–134
 - Glycyrrhiza glabra* concerns, 3:146
 - Lobelia inflata* for labor, 3:172
 - melasma with, 1:222
 - Rubus idaeus* for labor, 3:176
 - Turnera diffusa* for, 3:179
 - UTIs during, 1:116
 - Vitex agnus-castus* concerns, 3:148
- pregnancy-related cramps, herbal therapies for, 4:183t
- premenstrual acne, 3:128, 129
- premenstrual syndrome (PMS)
- Actaea racemosa* for, 3:165
 - alteratives for, 1:90
 - breast tenderness formulas, 3:142–43
 - Crocus sativus* for, 4:141
 - Dr. Stansbury's General Alterative Tea for, 1:27

- premenstrual syndrome (PMS) (*continued*)
 formulas for, 3:125–29; 4:98, 195, 196
Hamamelis virginiana for, 3:171
Hypericum perforatum for, 3:171
 IBS associated with, 1:33
Matricaria chamomilla for, 3:173; 4:146
Melissa officinalis for, 3:173
 overview, 3:125
Petroselinum crispum for, 3:174
Phytolacca americana for, 3:175
Scutellaria lateriflora for, 3:177
Vitex agnus-castus for, 3:63, 180; 4:218
- presentations
 creating formulas based on, 1:3, 7; 2:6, 9, 12–13; 3:6, 9, 12–13; 4:7, 11, 15–16; 5:7, 11, 15, 26
 herbal specifics for skin presentations, 1:171t
 hot vs. cold, 5:66–67
- prickly ash. *See Zanthoxylum clava-herculis*
 (prickly ash)
- prickly heat, formula for, 1:187
- prickly pear. *See Opuntia ficus-indica*
 (prickly pear)
- primary amenorrhea, 3:116
See also amenorrhea
- primary sclerosing cholangitis, formula for, 1:100
- prince's pine. *See Chimaphila umbellata*
 (pipsissewa)
- proanthocyanidins
 in *Crataegus* spp., 2:26
 for herpes simplex, 1:231
 for HPV, 1:200
 natural iron chelation and, 2:71
 in *Punica granatum*, 2:30
 for telangiectasias, 1:208
 for venous insufficiency, 2:74
- probiotics
 for bowel reactivity, 5:39t
 for fatty liver, 1:96
 for intestinal health and glycemic control, 3:81
 for intestinal parasites, 1:55
 for leaky gut syndrome, 1:79
 for otitis media, 5:159
 as restorative, 1:43
 for traveler's diarrhea prevention, 1:53
- proctitis
Collinsonia canadensis for, 1:83
 interstitial cystitis vs., 1:121
- procyanidins, 5:28
- Proefrock, Kenneth, 4:165, 182
- progesterone creams, 3:121
- prolactin, elevated, 3:122, 123, 146
- prolactin inhibitors, 1:216
- prolotherapy, 4:169
- propolis
 for dental conditions, 5:174
 formulas containing
 cold sores, 5:184
 impetigo, 1:179
 skin infections, 1:178
- for fungal skin infections, 1:196
 specific indications, 1:246; 5:200
- propranolol, for hereditary hemorrhagic telangiectasia, 2:127
- prostdynia, 1:149, 151
- prostate cancer
Allium spp. for, 1:156
 androgen receptors and, 3:154–55
Arctium lappa for, 3:166
 benign prostatic hypertrophy connection, 1:142, 147
 dietary recommendations, 1:148–49
 formulas for, 1:147–49; 3:164
Ganoderma lucidum for, 1:161
Grifola spp. for, 1:161
Phellodendron amurense for, 3:174
 phytoestrogens and, 3:156
Piper methysticum for, 3:175
Piper nigrum for, 1:164
 potential association with baldness, 1:213
Pygeum africanum for, 1:165
Serenoa repens for, 1:165
Urtica spp. for, 1:166
Viscum album for, 1:167
- prostatic adenoma, *Elymus repens* for, 1:160
- prostatic diseases
 dietary recommendations, 1:148–49
 formulas for, 1:142–47
Hydrangea arborescens for, 1:162
Lepidium meyenii for, 1:162–63
Turnera diffusa for, 1:166
 types of, 1:142
Urtica spp. for, 1:166
- prostatic enlargement
Actaea racemosa for, 3:165
Elymus repens for, 1:160
 herbs for, 1:109
Serenoa repens for, 1:109
Thuja spp. for, 1:166
Tribulus terrestris for, 3:178
Urtica spp. for, 1:166; 3:179
See also benign prostatic hyperplasia (BPH)
- prostatic pain
Equisetum arvense for, 4:208
 formulas for, 4:196, 199
- prostatitis
Agathosma betulina for, 1:156
Allium spp. for, 1:156
 chronic vs. infectious, 1:109
Conium maculatum for, 1:159
Elymus repens for, 1:160
Equisetum spp. for, 1:160
 formulas for, 1:149–151
Gaultheria procumbens for, 1:161
 interstitial cystitis vs., 1:121
Serenoa repens for, 1:165
 urinary irritability from, 1:127
- protein intake, renal diseases and, 1:108
- proteinuria
 herbs for, 1:153, 154t
- as sign of renal disease, 1:108
- proteolytic enzymes, 4:43t
- protozoan infections
Artemisia annua for, 1:81
 traveler's diarrhea from, 1:51
Prunella vulgaris (common self-heal, heal-all), 3:43; 5:55, 65
 prunes, stewed, for constipation, 1:48–49
- Prunus* spp.
 for altered breath sounds, 2:118
 formulas containing, 2:117, 119
- Prunus africana* (African plum tree), 1:145
 5α-reductase inhibition, 1:145; 3:162
 for benign prostatic hyperplasia, 3:162
 formulas containing
 prostate cancer, 1:148
 prostatic diseases, 1:146
 prostatitis, 1:151
 for neurogenic bladder, 1:126, 127
 for prostate cancer, 1:147
 for prostatic diseases, 1:143, 144, 145
 for prostatic enlargement, 1:109
 for prostatitis, 1:151
 for reproductive endocrine conditions, 3:103
 specific indications, 1:165; 3:175
- Prunus armeniaca* (ansu apricot), 5:46, 49
- Prunus dulcis* (bitter almond), 2:154
- Prunus mume* (Chinese plum), 5:40
- Prunus persica* (peach), 1:72
- Prunus serotina* (black cherry)
 for bronchitis, 2:131
 for capillary fragility, 2:67
 for coughs, 2:117, 130
 flavones in, 3:87
 formulas containing, 2:146
 specific indications, 2:177
- pruritis. *See* itching skin
- Psidium guajava* (guava), 1:54
- Psilocybe cubensis* (magic mushroom)
 decriminalization of, 4:4
 for end-of-life depression, 4:105, 149
 microdosing with, 4:137, 149
 serotonin-promoting qualities, 4:92, 137, 138
 specific indications, 4:149
- psilocybin
 classification as Schedule I controlled substance, 4:4
 serotonergic effects, 4:105, 137, 138, 149
 therapeutic uses, 4:4, 5
- Psoralea corylifolia*. *See Cullen corylifolium*
 (bakuchi, bu gu zhi)
- psoriasis
Achillea millefolium for, 1:238
Ammi visnaga for, 1:238
Angelica sinensis for, 1:238
Apium graveolens for, 1:238

- psoriasis (*continued*)**
- Arctium lappa* for, 1:239
 - Cannabis sativa* for, 1:240
 - Centella asiatica* for, 1:240
 - Citrus bergamia* for, 1:240
 - Cnidium officinale* for, 1:240
 - Coleus forskohlii* for, 1:240; 5:88
 - Coriandrum sativum* for, 1:241
 - Curcuma longa* for, 1:241; 5:89
 - Echinacea* spp. for, 1:241
 - Foeniculum vulgare* for, 1:242
 - formulas for, 1:209–11
 - Fucus vesiculosus* for, 5:90
 - Iris versicolor* for, 1:244
 - Lomatium dissectum* for, 1:245
 - overview, 5:70
 - Rumex crispus* for, 1:247
 - Veratrum viride* for, 1:249
- psoriatic arthritis, formulas for, 5:120
- psychiatric conditions
- Acorus calamus* for, 4:202
 - Cyperus rotundus* for, 4:142
 - Ginkgo biloba* for, 4:143
 - Ocimum tenuiflorum* for, 4:148
 - overview, 4:89–90
 - Panax ginseng* for, 4:148
 - Perilla frutescens* for, 4:148
 - specific herbs for, 4:138–152
 - Ziziphus jujuba* for, 4:152
 - See also specific conditions*
- psychiatric medications, increasing use of, 4:2–3
- psychostimulants, for attention deficit hyperactivity disorder, 4:119
- psychotherapy
- approach to mental health, 4:5
 - as important adjunct to medical practice, 4:3
 - for obsessive-compulsive disorder, 4:117
- psychotic breaks, 4:122
- Psychotria viridis* (ayahuasca), 4:92, 137
- psyllium. *See Plantago* spp. (plantain)
- psyllium powder truffles, 3:97
- Pterocarpus marsupium* (kino tree)
- for beta cell regeneration, 3:74
 - hypoglycemic effects, 3:73
 - specific indications, 3:97
- pterygiums, formula for, 5:154
- PTSD. *See posttraumatic stress disorder (PTSD)*
- Ptychopetalum olacoides* (muira puama)
- for erectile dysfunction, 3:161, 175
 - specific indications, 3:175–76
- puccoon. *See Sanguinaria canadensis* (bloodroot)
- Pueraria* spp. (kudzu)
- 5 α -reductase inhibition, 3:162
 - antiallergic qualities, 5:34t
 - for bone health, 5:125, 126, 127
 - formulas containing
 - diabetes, 3:74
 - hot flashes, 3:135
 - metabolic conditions, 3:71
 - urinary tract infections, 3:136
 - for fracture healing, 5:100
 - for hormonal support, 3:137
 - for insulin resistance, 3:70, 71
 - for leaky gut syndrome, 1:78
 - minerals in, 5:100t
 - neuroprotective effects, 4:31
 - for osteoporosis, 5:128
 - for renal failure, 1:152–53
 - specific indications, 1:164; 3:176
 - for tinnitus, 5:165
 - for urinary conditions, 1:108, 115
- Pueraria candollei* var. *mirifica* (kudzu, white kwao krua)
- formulas containing
 - hormone-related infertility, 3:130, 131
 - hypothyroidism, 3:37
 - osteoporosis, 3:141; 5:128
 - Paget's disease, 5:130
 - urinary conditions, 1:116
 - for hormonal support, 3:137
 - specific indications, 1:164; 3:176
- Pueraria montana* (kudzu)
- 5 α -reductase inhibition, 1:218
 - antispasmodic qualities, 1:135
 - formulas containing
 - alopecia, 1:216, 217
 - leaky gut syndrome, 1:78
 - renal failure, 1:154, 155
 - urinary conditions, 1:111, 115
 - urinary lithiasis, 1:140
 - for leaky gut syndrome, 1:79
 - for prostatic diseases, 1:143
 - for renal failure, 1:154t
 - specific indications, 1:164
- Pueraria montana* var. *lobata* (kudzu, gegen, Japanese arrowroot), 3:137
- for arthritis, 5:115
 - for connective tissue support, 5:105
 - for cystic fibrosis, 2:135
 - for dental conditions, 5:175
 - formulas containing
 - alcohol abstinence, 4:132
 - hangovers, 4:133
 - hyperthyroidism, 3:42
 - low libido, 3:154
 - muscle pain, 5:109
 - musculoskeletal trauma, 5:98
 - nephropathy, 3:73
 - osteoporosis, 3:141; 5:128
 - uterine fibroids, 3:150
 - vaginitis, 3:107
 - vascular support, 2:27
 - venous congestion, 2:80
 - vertigo, 5:166, 167
- for hormonal support, 3:137
- for hyperlipidemia, 2:36
- isoflavones in, 3:156, 158
- for muscle pain, 4:183t
- neuroprotective effects, 4:31
- regulation of reproductive hormones and, 4:96
- specific indications, 2:101, 177; 3:97, 176; 4:150; 5:140
- for vascular support, 2:27
- for wound healing, 4:192t
- Pueraria tuberosa* (Indian kudzu), 3:71
- puerarin*, 3:137; 5:140, 165, 166
- PUFAs. *See polyunsaturated fatty acids (PUFAs)*
- pukeweed. *See Lobelia inflata* (pukeweed, Indian tobacco)
- pulegone, 1:156
- pulmonary congestion
- Ammi visnaga* for, 2:90
 - Aspidosperma quebracho* for, 2:159
 - Eriodictyon californicum* for, 2:164
 - formula for, 2:126
 - Lepidium meyenii* for, 2:169
 - Lomatium dissectum* for, 2:170
- pulmonary hypertension and fibrosis
- cor pulmonale from, 2:154–55
 - formulas for, 2:84–85
- Rhamnus purshiana* for, 2:178
- Salvia miltiorrhiza* for, 2:102
- vascular protectants for, 2:83
- pulmonary inflammation
- Ammi visnaga* for, 2:90
 - Hypericum perforatum* for, 2:168
 - pulque, 5:128
- pulsatilla. *See Anemone pulsatilla* (pulsatilla, pasque flower)
- Pulsatilla (homeopathic remedy), 5:153
- pulse, observing, 1:9; 2:11; 3:11; 4:13; 5:13
- pumpkin. *See Cucumis pepo* (pumpkin)
- pumpkin seed oil, for benign prostatic hyperplasia, 3:162, 164
- puncture vine. *See Tribulus terrestris* (puncture vine)
- Punica granatum* (pomegranate)
- aromatase inhibitors in, 1:146
 - for capillary fragility, 2:67
 - flavones in, 3:87
 - flavonoids in, 2:33
 - formulas containing, 1:34
 - for glossitis, 5:179
 - juice of, 1:224
 - mast-cell stabilizing effects, 2:144t
 - for microvascular fragility, 2:66t
 - polyphenols in, 1:223
 - specific indications, 1:87, 164; 2:101, 178; 3:97; 5:200
 - for telangiectasias, 1:208
 - for vaginitis, 3:105
 - for vascular support, 2:30, 65
- Purge the Heart Decoction, 5:72, 74
- purines, 1:129; 5:123
- purple coneflower. *See Echinacea purpurea* (purple coneflower)
- pus in the urine, herbs for, 1:115

- pustules
 with acne, 1:202
 with acne rosacea, 1:204, 205, 208
Echinacea angustifolia for, 1:202t, 203, 208
 with folliculitis, 1:192, 193
 herbs for, 1:176
 with impetigo, 1:179
Iris versicolor for, 1:244
Salix alba for, 1:247
 PUVA (psoralen and ultraviolet A) therapy, 1:209
Pycnogenol
 for arthritis, 5:115
 for attention deficit hyperactivity disorder, 4:118
 from *Pinus pinaster*, 2:127
 specific indications, 2:100, 176; 5:139–140
pyelitis
Elymus repens for, 1:160
Juniperus communis for, 1:162
pyelonephritis
Arctostaphylos uva ursi for, 1:157
 formulas for, 1:118–120
Gaultheria procumbens for, 1:161
 herbs for, 1:16, 120t
 overview, 1:118–19
Pygeum africanum (African plum tree). *See* *Prunus africana* (African plum tree)
 pyrrolizidine alkaloids, 4:77
 pyuria, herbs for, 1:115
- Q**
- qian ceng ta. *See* *Huperzia serrata* (Chinese club moss, qian ceng ta)
 qing hao su. *See* *Artemisia absinthium* (wormwood)
 qin jao (*Gentiana macrophylla*), 4:110
 qualities of pain, therapies for, 4:170t
 quality and occurrence of the complaint (PQRST), 1:8–9; 2:10–11; 3:11; 4:13; 5:13
 quassia. *See* *Picrasma excelsa* (quassia)
 quebracho (*Aspidosperma quebracho*), 2:131, 159
 queen of the night. *See* *Cactus grandiflorus* (night-blooming cactus)
 queen's root. *See* *Stillingia sylvatica* (queen's root)
 querctein
 in *Allium cepa*, 1:173, 181
 as aromatase inhibitor, 1:146
 for bowel reactivity, 5:39t
 chemopreventive effects, 3:157
 for COPD, 2:148
 for emphysema, 2:136
 formulas containing
 nasal polyps, 5:174
 sinusitis, 5:172
 stomatitis, 5:183
 in herbal bronchodilators, 2:108t
 as mast cell stabilizer, 2:144
- in *Matricaria chamomilla*, 1:41
 for nasal polyps, 5:173
 for natural iron chelation, 2:71
 for neuropathic pain, 4:179
 for pain, 4:156
 for sinusitis, 5:171
 for stomatitis, 5:182
Quercus spp. (oak)
 astringent qualities, 1:51, 52, 54
 for ear pain, 4:175t
 for eye injuries, 5:154
 formulas containing
 diarrhea, 1:57
 hemorrhoids, 1:50; 2:78
 skin lesions, 5:55t
 ulcers, 1:64
 venous congestion, 2:76, 80
 for oral mucositis, 4:176
 for skin allergic conditions, 5:54t
 for varicosities, 2:74
 for venous insufficiency, 2:74
Quercus alba (white oak)
 for dermatitis, 1:188
 for dermatologic conditions, 1:171t
 formulas containing
 acne, 1:203
 anal fissures, 1:235
 diarrhea, 1:53
 genital herpes, 3:111
 pancreatitis, 1:70
 skin infections, 1:179
 ulcerated skin, 1:231
 for fungal skin infections, 1:196, 197
 for skin eruptions, 1:194
 for skin fissures, 1:235
 for skin infections, 1:183
 for skin ulcers, 1:231
 specific indications, 1:87, 105, 246–47
Quercus brantii (Brant's oak, Persian oak), 3:110
Quercus robur (common oak)
 for otitis externa, 5:163
 for phlebitis, 2:81
 for skin fissures, 1:235
 for skin ulcers, 1:231
 specific indications, 1:246–47; 2:101
Quercus rubra (red oak)
 formulas containing
 diarrhea, 1:53
 gastrointestinal hypersensitivity, 5:37
 GERD, 1:40
 inflammatory bowel diseases, 1:36
 oral pain, 4:176
 pancreatitis, 1:70
 skin infections, 1:179
 for otitis externa, 5:163
 for pain, 4:171t
 specific indications, 1:87
 for vascular pain, 4:200t
 questions to ask patients, 1:7, 8–9; 2:9, 10–11; 3:9, 10–11; 4:11, 13–14; 5:11, 12–13
- quinine bark. *See* *Cinchona officinalis* (Peruvian bark)
 quinolizidine alkaloids, 5:79
 quinones, 4:62
- R**
- racetams, 4:118
 racism, in medical research, 3:4–5
 radiation therapy, skin protection for, 1:229, 230, 238
 radish, black Spanish. *See* *Raphanus sativus* var. *niger* (black Spanish radish)
 radish sprouts, 3:158
Radix Sophorae flavascentis, 5:45, 46
 raffinose oligosaccharides, 5:67
 rapé (herbal snuff), 4:63
 rapeseed. *See* *Brassica napus* (rapeseed)
Raphanus sativus var. *niger* (black Spanish radish), 1:99
 antispasmodic qualities, 1:91
 for biliary pain, 1:100t
 cholagogue action, 1:25, 98, 99
 for digestive pain, 4:197t
 formulas containing
 biliary colic and pain, 1:99; 4:198
 gastroparesis, 1:77
 hyperthyroidism, 3:41
 panic disorder, 4:109
 primary sclerosing cholangitis, 1:100
 for pain, 4:154
 specific indications, 1:87, 105; 2:101, 178; 3:176
 sprouts of, 3:158
 raspberry, red. *See* *Rubus idaeus* (red raspberry)
 rattlesnake. *See* *Crotalus horridus* (homeopathic remedy)
Rauvolfia serpentina (Indian snakeroot), 2:45; 4:126
 for arrhythmias, 2:57
 for depression and anxiety, 4:101t
 dopamine-reducing effects, 4:123, 126
 formulas containing
 delirium tremens, 4:132
 depression and anxiety, 4:98
 headaches, 4:164, 165
 hypertension, 2:44
 hyperthyroidism, 3:44
 menopausal cardiac symptoms, 3:141
 migraines, 4:163
 panic disorder, 4:110
 schizophrenia, 4:126
 for headaches, 4:158
 for hypertension, 2:42, 44, 45
 neuropsychiatry and, 4:126
 safety concerns, 4:150
 specific indications, 3:61; 4:150
 for tempering adrenaline surges, 4:109
 for vascular headaches, 2:27
 for vascular pain, 4:200t
Ravensara aromatica (clove nutmeg), 2:137
 rayasanas, 2:156

- Raynaud's syndrome, 2:67, 95; 5:84
- reactive arthritis, 5:71–72
See also arthritis
- reactive esophagitis, 1:44, 45
- rectal fissures. *See* anal fissures
- rectal pain
- Aesculus hippocastanum* for, 1:81; 4:202
 - Collinsonia canadensis* for, 1:83
 - Mentha piperita* for, 4:211
- rectal prolapse
- Hydrastis canadensis* for, 1:85, 244
 - Silybum marianum* for, 1:94t, 106
- red alder. *See* *Alnus rubra* (red alder)
- red algae. *See* *Gelidium* spp. (red algae); *Gracilaria* spp. (red algae); Rhodophyceae (red algae)
- red clover. *See* *Trifolium pratense* (red clover)
- red oak. *See* *Quercus rubra* (red oak)
- red peony. *See* *Paeonia lactiflora* (white/red peony)
- red raspberry. *See* *Rubus idaeus* (red raspberry)
- red root. *See* *Ceanothus americanus* (red root, New Jersey tea)
- red sage. *See* *Salvia miltiorrhiza* (dan shen, red sage)
- redstem wormwood. *See* *Artemisia scoparia* (redstem wormwood)
- red yeast rice, for hyperlipidemia, 2:37
- reflex seizures, 4:66, 72–73
See also epilepsy and seizure disorders
- reflex sympathetic dystrophy
- bee-venom therapy for, 4:75
 - herbs for, 4:34
- reflux disease. *See* gastroesophageal reflux disorder (GERD)
- regional enteritis. *See* Crohn's disease; inflammatory bowel diseases (IBD)
- Rehmannia glutinosa* (di huang, Chinese foxglove), 5:67
- for attention deficit hyperactivity disorder, 4:119
 - formulas containing
 - alcohol abstinence, 4:132
 - allergic airway disorders, 5:49
 - autoimmune disorders, 5:66
 - demyelinating polyneuropathy, 4:49
 - depression and anxiety, 4:106
 - dyspnea, 4:194
 - endometriosis, 3:150
 - lupus, 5:78
 - pancreatitis, 1:69
 - peripheral neuropathy, 4:47
 - psoriasis, 1:211
 - Sjögren's syndrome, 5:69
 - for neuralgia, 4:34
 - for renal failure, 1:153
 - specific indications, 4:213–14; 5:67, 93
- reishi. *See* *Ganoderma lucidum* (reishi)
- Reiter's syndrome (reactive arthritis), 5:71–72
- renal calculi. *See* urinary lithiasis
- renal colic
- Atropa belladonna* for, 1:141, 158
 - Dioscorea villosa* for, 1:160
 - Eschscholzia californica* for, 1:160
 - Hedemora pulegioides* for, 1:162
 - Hydrangea arborescens* for, 1:162
 - Hyoscyamus niger* for, 1:162
 - Lobelia inflata* for, 1:163
 - Serenoa repens* for, 1:165
 - See also* urinary colic
- renal congestion
- Atropa belladonna* for, 1:141, 158
 - formula for, 1:120
 - Podophyllum peltatum* for, 1:164
- renal depurants
- definition of, 1:110
 - for gout, 5:102, 123
 - hydrogogues vs., 1:111
 - for myalgia, 5:106t
- renal disorders
- Aesculus hippocastanum* for, 1:156
 - Angelica sinensis* for, 1:157
 - Astragalus membranaceus* for, 3:55
 - Atropa belladonna* for, 1:158
 - bone disorders linked to, 5:127
 - common types, 1:108–9
 - Elymus repens* for, 1:160
 - Epimedium grandiflorum* for, 3:57
 - Ganoderma lucidum* for, 1:161
 - Ginkgo biloba* for, 1:161
 - Juniperus communis* for, 1:162
 - Lespedeza capitata* for, 1:163
 - listing of formula types, 1:107
 - overview, 1:109
 - Panax ginseng* for, 1:163
 - Phyllanthus amarus* for, 5:93
 - Podophyllum peltatum* for, 1:164
 - protein intake and, 1:108
 - Pueraria montana* var. *lobata* for, 3:97; 5:140
 - Pueraria* spp. for, 1:164
 - Rehmannia glutinosa* for, 5:93
 - Salvia miltiorrhiza* for, 3:62, 97
 - Silybum marianum* for, 1:88, 106; 3:62, 98
 - Taraxacum officinale* for, 3:99
 - See also* specific disorders
- renal engorgement
- Apis mellifera* for, 1:157
 - Atropa belladonna* for, 1:141, 158
- renal failure
- diuretics for, 1:109
 - formulas for, 1:152–55
 - herbs for, 1:108, 116
 - overview, 1:152
 - Petroselinum crispum* for, 1:163
 - Pueraria* spp. for, 1:164
- renal insufficiency
- diuretics for, 1:109
 - formula for, 2:58
 - herbs for, 1:154t
 - Juniperus communis* for, 1:162; 2:97
- Lespedeza capitata* for, 1:163
- Panax ginseng* for, 1:163
- Phyllanthus amarus* for, 2:100
- Podophyllum peltatum* for, 1:164
- Pueraria* spp. for, 1:164
- Thuja occidentalis* for, 2:105
- renal pain
- Agrimonia eupatoria* for, 4:203
 - Berberis vulgaris* for, 1:158
 - Equisetum arvense* for, 4:208
 - formula for, 4:199
 - Gelsemium sempervirens* for, 1:161
 - Hedemora pulegioides* for, 1:162
 - herbs for, 4:166t
 - Hyoscyamus niger* for, 4:210
 - Phyllanthus amarus* for, 4:212
 - Piper methysticum* for, 4:213
 - Rubia cordifolia* for, 4:214
 - Rubia tinctorum* for, 1:165
 - Viburnum opulus* for, 4:217
- renin, 1:107, 110
- ren shen. *See* *Panax ginseng* (ginseng, ren shen)
- reproductive cancers
- chemopreventive agents for, 3:157
 - Curcuma longa* for, 3:168
 - Fucus vesiculosus* for, 3:170
 - human papillomavirus association with, 3:111
 - Humulus lupulus* for, 3:171
 - overview, 3:154–56
 - Piper methysticum* for, 3:175
 - Raphanus* spp. for, 3:176
 - research on estrogenic herbs and, 3:156–58
 - Trigonella foenum-graecum* for, 3:179
 - See also* hormonal cancers
- reproductive endocrine conditions, 3:101–80
- Actaea racemosa* for mood and menopause, 3:140, 140
 - Aloe* for viral infections, 3:110, 110
 - amenorrhea types and causes, 3:116
 - aromatase inhibitors, 3:120t
 - breast condition formulas, 3:142–43
 - clearance of estrogen, 3:103
 - Curcuma longa* for, 3:168
 - Dioscorea* creams, 3:121, 121
 - dysfunctional uterine bleeding vs. organic lesions, 3:117
 - endometriosis formulas, 3:149–150
 - genital herpes formulas, 3:109–11
 - Glycyrrhiza* for ovarian cysts and amenorrhea, 3:146, 146
 - herbs for fertility, 3:130, 130, 131t
 - human papillomavirus formulas, 3:111–15
 - Leonurus cardiaca* for heart palpitations, 3:139, 139
 - Lepidium meyenii* for fertility and libido, 3:163, 163
 - libido-enhancing herbs and formulas, 3:151, 152–54
 - male reproductive disorder formulas, 3:160–64

reproductive endocrine conditions (*continued*)
Medicago sativa for, 3:173
 menopausal complaint formulas, 3:134–141
 menstrual cycle disorder formulas, 3:115–125
 ovarian cyst formulas, 3:144
 overview, 3:101–4
 painful intercourse lubricant, 3:151, 153
 pelvic inflammatory disease formulas,
 3:108–9
 polycystic ovarian syndrome formulas,
 3:144–47
 pregnancy and related issues formulas,
 3:129–134
 premenstrual syndrome formulas, 3:125–29
 reproductive and genital infections overview,
 3:104
 reproductive cancer herbal therapies,
 3:154–160
 specific herbs for, 3:165–180
 unopposed estrogen and estrogen
 dominance, 3:102
 uterine fibroids formulas, 3:150–51
 uterine prolapse tincture, 3:153
 vaginitis formulas, 3:105–7
 venereal warts topical options, 3:112
Viburnum to support the uterus, 3:133, 133
Vitex agnus-castus for reproductive
 complaints, 3:148, 148
Vitex for reducing elevated prolactin, 3:123
See also specific conditions
 reproductive hormones
 herbs for balancing, 4:98, 143
 role in modulating neurotransmitters, 4:96
 reproductive infections, overview, 3:104
 Rescue Remedy, 4:110
 research in herbal medicine, 3:1–5
 reserpine
 in *Rauvolfia serpentina*, 2:45, 57;
 4:126, 150, 158
 in *Vinca minor*, 2:106
 respiratory allergies
Astragalus membranaceus for, 2:159
 formulas for, 2:127–130; 5:40–44
 herbs for, 5:41
See also specific types
 respiratory disorders
Aconitum napellus for, 2:156
Actaea racemosa for, 2:157
Andrographis paniculata for, 2:158
Angelica sinensis for, 2:158
Apocynum cannabinum for, 2:90
Aspidosperma quebracho for, 2:159
Brassica nigra for, 2:160
Centella asiatica for, 2:161
Citrus spp. for, 2:161
Clerodendron serratum for, 2:161
Collinsonia canadensis for, 2:93, 161–62
Corydalus cava for, 2:162
Crataegus spp. for, 2:162
Equisetum arvense for, 5:196

Eriodictyon californicum for, 2:164
Eucalyptus globulus for, 2:164
Eupatorium perfoliatum for, 2:165
Euphorbia spp. for, 2:165
Grindelia spp. for, 2:167; 5:91
Hemidesmus indicus for, 2:167
Iris versicolor for, 2:168
Ligusticum striatum for, 2:98
Lobelia inflata for, 2:13, 98, 170
Lomatium dissectum for, 5:138–39, 198
Lycium barbarum for, 2:170
Lycopus virginicus for, 2:170
Mikania glomerata for, 2:172
Morella cerifera for, 2:172
Morinda citrifolia for, 2:172
Ocimum sanctum for, 2:173
 overview, 2:107–8
Petasites hybridus for, 2:175
Phyllanthus emblica for, 2:176
Pinellia ternata for, 2:176
Piper methysticum for, 2:177
Polygala spp. for, 2:177
Raphanus sativus var. *niger* for, 2:178
Schisandra chinensis for, 2:180; 5:141, 201
Silybum marianum for, 2:180
Symplocarpus foetidus for, 2:181
Syzygium aromaticum for, 2:181
Thymus vulgaris for, 2:182
Tinospora cordifolia for, 2:182
Vaccinium myrtillus for, 2:183–84
Withania somnifera for, 2:184
Zanthoxylum clava-herculis for, 2:184
Zingiber officinale for, 2:184
See also specific disorders
 respiratory distress syndrome. *See acute*
 respiratory distress syndrome (ARDS)
 respiratory infections
Achillea millefolium for, 2:156
Actaea cimicifuga for, 2:157
Allium cepa for, 2:157
Alstonia scholaris for, 2:157
Althea officinalis for, 2:157
Armoracia rusticana for, 2:158
Asclepius tuberosa for, 2:159
Berberis aquifolium for, 2:160
Bryonia dioica for, 2:160
Citrus spp. for, 2:161
Commiphora myrrha for, 2:162
 compress for, 5:47
Cornus officinalis for, 2:162
Curcuma longa for, 2:162
Dracocephalum rupestre for, 2:163
Echinacea angustifolia for, 2:163
Eucalyptus globulus for, 2:164
 herbs for, 2:121
Inula helenium for, 2:168
Ligusticum porteri for, 2:169
Ligusticum striatum for, 2:169
Lomatium dissectum for, 2:170; 5:139, 198
Lonicera japonica for, 2:170
Lycopus virginicus for, 2:170
Magnolia officinalis for, 2:171
Matricaria chamomilla for, 2:171
Melaleuca alternifolia for, 2:171
Melissa officinalis for, 2:172; 5:199
Morinda citrifolia for, 2:172
Nepeta cataria for, 2:173
Olea europaea for, 2:173
Ophiopogon japonicus for, 2:174
Panax ginseng for, 2:174
Pelargonium sidoides for, 2:175
Picrorhiza kurroa for, 2:176
Pinus pinaster for, 2:176
Polygala spp. for, 2:177
Punica granatum for, 2:178
Rosmarinus officinalis for, 2:179
Sambucus canadensis for, 2:179
Sanguinaria canadensis for, 2:179
Schisandra chinensis for, 2:180
Scutellaria baicalensis for, 2:180
Stemon spp. for, 2:180
Sticta pulmonaria for, 2:181
Terminalia chebula for, 2:182
Thymus vulgaris for, 2:121, 130, 134
Trichosanthes kirilowii for, 2:182
Ulmus fulva for, 2:183
Verbascum thapsus for, 2:184
See also upper respiratory infections (URIs)
 respiratory irritation, *Verbascum thapsus* for, 1:166
 respiratory mucosa wounds, herbs for, 4:192t
 respiratory smooth muscle spasms, *Lobelia* for,
 1:11, 136; 4:16
 respiratory syncytial virus (RSV)
Actaea spp. for, 2:123, 131
Lophatherum gracile for, 2:131, 170
 overview, 2:130
Selaginella uncinata for, 2:131, 180
Terminalia chebula for, 2:131, 182
 restless legs syndrome, 4:32–33, 135
 restlessness
Atropa belladonna for, 1:239
Conium maculatum for, 4:207
Eschscholzia californica for, 4:79
Gelsemium sempervirens for, 4:80
Nymphaea nouchali var. *caerulea* for, 4:147
Paeonia spp. for, 1:86, 105
 with pyelonephritis, herbs for, 1:120t
Scutellaria lateriflora for, 4:151
 resveratrol
 antioxidant and anti-inflammatory effects,
 2:184; 3:99
 as aromatase inhibitor, 1:146
 for arthritis, 5:119
 for attention deficit hyperactivity disorder,
 4:119
 for bowel reactivity, 5:39t
 chemopreventive effects, 3:157
 for COPD, 2:148, 150
 for detoxification, 3:68
 for diarrhea, 1:52

resveratrol (*continued*)
 for emphysema, 2:136, 138
 for epilepsy and seizure disorders, 4:65–66
 for excessive CFTR activity, 2:134
 for fatty liver, 1:96
 flavonoids in, 2:33
 formulas containing
 asthma, 2:147
 COPD, 2:150
 emphysema, 2:138
 multiple sclerosis, 5:83
 vascular reactivity, 5:62
 for hemochromatosis, 2:71
 for neuralgia, 4:33
 for neurodegenerative disorders, 4:54
 for neurological conditions, 4:28
 for neuropathic pain, 4:179
 for pain, 4:156
 for pancreatic diseases, 1:68
 for peripheral neuropathy, 4:44
 for prostate cancer, 1:148
 for vascular support, 2:31
 in *Yucca schidigera*, 5:143
 retching
 Podophyllum peltatum for, 1:94t, 105
 Raphanus sativus var. *niger* for, 1:100t
 Silybum marianum for, 1:94t, 106
 reticuline, 4:139, 142
 retinoic acid
 for HPV, 1:200
 for topical skin products, 1:228
 retinoids
 gels and creams, 5:105
 for human papillomavirus, 3:111
 retinopathies
 Allium sativum for, 3:90
 Crataegus oxyacantha for, 5:195
 Eleutherococcus senticosus for, 5:196
 formulas for, 5:156–57
 Ginkgo biloba for, 5:197
 overview, 5:156
 Salvia miltiorrhiza for, 3:62, 97
 Vaccinium myrtillus for, 5:203
 See also diabetic retinopathy
 reward deficiency syndrome, 4:131
 reward pathway, dopamine hypothesis
 and, 4:131
Reynoutria japonica. See *Polygonum cuspidatum* (Japanese knotweed)
Reynoutria multiflora (fo ti, he shou wu, Chinese knotweed), 1:219
 5α-reductase inhibition, 1:218, 219; 3:162
 formulas containing
 alopecia, 1:217
 amenorrhea, 3:123
 hormone-related infertility, 3:130
 lupus, 5:77, 78
 for hormone-related infertility, 3:130, 131t
 for hyperlipidemia, 2:36
 for muscle pain, 4:182, 183

specific indications, 2:101–2
Rhamnus spp., as intestinal smooth-muscle mover, 1:18
Rhamnus frangula (alder buckthorn), 1:47
Rhamnus purshiana (sacred bark, cascara)
 emodin in, 2:110
 formulas containing
 constipation, 1:48
 COPD, 2:151
 eczema, 1:189
 as intestinal smooth-muscle mover, 2:20
 as irritant laxative, 1:46, 47, 48
 as lymph mover, 3:20; 4:22; 5:22
 specific indications, 1:87, 247; 2:178
rhein, 1:68, 219
 rheumatic pain
 Actaea racemosa for, 4:202
 Berberis aquifolium for, 5:134
 Cannabis sativa for, 5:87
 Caulophyllum thalictroides for, 5:134
 Citrullus colocynthis for, 4:206
 formula for, 4:182–83
 herbal therapies for, 4:183t
 Hyoscyamus niger for, 4:210
 Lobelia inflata for, 4:211
 Phytolacca americana for, 5:139
 Piper methysticum for, 5:140
 Ricinus communis for, 4:214
 Sanguinaria canadensis for, 5:141
 Stellaria media for, 5:141
 Strychnos nux-vomica for, 4:215
 Valeriana officinalis for, 5:143
 Withania somnifera for, 4:218
 rheumatism
 Cinnamomum verum for, 5:87
 Gaultheria procumbens for, 5:137
 Sympthymum officinale for, 5:142
 rheumatoid arthritis
 Andrographis paniculata for, 5:85, 132
 apitherapy for, 5:86
 Arnica montana for, 5:133
 Atropa belladonna for, 5:133
 Bryonia dioica for, 4:205
 Caulophyllum thalictroides for, 5:134
 Celastrus aculeatus for, 5:87
 chemical exposure linked to, 5:99
 Cinnamomum cassia for, 5:87
 Colchicum autumnale for, 4:206
 Curcuma longa for, 5:121
 Equisetum spp. for, 5:101
 Eucalyptus globulus for, 1:242
 formulas for, 5:117–122
 Fucus vesiculosus for, 5:90
 Grifola frondosa for, 5:91
 overview, 5:115
 periodontal disease linked to, 5:113
 Rehmannia glutinosa for, 5:93
 sample cases, 1:16–17, 17; 2:18–19, 19; 3:19–20, 19; 4:21–22, 22; 5:21–22, 21, 22
 Schisandra chinensis for, 5:112
Tripterygium wilfordii for, 4:216
Urtica spp. for, 5:142
Rheum emodi. See *Rheum officinale*, *R. palmatum* (Chinese rhubarb, turkey rhubarb)
Rheum officinale, *R. palmatum* (Chinese rhubarb, turkey rhubarb)
 alterative qualities, 1:46
 antimicrobial qualities, 1:61
 in Apple Pectin Truffles, 1:48
 for ARDS, 2:153, 154
 for digestive pain, 4:197t
 emodin in, 2:110
 formulas containing
 abdominal inflammation, 4:196
 anorexia, 1:37
 biliary insufficiency, 1:98
 cardiopulmonary disease, 2:85
 COPD, 2:153
 digestive pain, 4:198
 diverticulitis and diverticulosis, 1:72
 hyperhidrosis, 1:227
 macular degeneration, 5:158
 osteoporosis, 5:127
 pancreatitis, 1:69, 70, 71
 psoriasis, 1:211
 renal failure, 1:154, 155
 SIBO, 1:76
 for *Helicobacter pylori* infections, 1:43
 for hepatitis, 1:90
 for hyperlipidemia, 2:36
 as irritant laxative, 1:47, 48
 for pain, 4:170t
 for renal failure, 1:152, 153
 specific indications, 1:87, 105; 2:102, 178; 4:214; 5:140, 200
 for vascular pain, 4:200t
Rheum rhabarbarum (common garden rhubarb), 1:87
 rhinitis, allergic. See allergic rhinitis
 rhinophyma, with acne rosacea, 1:206
 rhinosinusitis
 Andrographis paniculata for, 5:85
 Eleutherococcus senticosus for, 5:89
 link to asthma, 5:29
 nasal lavage for, 5:173
 overview, 5:171
 See also allergic rhinosinusitis; sinusitis
Rhodiola spp.
 as chi tonic, 2:16
 for cystic fibrosis, 2:134
 for diarrhea, 1:52
 for insomnia with exhaustion, 1:14
Rhodiola kirilowii (rhodiola), 1:27; 2:135
Rhodiola rosea (arctic rose), 4:112
 adaptogenic qualities, 3:49; 4:90, 112
 for congestive heart failure, 2:50
 for depression and anxiety, 4:95, 101t, 103t
 ergogenic effects, 5:112
 formulas containing
 adrenal disorders, 3:49

- Rhodiola rosea* (arctic rose) (*continued*)
- attention deficit hyperactivity disorder, 4:119, 121
 - cerebral vascular insufficiency, 2:64
 - colds, 5:170
 - coronary artery disease, 2:40
 - depression and anxiety, 4:98
 - heart stress at high altitudes, 2:52
 - hypotension, 2:86
 - impotence, 2:87
 - muscle spasms and tension, 5:113
 - muscle strength, 5:112
 - myalgia, 5:109
 - myositis conditions, 5:70
 - prostate cancer, 1:148
 - prostatitis, 1:151
 - PTSD, 4:113
 - vertigo, 5:168
 - for increasing deficient adrenergic tone, 4:95
 - for insomnia, 3:16, 136t; 4:18; 5:18
 - for menopausal symptoms, 3:136t, 138t
 - for muscle weakness, 5:110, 111
 - for myositis conditions, 5:70
 - for poor circulation, 2:58, 63
 - for prostate cancer, 1:147, 148
 - for schizophrenia, 4:124, 125
 - serotonin-promoting qualities, 4:92
 - specific indications, 2:102; 3:61, 176; 4:150–51; 5:140
- Rhodophyceae* (red algae), 1:206
- rhonchi, 2:118, 120
- rhubarb. *See Rheum* spp.
- Rhus aromatica* (sweet sumac), 1:165
- Rhus toxicodendron* (poison ivy)
- for bites and stings, 1:171t
 - for eczema and allergic dermatitis, 1:188
 - specific indications, 1:165
- Ribes* spp. (currant)
- for dermatitis, 1:189
 - essential fatty acids in, 5:84
 - for glossitis, 5:179
 - specific indications, 2:102
- Ribes nigrum* (black currant)
- formulas containing
 - demyelinating polyneuropathy, 4:49
 - hyperhidrosis, 1:227
 - for herpes simplex viral infections, 5:180
 - for peripheral neuropathy, 4:43t, 44
 - for seborrheic dermatitis, 1:190
 - seed oil from, 2:43; 4:57
 - for skin fissures, 1:235
 - specific indications, 4:85
- ricin, 1:87; 4:214
- Ricinus communis* (castor oil)
- for digestive pain, 4:197
 - formulas containing
 - abdominal inflammation, 4:196
 - alopecia, 1:217
 - arthritis, 5:119
 - Bell's palsy, 4:36
- breast conditions, 3:143
- bursitis and tendinitis, 5:103
- carpal tunnel syndrome, 4:48
- contractures, 5:105
- diarrhea, 1:58
- endometriosis, 3:149
- goiter, 3:33
- hemorrhoids, 1:50; 2:78
- joint pain, 4:187
- lung pain, 4:195
- muscle pain, 4:183
- musculoskeletal trauma, 5:97
- neuralgia, 4:35, 182
- pain, 4:171
- pancreatitis, 1:71
- peripheral neuropathy, 4:45
- pigmentation disorders, 1:224, 225
- pleurisy, 2:139
- sinus pain, 4:177
- skin fissures, 1:234
- skin protection, 1:228
- streptococcal infections, 1:233
- trigeminal neuralgia, 4:39
- urinary colic, 1:139
- venous congestion, 2:80
- warts, 1:201
- hot packs with, 4:170–71
- as irritant laxative, 1:47, 48
- with *Lobelia* compress, 3:124–25
- for osteoarthritic hand pain, 4:187
- for pain, 4:169
- for peripheral neuropathy, 4:44
- plasters containing, 2:110, 111
- for polymyositis, 5:71
- safety concerns, 4:214
- for skin cancer, 1:236
- specific indications, 1:87; 2:178; 4:214
- in topical protocols, 2:112, 113; 5:47
- for trigeminal neuralgia, 4:37
- right upper quadrant pain and fullness
- Aesculus hippocastanum* for, 1:101
 - Chelidonium majus* for, 1:82, 103, 240
 - herbs for, 4:166t, 197t
 - Leptandra virginica* for, 1:85, 104
 - Morella cerifera* for, 1:86, 105
 - Raphanus sativus* var. *niger* for, 1:105
 - Taraxacum officinale* for, 1:88, 106
- rikkunshito formula, 1:77
- ringworm, 1:195, 247
- rivastigmine, 4:52
- Robert's Formula for Ulcers, 1:63–64
- Rockefeller, John D., 5:2, 3
- rompe piedras (*Lepidium latifolium*), 2:98
- root canals, herbal therapies for, 5:177
- Rosa* spp. (rose)
- formulas containing
 - burns, 1:172
 - cellulite, 1:233
 - skin protection, 1:228
 - in Mouthwash for Halitosis, 1:51
- Rosa canina* (dog rose), 5:119
- for allergies, 5:48
 - in aphrodisiac tea, 3:153
 - for arthritis, 5:119
 - essential fatty acids in, 5:84
 - flavonoids in, 2:33
 - footbaths with, 4:105
 - formulas containing
 - arrhythmias, 2:56
 - capillary fragility, 2:66
 - emphysema, 2:138
 - endocarditis, 2:72
 - hypertension, 2:43
 - vascular reactivity, 5:63
 - vascular support, 2:27
 - vasculitis, 2:82
 - for lipid health, 2:32
 - specific indications, 2:102, 178–79
 - for varicosities, 2:75
 - for vascular infections, 2:72
- rosacea. *See acne rosacea*
- Rosa damascena* (damask rose), 3:134; 4:102, 103t
- roseapple (*Syzygium cumini*), 3:98–99
- rose hips, 2:26; 5:48, 119
- roselle. *See Hibiscus sabdariffa* (flor de Jamaica, hibiscus, flor da Jamaica)
- rosemary. *See Rosmarinus officinalis* (rosemary)
- rosewater
- for acne rosacea, 1:207
 - for alopecia, 1:215
 - for burns, 1:172
 - formulas containing
 - eye drops, 5:149
 - respiratory allergies, 5:42
- rosmarinic acid
- for allergies and autoimmune disorders, 5:65
 - formulas containing, 5:83
 - for genital herpes, 3:109
 - immunomodulating qualities, 5:32
 - in *Leonurus cardiaca*, 3:139
 - in *Perilla frutescens*, 5:45
 - specific indications, 3:61–62
 - for thyroid disorders, 3:28, 43
- Rosmarinus officinalis* (rosemary), 3:43
- antiallergy qualities, 2:127
 - bronchodilating properties, 2:108t
 - for cognition, 4:53
 - for cystitis and pyelonephritis, 1:116
 - for dementia, 4:52
 - for depression and anxiety, 4:101t
 - as drying agent, 2:133
 - for epilepsy and seizure disorders, 4:67
 - for exophthalmia, 3:45
 - formulas containing
 - alcohol withdrawal seizures, 4:71
 - alopecia, 1:217, 218
 - arthritis, 5:119
 - Bell's palsy, 4:36
 - carpal tunnel syndrome, 4:48
 - cerebral vascular insufficiency, 2:62–63, 64

Rosmarinus officinalis (rosemary) (*continued*)

cystitis, 1:114
 dementia, 4:55
 GERD, 1:40, 41
 hyperthyroidism, 3:41
 memory support, 4:56–57
 multiple sclerosis, 5:83
 PTSD, 4:113
 pyelonephritis, 1:120
 respiratory allergies, 5:40
 tinnitus, 5:166
 urinary conditions, 1:116, 117
 vertigo, 5:166
 withdrawal symptoms, 4:136
 for *Helicobacter pylori* infections, 1:43
 for nasal polyps, 5:172
 for neurological conditions, 4:28
 neuroprotective effects, 4:31
 for prostatitis, 1:151
 rosmarinic acid in, 3:43; 5:65
 specific indications, 1:165, 247; 2:179; 3:61–62; 4:85, 214
 for urinary conditions, 1:114
 rotenone, 4:213
 Rotundine, 4:129, 141
rou cong-rong. See *Cistanche tubulosa*
 (rou cong-rong)
roundhead bushclover. See *Lespedeza capitata*
 (roundhead bushclover)
RSV. See respiratory syncytial virus (RSV)
rubefacients, for pain, 4:192
Rubia cordifolia (madder, majit), 4:214–15
Rubia tinctorum (common madder)
 bladder cancer and, 1:132, 134
 for liver support, 1:89
 specific indications, 1:165
 for thick and cloudy urine, 1:139
Rubus spp., 2:31
 astringent qualities, 1:51, 52, 54
 formulas containing
 anemia, 2:69
 vasculitis, 2:82
Rubus idaeus (red raspberry)
 astringent qualities, 1:19t, 54; 2:21t; 3:21t; 4:24t; 5:24t
 formulas containing
 amenorrhea, 3:123
 arthritis, 5:116
 diarrhea, 1:58
 gastroenteritis, 1:62
 osteoporosis, 5:128
 vascular reactivity, 5:63
 minerals in, 5:100t, 112
 specific indications, 1:87; 3:176; 5:200–201
 as uterine tonic, 3:119
rue. See *Ruta graveolens* (rue)
Rumex spp.
 alterative qualities, 1:25, 27, 46, 48, 90
 for digestion of fats, 1:13
 emodin in, 2:110

formulas containing
 acne rosacea, 1:207
 anorexia, 1:37
 for GERD, 1:39
 for halitosis, 1:50
 for iron deficiency anemia, 2:68
 for liver function, 1:13
 for malabsorption, 1:73
Rumex acetosella (sheep sorrel)
 antimicrobial qualities, 1:61
 antiparasitic qualities, 1:54
 specific indications, 1:87
Rumex crispus (yellow dock)
 alterative qualities, 1:19t; 2:21t; 3:21t; 4:24t; 5:24t
 for digestive support, 5:129
 in Dr. Stansbury's General Alterative Tea, 1:27

formulas containing
 anorexia, 1:38
 constipation, 1:47, 48
 dyspepsia, 1:28, 29
 malabsorption, 1:73
 for malabsorption, 1:74
 for muscle pain and spasms, 5:105
 for poor circulation, 2:63
 specific indications, 1:87, 105, 247; 2:179; 5:140
rupturewort. See *Herniaria glabra* (rupturewort)
ruscogenins, 2:102, 174
Ruscus aculeatus (butcher's broom), 1:49; 2:102
Ruta graveolens (rue)
 antiallergic qualities, 5:34t
 as emmenagogue, 3:128
 formulas containing
 Paget's disease, 5:130
 pain, 4:187
 skeletal fractures and bone injuries, 5:101
 for muscle pain, 4:183t
 rutin from, 2:79
 rutin, 2:79
 rutosides, 1:50

S

sacred bark (*Rhamnus purshiana*), 4:22
 sacred lotus. See *Nymphaea nouchali* var. *caerulea* (blue water lily, sacred lotus)
s-adenosylmethionine (SAMe), 1:93, 122
 safety concerns
Aconitum carmichaelii, 4:109
Aconitum napellus, 1:18, 69, 156; 2:89, 156; 4:35–36, 74, 101t, 102, 109, 110, 138–39, 177, 180, 181, 195, 201–2; 5:22, 131, 192
Adonis vernalis, 2:89
 apitherapy, 4:63–64
Apocynum cannabinum, 1:157; 2:90
Arnica montana, 4:204
Artemisia absinthium, 1:81; 5:193
Atropa belladonna, 1:18, 82, 158, 180; 2:159; 4:63, 76, 172, 178, 195, 199, 204; 5:22, 119, 133, 193
 berberine-related photosensitivity, 5:189
Borago officinalis, 4:77

Caulophyllum thalictroides, 4:206; 5:134
Colchicum autumnale, 4:47, 78, 207; 5:105, 124, 135
Conium maculatum, 1:18, 159; 4:101t, 171, 179, 184, 207; 5:131, 136
Convallaria majalis, 5:195
Digitalis purpurea, 2:20, 94
Gaultheria procumbens, 4:208
Gelsemium sempervirens, 1:161; 4:35, 80, 101t, 143, 180, 209; 5:66, 131, 137, 197
 H2 antagonists, 1:40, 63
Hedeoma pulegioides, 1:162, 244
Hyoscyamus niger, 2:168
Laburnum anagyroides, 4:144
Lobelia inflata, 2:170
Myristica fragrans, 4:212
Petasites hybridus, 4:212
Phytolacca americana, 4:212
Piper methysticum, 4:85, 149, 213; 5:107, 200
Piscidia piscipula, 4:213
Rauvolfia serpentina, 4:150
Rheum rhabarbarum, 1:87
Ricinus communis, 1:87; 4:214
Sanguinaria canadensis, 5:93, 141, 201
Strophanthus hispidus, 2:104
Strychnos nux-vomica, 4:36, 152, 167, 168, 215
Symphytum officinale, 5:142
 thiazide diuretics, 1:110
 toxic herb dosages, 1:5, 18; 2:7, 20; 3:8, 20; 4:9, 23; 5:9, 22–23
Tripterygium wilfordii, 4:216
 Turska's Formula, 4:196
Urginea maritima, 2:105
Veratrum spp., 5:22, 106, 143, 203
Veratrum album, 4:189, 190
Veratrum viride, 1:249; 4:87–88, 171, 172, 178, 190, 217
safflower. See *Carthamus tinctorius* (safflower)
saffron crocus. See *Crocus sativus* (saffron crocus, xi hong hua)
 safranal, 4:141
 sage. See *Salvia* spp.
 Saiboku-To, 5:46
 saiko. See *Bupleurum* spp.
 saikosaponins
 for adrenal disorders, 3:49, 51
 in *Curcuma longa*, 1:102
 for hepatitis, 1:93
 immunomodulating qualities, 3:55, 73
 for renal failure, 1:153
 specific indications, 4:140
 Saint Anthony's fire (ergotism), 4:162
 St. Johnswort. See *Hypericum perforatum* (St. Johnswort)
 Salad of the Sea recipe, 3:37
 salai guggul, 5:118
 salicylate anodynes, 4:43t
 salicylic acid
 in skin care products, 1:201, 223, 247
 for warts, 1:199

- salidrosides, 4:151; 5:140
 saline solutions
 for eye injuries, 5:154
 for nasal polyps, 5:173
 for pharyngitis, 5:188
 for throat pain, 5:190
Salix spp. (willow)
 for arthritis, 5:114
 for cerebral vascular insufficiency, 2:65
 for dental procedures, 5:177
 for gastrointestinal hypersensitivity, 5:37
 for headaches, 4:158
 for muscle pain and spasms, 5:106
 for pain, 4:171t
 for skin allergic conditions, 5:54t
Salix alba (white willow)
 for dermatitis, 1:188
 formulas containing
 dental conditions, 5:177
 headaches, 4:164
 hyperthyroidism, 3:45
 migraines, 4:162
 muscle cramps, 5:106
 musculoskeletal trauma, 5:97
 oral allergic reactivity, 5:51
 Paget's disease, 5:130
 pigmentation disorders, 1:223
 premenstrual syndrome, 3:127
 for headaches, 4:163
 for itching skin, 1:185, 187
 for menstrual cramps, 3:124
 for pain, 4:171t
 for peripheral neuropathy, 4:43t
 for skin infections, 1:176
 specific indications, 1:87, 247; 5:140, 201
 salmon calcitonin, for Paget's disease, 5:129
Salmonella infections, 1:51
 salsolinol, 4:139
Salvia spp.
 for glossitis, 5:179
 neuroprotective effects, 4:31
 rosmarinic acid from, 5:65
Salvia divinorum (diviner's sage)
 for depression and anxiety, 4:151
 for opiate addiction, 4:129
 opiate agonist qualities, 4:134
Salvia hispanica (chia)
 seeds of, 3:79, 80, 82, 97
 specific indications, 3:97
Salvia miltiorrhiza (dan shen, red sage)
 antifibrotic qualities, 1:91
 antispasmodic qualities, 1:135
 for arrhythmias, 2:57
 for atherosclerosis, 2:32
 for Behçet's disease, 5:74
 for bone health, 5:127
 for cardiopulmonary disease, 2:83
 for cerebral vascular insufficiency, 2:62
 for CREST, 5:84
 for depression, 4:103t
 for erectile dysfunction, 3:16, 161
 for exophthalmia, 3:45
 formulas containing
 arrhythmias, 2:53, 56
 arthritic pain, 4:185
 Behçet's disease, 5:74
 cerebral vascular insufficiency, 2:64, 65
 congestive heart failure, 2:50
 CREST, 5:84
 diabetic neuropathy, 3:73
 endocarditis, 2:72
 esophageal disorders, 1:44
 glaucoma, 5:156
 heart stress at high altitudes, 2:52
 hemochromatosis, 2:71
 Henoch-Schönlein purpura, 5:75
 hepatitis, 1:95
 hyperlipidemia, 2:37
 hypertension, 2:45
 hyperthyroidism, 3:43, 45
 inflammatory bowel diseases, 1:34
 insomnia, 4:115
 lupus, 5:77, 78
 macular degeneration, 5:158
 nephropathy, 3:73
 neurogenic bladder, 1:127
 ovarian cysts, 3:144
 pancreatitis, 1:69, 70
 pelvic inflammatory disease, 3:108
 peripheral vascular insufficiency, 2:58
 phlebitis, 2:81
 pigmentation disorders, 1:223
 premenstrual syndrome, 3:129
 primary sclerosing cholangitis, 1:100
 psoriasis, 1:211
 renal failure, 1:153, 154, 155
 retinopathies, 5:157
 Sjögren's syndrome, 5:69
 urinary conditions, 1:111, 115
 urinary lithiasis, 1:140
 uterine fibroids, 3:150
 vascular damage, 3:74
 vascular support, 2:27, 30; 3:78
 venous congestion, 2:76, 80
 vertigo, 5:166
 GABAergic qualities, 4:110
 for gingivitis, 5:184
 for heart infections, 2:72
 for hemochromatosis, 2:70–71
 for Henoch-Schönlein purpura, 5:75
 for hepatitis, 1:90
 for hormonal support, 3:137
 for hormone-related infertility, 3:129
 for hyperlipidemia, 2:36
 for nasal polyps, 5:172
 for neurogenic bladder, 1:126, 127
 for neurological conditions, 4:28
 perfusion-enhancing diuretic qualities,
 1:109
 for renal failure, 1:152, 154t
 specific indications, 1:247; 2:102–3; 3:62, 97,
 176; 4:151; 5:93, 201
 for urinary conditions, 1:108, 115
 for varicosities, 2:81
 for vascular infections, 2:72
 for vascular support, 2:27
 for wound healing, 4:192t
Salvia officinalis (sage)
 for altered breath sounds, 2:118
 for amenorrhea, 3:122
 for cognition, 4:53
 for dementia, 4:52
 for depression and anxiety, 4:101t
 as drying agent, 2:133
 for eye conditions, 5:147t, 149t
 formulas containing
 Alzheimer's disease, 4:56
 cerebral vascular insufficiency, 2:62–63, 64
 conjunctivitis, 5:150
 dental conditions, 5:177
 depression and anxiety, 4:102
 excessive lactation, 3:134
 hot flashes, 3:135
 hyperhidrosis, 1:226, 227
 hyperthyroidism, 3:45
 insomnia, 4:115
 itching skin, 1:187
 menopausal symptoms, 4:100
 peripheral neuropathy, 4:45
 polycystic ovarian syndrome, 3:145
 stomatitis and gingivitis, 5:182
 for hormone-related infertility, 3:131t
 neuroprotective effects, 4:31
 for polycystic ovarian syndrome, 3:145
 for respiratory allergies, 5:41
 rosmarinic acid in, 3:43
 specific indications, 1:247; 2:179; 3:176–77;
 4:85–86; 5:201
 for throat pain, 5:191t
Salvia rhytidia (Persian sage), 3:109
 salvinorin, 4:151
Sambucus spp.
 formulas containing, 2:117, 119
 for respiratory infections, 2:130
Sambucus canadensis (elderberry)
 specific indications, 1:247; 2:179
 for vasculitis, 2:82
Sambucus nigra (elderberry)
 for colds, 5:170t
 for dermatitis, 1:188
 diuretic qualities, 1:112
 for eye conditions, 5:147
 formulas containing
 bronchitis, 2:132
 childhood skin eruptions, 1:193
 conjunctivitis, 5:148
 laryngitis, 5:190
 lung conditions, 2:123
 muscle aches with influenza, 4:186
 otitis media, 5:160, 161

Sambucus nigra (elderberry) (*continued*)

retinopathies, 5:157
 scratchy throat, 5:191
 ulcerated skin, 1:231
 urinary conditions, 1:116
 vascular reactivity, 5:63
 for respiratory infections, 2:121
 for sinusitis, 5:171
 for skin eruptions, 1:194
 for skin ulcers, 1:231
 specific indications, 5:201
 for throat pain, 5:191t
 for tonsillitis and pharyngitis, 5:188
 for viral infections, 2:131
sample cases
 acne variations, 1:16, 16; 2:18, 18; 3:18–19, 18;
 4:20–21, 21; 5:20–21, 21
 insomnia variations, 1:14–15, 14, 15; 2:16–17,
 16, 17; 3:16–18, 16, 17; 4:18–20, 19; 5:18–20, 19
 rheumatoid arthritis variations, 1:16–17, 17;
 2:18–19, 19; 3:19–20, 19; 4:21–22, 22;
 5:21–22, 21, 22
 sandalwood, nebulized form, 2:137
 sangre de drago. *See Croton lechleri*
 (dragon's blood)
Sanguinaria canadensis (bloodroot), 5:180
 for bronchitis, 2:131
 for dental conditions, 5:174
 for dermatologic conditions, 1:171t, 191
 in escharotic treatments, 3:115
 formulas containing
 bronchitis, 2:133
 coughs, 2:123
 dental conditions, 5:176, 177
 dental extractions, 4:177
 headaches, 4:161
 human papillomavirus, 3:114
 lichen planus, 1:211
 oral allergic reactivity, 5:51, 52
 oral leukoplakia, 5:186
 pigmentation disorders, 1:225
 stomatitis and gingivitis, 5:182
 throat pain, 4:178
 for fungal skin infections, 1:197
 for headaches, 4:160
 for *Helicobacter pylori* infections, 1:43
 for human papillomavirus, 3:112, 114
 for inflammatory bowel diseases, 5:79
 for itching skin, 1:185
 for mouth conditions, 5:180
 for oral infections, 5:146
 for pain, 4:171t
 for poison ivy/oak dermatitis, 1:203, 237
 safety concerns, 5:141, 201
 for skin allergic conditions, 5:54t
 for skin eruptions, 1:190, 194
 specific indications, 1:87–88, 247; 2:179; 3:177;
 4:215; 5:93, 141, 201
 for streptococcal infections, 1:180
 as tissue mover, 1:18; 2:20; 3:20; 4:22; 5:22

for tongue conditions, 5:178t
 for warts, 1:199, 200
san qi. *See Panax notoginseng* (san qi,
 notoginseng)
Saposhnikovia divaricata (fang feng), 2:150
sarcopenia
Dioscorea villosa for, 5:136
 formula for, 5:111
Panax ginseng for, 5:139
Sargassum spp., 3:33
Sargassum muticum (Japanese wireweed), 3:62
 sarsaparilla. *See Smilax ornata* (sarsaparilla)
 sarsasapogenin, 1:34
 Sativex, 4:205
Satureja spp. (savory), 4:102
Saussurea costus (saw-wort)
 formulas containing
 hemoptysis, 2:126
 tuberculosis, 2:156
 specific indications, 2:179
Saussurea pulvinata (saw-wort, snow lotus), 4:31
 savin juniper. *See Juniperus sabina* (savin juniper)
 savory (*Satureja* spp.), 4:102
 saw palmetto. *See Serenoa repens* (saw palmetto)
 saw-wort. *See Saussurea* spp.
 scabies
Allium sativum for, 1:238
Eucalyptus globulus for, 1:242
 formulas for, 1:197–98
Hedema pulegioides for, 1:243
Lavandula angustifolia for, 1:245
Melaleuca alternifolia for, 1:245
 ointment for, 4:189
Phytolacca spp. for, 1:246
Thymus vulgaris for, 1:249
 scalp infections, 1:213, 214–15
 scars
Allium cepa for, 1:238
Calendula officinalis for, 1:239
Equisetum arvense for, 1:242
 formulas for, 1:181–83
 herbs for, 1:181
Schisandra chinensis (magnolia vine), 5:112
 adaptogenic qualities, 4:90
 adrenal-supporting qualities, 5:111t
 for congestive heart failure, 2:48
 for depression and anxiety, 4:95, 103t
 formulas containing
 Addison's disease, 3:51
 allergic airway disorders, 5:49
 allergic rhinosinusitis, 2:130
 arrhythmias, 2:53
 attention deficit hyperactivity disorder,
 4:119
 autoimmune disorders, 5:68, 122
 COPD, 2:153
 depression and anxiety, 4:106
 gastrointestinal hypersensitivity, 5:37
 herpetic neuralgia, 4:40
 sarcopenia, 5:111
 schizophrenia, 4:125
 venous congestion, 2:80
for muscle strength, 5:112
 neuroprotective effects, 4:31
 specific indications, 1:106; 2:103, 180;
 4:86, 151; 5:141, 201
Schistosoma infections, 1:119
 schistosomiasis, 1:119
 schizophrenia
Celastrus paniculatus for, 4:141
 formulas for, 4:124–27
Ligusticum striatum for, 4:145
 need for pharmaceutical therapies, 4:8, 122, 123
Nelumbo nucifera for, 4:147
 overview, 4:122–24
Rauvolfia serpentina for, 4:150
Schwann cells, 4:42
sciatica
Arnica montana for, 4:204
Capsicum annuum for, 5:134
Colchicum autumnale for, 4:206
Dioscorea villosa for, 5:136
Gaultheria procumbens for, 5:137
Hamamelis virginiana for, 5:138
Hypericum perforatum for, 4:210
Melilotus officinalis for, 4:82
Piscidia piscipula for, 4:213
 therapies for, 4:183t; 5:130–31
Valeriana officinalis for, 5:143
Verbascum thapsus for, 4:217
Zanthoxylum clava-herculis for, 5:143
scleritis, therapies for, 5:150
scleroderma
 chemical exposure linked to, 5:99
Hippophae rhamnoides for, 5:91
sclerotherapy, 4:169
scopolamine
 for amphetamine cessation, 4:135
 for motion sickness, 5:167
 for opiate addiction, 4:129
 for urinary retention and bladder spasm,
 1:128, 136, 158
 scopolamine detoxification technique, 4:129
Scotch broom. *See Cytisus scoparius*
 (Scotch broom)
 Scots pine (*Pinus sylvestris*), 4:48, 165
 scouring rush. *See Equisetum* spp.
 scratch testing, 5:52–53
 scratchy throat, formula for, 5:191
 See also sore throat
 screening for neurological conditions, 4:29–32
 scrofula, as term, 5:94
Scrophularia nodosa (figwort)
 alterative qualities, 1:27
 for crawling and tingling sensations, 1:232
 for dermatologic conditions, 1:171t
 formulas containing
 Behçet's disease, 5:74
 contact dermatitis, 5:54
 seborrhea, 5:55

- Scrophularia nodosa* (figwort) (continued)
- for itching skin, 1:187
 - for seborrheic dermatitis, 1:190
 - for skin allergic conditions, 5:54t
 - for skin eruptions, 1:194
 - specific indications, 1:88, 247
- scute. *See Scutellaria baicalensis* (huang qin)
- Scutellaria* spp.
- nervine qualities, 1:51
 - for Parkinson's disease, 4:60
 - for restless insomnia, 1:14, 15; 4:19, 20
- Scutellaria baicalensis* (huang qin), 2:150
- for adrenal disorders, 3:46
 - antiallergic qualities, 1:33; 5:34t
 - for anxiety, 4:17
 - for attention deficit hyperactivity disorder, 4:119
 - for biliary pain, 1:100t
 - for COPD, 2:148
 - for cystic fibrosis, 2:135
 - formulas containing
 - allergic airway disorders, 5:46, 49
 - allergic hypersensitivity, 5:35
 - arthritis, 4:185; 5:122
 - asthma, 2:145
 - attention deficit hyperactivity disorder, 4:120
 - autoimmune disorders, 5:66
 - Behcet's disease, 5:74
 - bronchitis, 2:134
 - colds, 5:170
 - COPD, 2:148
 - cystic fibrosis, 2:135
 - dermatitis, 1:190, 192
 - endometriosis, 3:150
 - gastrointestinal hypersensitivity, 5:38, 39
 - gout, 5:123, 124
 - hemochromatosis, 2:71
 - hepatitis, 1:95
 - hypertension, 2:43
 - inflammatory bowel diseases, 1:35
 - lower urinary epithelial dysfunction, 1:125
 - lupus, 5:77
 - migraines, 4:162
 - overactive bladder, 1:130
 - pain, 4:172
 - pemphigus support, 1:221
 - psoriasis, 1:211
 - schizophrenia, 4:125
 - stridor, 2:121
 - wound healing, 1:181
 - GABAergic qualities, 4:110
 - for gout, 5:123
 - for hemochromatosis, 2:71
 - for hepatitis, 1:90
 - histamine-blocking qualities, 5:32, 32t
 - for hyperlipidemia, 2:36
 - for inflammatory bowel diseases, 1:34
 - for itching skin, 1:185, 187
 - for liver support, 1:90
- for neurological conditions, 4:27, 28
- neuroprotective effects, 4:31
- for otitis media, 5:159
- for psoriasis, 5:70
- for respiratory conditions, 2:150
- for sinusitis, 5:171
- for skin allergic conditions, 5:54t
- for sleep difficulties, 2:16, 17
- specific indications, 1:106, 247; 2:103, 180; 4:86, 215; 5:93, 141
- for viral infections, 2:131
- Scutellaria barbata* (barbed skullcap), 1:146; 3:120
- Scutellaria lateriflora* (skullcap)
- for anxiety, 5:17
 - for epilepsy and seizure disorders, 4:66
 - formulas containing
 - anorexia, 1:38
 - delirium tremens, 4:132
 - diarrhea, 1:57
 - dyspepsia, 1:28
 - hyperventilation, 2:140
 - menopausal symptoms, 3:138
 - muscle tension, 5:106, 107
 - pain, 4:169
 - Parkinson's disease, 4:63
 - premenstrual syndrome, 3:126
 - restless legs syndrome, 4:33
 - seizures, 4:72
 - shingles lesions, 1:231
 - tics and twitching, 5:106
 - withdrawal symptoms, 4:136
- GABAergic qualities, 4:110, 114
- for hyperventilation, 2:140
- for insomnia, 3:17, 136t
- for migraines, 4:173
- for nerve pain, 4:91, 180t
- for panic disorder, 4:109
- for Parkinson's disease, 4:60
- for restless legs syndrome, 4:32
- for schizophrenia, 4:125
- for sleep difficulties, 2:16, 17
- specific indications, 1:165, 248; 3:177; 4:86, 151; 5:141
- for withdrawal symptoms, 4:128
- scutellarin, 4:79
- sea almond. *See Terminalia* spp. (sea almond)
- sea buckthorn. *See Hippophae rhamnoides* (sea buckthorn)
- seasonal allergies, formula for, 5:170
- sea squill. *See Drimia maritima* (sea squill)
- seaweed alginates, for GERD, 1:42
- seaweed broth, 1:80
- seaweeds
- alginates in, 1:42
 - for goiter, 3:32
 - immunomodulating qualities, 1:78
 - as mineral source, 5:125
 - mucous-enhancing qualities, 1:64
- recipes containing, 1:80; 3:37
- for thyroid and metabolic function, 3:27, 27, 35
- for toxin-induced neuropathy, 4:47
- See also specific types*
- seborrhea
- formula for, 5:54–55
 - link to eczema, 5:29
 - Smilax ornata* for, 5:93
- seborrheic dermatitis
- Allium cepa* for, 1:238
 - Cannabis sativa* for, 1:240
 - herbs for, 1:190
 - Juglans* spp. for, 1:244
 - Scrophularia nodosa* for, 1:247
 - Smilax ornata* for, 1:248
 - Trifolium pratense* for, 1:249
 - Viola* spp. for, 1:249
- Secale cornutum* (homeopathic remedy), 3:133
- secoisolaricresinol, 1:160
- secondary amenorrhea, 3:116
- See also* amenorrhea
- secretory diarrhea, 1:52, 54, 55
- See also* diarrhea
- secretory otitis media, 5:159
- See also* otitis media
- secretory stimulants
- formulas, 1:37–38, 73
 - listing of herbs, 1:74
 - warming stimulants, 1:19t; 2:21t; 3:21t; 4:23t; 5:23t
- seed oils
- for dementia, 4:57
 - for epilepsy and seizure disorders, 4:68–69
- seeds. *See* nuts and seeds
- Seedy Sea Salt recipe, 2:33
- seizure disorders. *See* epilepsy and seizure disorders
- Selaginella uncinata* (spikemoss), 2:131, 180
- selective estrogen response modifiers (SERMs), 1:143; 3:101, 127, 159
- selective serotonin reuptake inhibitors (SSRIs), 4:90, 92, 93
- Selenicereus grandiflorus* (night-blooming cactus), 2:51
- for arrhythmias, 2:57
 - for cardiac symptoms, 3:141
 - for congestive heart failure, 2:51
 - for cor pulmonale, 2:155
- formulas containing
- arrhythmias, 2:55, 83
 - cardiopulmonary disease, 2:83
 - congestive heart failure, 2:50
 - coronary artery disease, 2:40
 - cor pulmonale, 2:155
- specific indications, 2:103
- selenium, 3:29, 30, 32, 34; 4:46, 47
- selenomethionine, 4:50, 51
- self-heal. *See Prunella vulgaris* (self-heal)
- Selye, Hans, 3:46
- Seneca snakeroot (*Polygonatum senega*), 4:67
- Senecio aureus* (golden ragwort), 3:119

- Senna* spp.
 emodin in, 2:110
 specific indications, 2:103, 180
See also Cassia spp.
- Senna alata* (candle bush), 2:144t
 senses, observing, 3:11
 sensitive plant (*Mimosa pudica*), 4:31, 53
Serenoa repens (saw palmetto), 1:136
 α -reductase inhibition, 1:145, 216, 218; 3:162, 177
 alterative qualities, 1:27
 for amenorrhea, 3:115, 122, 123
 for benign prostatic hyperplasia, 1:144, 147, 165; 3:162, 177
 for bladder cancer, 1:132
 dehydrogenase inhibitors in, 1:146
 for enuresis, 1:131
 for erectile dysfunction, 3:15
 formulas containing
 acne, 1:201
 adrenal disorders, 3:50
 alopecia, 1:216, 218
 amenorrhea, 3:123
 anovulatory cycles, 3:123
 benign prostatic hyperplasia, 3:162
 bladder cancer, 1:132, 134
 hirsutism, 1:214
 hormone-related infertility, 3:131
 male infertility, 3:164
 neurogenic bladder, 1:127
 polycystic ovarian syndrome, 3:145
 prostate cancer, 1:148
 prostatic diseases, 1:146
 prostatitis, 1:151
 for hormone-related infertility, 3:129, 131t
 for muscle weakness, 5:111
 for neurogenic bladder, 1:127
 for ovarian cysts, 3:144
 for overactive bladder, 1:129
 phytosterols in, 3:155
 for polycystic ovarian syndrome, 3:145, 177
 for prostate cancer, 1:147
 for prostatic diseases, 1:143, 144
 for prostatic enlargement, 1:109, 165
 for prostatitis, 1:151
 for renal failure, 1:154t
 for reproductive endocrine conditions, 3:103
 specific indications, 1:165, 248; 3:177
 testosterone-reducing effects, in women, 3:145
 for urinary colic, 1:136
 for urinary retention, 1:142
- SERMs (selective estrogen response modifiers), 1:143; 3:101, 127, 159
- serotonin
Actaea racemosa effects on, 4:139
 ayahuasca effects on, 4:137
 botanical agents that promote, 4:92
 in *Mucuna pruriens*, 4:62
 physiological actions of, 4:92
- Psilocybe cubensis* effects, 4:137
 SSRIs, 4:90, 92
- serotonin 5-HT4 receptor agonists, 1:76
 serotonin antagonists, for schizophrenia, 4:125
- Sesamum indicum* (sesame seed, black sesame seed)
 formulas containing
 arthritis, 5:120
 demyelinating polyneuropathy, 4:49
 dry mouth, 5:186
 peripheral neuropathy, 4:44
 for nephropathy, 3:73
 seed oil for salad dressing, 4:57
 specific indications, 5:141
- sesquiterpene lactones, 4:204
 sesquiterpenes
 in *Curcuma*, 1:102
 in *Matricaria*, 1:41
 for schistosomiasis, 1:119
 in *Ulmus*, 1:65
- severity of the complaint, 3:11
 sex drive, observing, 3:11
 sexual function
 Cyperus esculentus for, 4:142
 Epimedium brevicornu for, 5:137
 Lepidium meyenii for, 4:145
 Mitragnya speciosa for, 4:147
 Mucuna pruriens for, 4:83
 Pueraria montana var. *lobata* for, 4:150
 Strychnos nux-vomica for, 4:152
 Tribulus terrestris for, 5:142
 See also aphrodisiacs; libido, low
- sexually transmitted diseases
 cystitis from, 1:114
Piper spp. for, 1:164
Thuja spp. for, 1:166, 235
- shamanistic view of mental health conditions, 4:12
- shan zhu yu. *See Cornus officinalis* (Japanese cornel, shan zhu yu)
- shatavari. *See Asparagus racemosus* (shatavari)
- shea (*Vitellaria paradoxa*), 5:48
- sheep sorrel. *See Rumex acetosella* (sheep sorrel)
- Shen-An, 5:127
- shengma. *See Actaea cimicifuga* (shengma)
- shepherd's purse. *See Capsella bursa-pastoris* (shepherd's purse)
- Shigella* infections
 intestinal bleeding from, 1:66, 67
 traveler's diarrhea from, 1:51
- shiitake. *See Lentinula edodes* (shiitake)
- shikkaron merushat (*Hyoscyamus reticulatus*), 4:61
- shingles
Aconitum napellus for, 4:202
Capsicum frutescens for, 4:205
 herbs for, 4:40
Hyoscyamus niger for, 4:210
Hypericum perforatum for, 4:210
 topical spray for, 4:41, 182
- shingles lesions, 1:231
- Shin'iseihaito (xin yi qing fei tang), 2:174
- shiso. *See Perilla frutescens* (Korean perilla, shiso, perilla)
- shooting pain, herbs for, 4:171t
- short menstrual cycles, formula for, 3:118
- Shuyu Decoction for Depression, 4:106
- sialagogues, 5:185
- Siberian fir. *See Abies sibirica* (Siberian fir)
- Siberian ginseng. *See Eleutherococcus senticosus* (Siberian ginseng, eleuthero, ciuwujia)
- SIBO. *See* small intestinal bacterial overgrowth (SIBO)
- sick building syndrome, as term, 5:47
- Sida cordifolia* (country mallow, heart-leaf sida, bala), 4:61
- side effects, pharmaceuticals, 5:32
- Silene vulgaris* (maiden's tears), 4:50
- Silica (homeopathic remedy), 5:153
- silica, for headaches, 4:165t
- silk tree. *See Albizia julibrissin* (silk tree, mimosa)
- silver birch. *See Betula pendula* (silver birch)
- silver ragwort (*Jacobaea maritima*), 5:152
- Silybum marianum* (milk thistle), 1:95
 alterative qualities, 1:27
 antifibrotic qualities, 1:91
 for anxiety, 4:16, 17
 biliary support qualities, 1:52, 72
 cholagogue action, 1:98
 for cystic fibrosis, 2:135
 for digestive pain, 4:197t
 for eye conditions, 5:147, 147t
- formulas containing
 acne, 1:202, 203
 acne rosacea, 1:207
 alcohol recovery, 4:136
 autoimmune disorders, 5:68, 122
 bites and stings, 1:172
 cardiopulmonary disease, 2:85
 cholelithiasis, 1:98
 cholestasis, 1:98
 CREST, 5:84
 cystic fibrosis, 2:135
 depression and anxiety, 4:98, 100
 erythema multiforme, 1:220
 esophageal disorders, 1:45
 fatty liver, 1:96
 gastrointestinal hypersensitivity, 5:37, 38, 39
 gastroparesis, 1:77
 heart stress at high altitudes, 2:52
 hemorrhoids, 1:50
 hepatitis, 1:93, 94, 95
 hyperlipidemia, 2:37, 47
 hyperthyroidism, 3:42
 liver pathology, 1:97
 metabolic syndrome, 3:74–75, 76
 muscle pain, 5:107
 nephropathy, 3:73
 pancreatitis, 1:70
 peripheral neuropathy, 4:46
 pigmentation disorders, 1:223

Silybum marianum (milk thistle) (continued)

- primary sclerosing cholangitis, 1:100
- renal failure, 1:155
- stytes, 5:153
- thyroiditis, 3:31
- tinnitus, 5:166
- urinary conditions, 1:116
- for halitosis, 1:50
- for heavy metal neuropathy, 4:50
- for hemochromatosis, 2:71
- for hepatitis, 1:91, 94t, 95
- for inflammatory bowel diseases, 1:34
- for lipid health, 2:32–33; 3:82
- for liver support, 1:89, 93, 95
- mast-cell stabilizing effects, 2:144t
- for metabolic conditions, 3:74–75
- for muscle pain and spasms, 5:105
- for muscle weakness, 5:111
- neuroprotective effects, 4:31
- for pain, 4:166t
- perfusion-enhancing diuretic qualities, 1:109
- polyphenols in, 1:223
- for renal failure, 1:152, 153, 154t
- for reproductive endocrine conditions, 3:102
- for restless insomnia, 1:15; 2:17; 3:18; 4:20; 5:20
- for restless legs syndrome, 4:33
- specific indications, 1:88, 106, 248; 2:103, 180; 3:62, 98; 5:201
- for stytes, 5:153
- for telangiectasias, 1:208
- for urinary conditions, 1:108, 115
- for varicosities, 2:74
- for vascular support, 2:35

silymarin

- for hepatitis, 1:93
- for inflammatory bowel diseases, 1:35
- for pigmentation disorders, 1:223

simmering herbs, 1:20; 2:22–23; 3:23; 4:25; 5:25

Simmondsia chinensis (jojoba), 5:48

Sinapis alba (mustard seed, white mustard), 3:43

Sinclair method, 4:130

sinus colds, formula for, 5:171

See also colds

sinusitis

- Albizia lebbeck* for, 2:157
- Allium sativum* for, 2:157
- Angelica dahurica* for, 2:158
- Angelica sinensis* for, 2:158; 5:192
- Armoracia rusticana* for, 2:158, 159; 5:193
- Berberis aquifolium* for, 2:160
- Curcuma longa* for, 2:162
- formulas for, 5:172
- Ligusticum porteri* for, 2:169
- Linum usitatissimum* for, 2:169
- Lomatium dissectum* for, 2:170
- Magnolia officinalis* for, 2:171
- overview, 5:171
- Panax ginseng* for, 2:174
- Petasites hybridus* for, 2:175; 5:41

Xanthium cavanillesii for, 2:184

See also rhinosinusitis

sinus pain, 4:177, 202

sipping vinegars, 3:89

Siraitia grosvenorii (monk fruit, luo han guo), 3:85

- formulas containing, 4:58, 59
- in *Poria* steam cakes, 4:107
- powder of, 3:78
- specific indications, 3:98
- as sweetener, 3:77, 78, 79, 85, 98
- syrup of, 3:77

siris. *See Albizia lebbeck* (siris, lebbeck tree)

Sitka valerian. *See Valeriana sitchensis* (Sitka valerian)

sitz baths

- for anal fissures, 1:235
- Camellia sinensis* in, 5:87
- Coptis trifolia* in, 3:168
- for cystitis, 1:113, 114
- Equisetum arvense* in, 1:113, 160; 4:208
- for fungal skin infections, 1:195, 196
- for genital herpes, 3:111; 4:41
- Hamamelis virginiana* in, 3:171
- for hemorrhoids, 1:49–50; 2:78
- for postpartum pain, 4:193
- for reactive arthritis, 5:72
- Thuja* spp. in, 3:178
- for vaginitis, 3:105, 106–7

Sjögren's syndrome

- Cordyceps sinensis* for, 1:153
- Curcuma longa* for, 5:121
- formula for, 1:227
- mouthwash for, 5:52
- overview, 5:68–69
- Pilocarpus jaborandi* for, 1:227, 246; 5:151, 200
- Rehmannia glutinosa* for, 5:93
- throat wash for, 1:45
- Ulmus fulva* for, 5:142
- Zanthoxylum clava-herculis* for, 5:143

skeletal fractures, formulas for, 5:100–101

skin, as organ of elimination, 1:2

skin, itching. *See* itching skin

skin allergic conditions

- Angelica sinensis* for, 5:85
- Astragalus membranaceus* for, 5:86
- Camellia sinensis* for, 5:86–87
- Hamamelis virginiana* for, 5:91
- herbs for, 1:232; 5:54t
- Hippophae rhamnoides* for, 5:91
- Hypericum perforatum* for, 5:91
- overview, 1:183; 5:34–35
- See also* contact dermatitis

skin autoimmune conditions

- Eleutherococcus senticosus* for, 5:136
- Hippophae rhamnoides* for, 5:91
- Oenothera biennis* for, 5:92
- Panax ginseng* for, 5:139
- skin cancer
- Conium maculatum* for, 1:237, 241
- Galium aparine* for, 1:242

general therapy for, 1:236

herbs for, 1:237

Hydrastis canadensis for, 1:244

Rosmarinus officinalis for, 1:247

Sanguinaria canadensis for, 1:247; 3:177

skin disorders

- Atropa belladonna* for, 5:133
- Berberis aquifolium* for, 5:134, 194
- Calendula officinalis* for, 3:55
- Ceanothus americanus* for, 3:91
- Cinnamomum verum* for, 3:91
- Cnidium monnierii* for, 5:87
- Colchicum autumnale* for, 5:88
- Curcuma longa* for, 5:89
- Eleutherococcus senticosus* for, 5:89
- Equisetum arvense* for, 3:93
- Fucus vesiculosus* for, 5:90
- Matricaria chamomilla* for, 5:92
- Melaleuca alternifolia* for, 5:92
- Sanguinaria canadensis* for, 3:177
- Scutellaria baicalensis* for, 5:93
- Smilax ornata* for, 5:93
- Trifolium pratense* for, 5:142
- See also* specific disorders

skin disorders associated with digestive and liver disorders

- Achillea millefolium* for, 1:101
- Andrographis paniculata* for, 1:238
- Arctium lappa* for, 1:81, 101
- Berberis aquifolium* for, 1:86, 105, 245
- Chelidonium majus* for, 1:83, 103, 240
- Cnicus benedictus* for, 1:240
- Gentiana lutea* for, 1:243
- Iris versicolor* for, 1:104, 244
- Juglans nigra* for, 1:85
- Rumex crispus* for, 1:87, 105
- Silybum marianum* for, 1:248
- Stillingia sylvatica* for, 1:248

skin eruptions

- Atropa belladonna* for, 1:239
- Centella asiatica* for, 1:240
- in children, 1:193–94
- Echinacea* spp. for, 1:241
- Euphrasia officinalis* for, 1:242
- Glycyrrhiza glabra* for, 1:243
- Grindelia squarrosa* for, 1:243
- herbs for, 1:185, 187, 190, 194
- Hypericum perforatum* for, 1:244
- Iris versicolor* for, 1:244
- Juglans* spp. for, 1:244
- Lobelia inflata* for, 1:245
- Phytolacca* spp. for, 1:246
- Rumex crispus* for, 1:247
- Salix alba* for, 1:247
- Silybum marianum* for, 1:248
- Smilax ornata* for, 1:248
- as symptom of healing crises, 1:8
- Tanacetum parthenium* for, 1:248
- Thuja* spp. for, 1:248–49
- Vitex agnus-castus* for, 1:249

- skin fissures, formulas for, 1:234–35
 skin infections
Allium sativum for, 1:195, 196, 197, 238
Azadirachta indica for, 1:239
Berberis aquifolium for, 1:245
Calendula officinalis for, 1:239
Cinnamomum spp. for, 1:240
Commiphora mukul for, 1:241
Coptis spp. for, 1:241
Cordyceps sinensis for, 1:241
Echinacea spp. for, 1:241
Eupatorium perfoliatum for, 1:242
 formulas for, 1:175–180
 fungal, 1:194–97, 240
Ganoderma lucidum for, 1:243
Grifola frondosa for, 1:243
 herbs for, 1:176, 181, 183
Melaleuca alternifolia for, 1:245
Origanum vulgare for, 1:246
 overview, 1:175–76
Panax ginseng for, 1:246
Phytolacca spp. for, 1:246
Usnea barbata for, 1:249
Zingiber officinale for, 1:183, 249
 skin inflammation
Curcuma longa for, 5:121
Eugenia caryophyllata for, 5:89
Hamamelis virginiana for, 5:138
Hypericum perforatum for, 4:143
Matricaria chamomilla for, 4:211
Tanacetum parthenium for, 5:56
 skin injuries. *See* traumatic injuries to the skin
 skin lesions
Achillea millefolium for, 1:81, 238
Alnus serrulata for, 1:238
Apium graveolens for, 1:238; 5:86
Astragalus membranaceus for, 1:239
Atropa belladonna for, 1:239
 from Behçet's disease, 5:72
Centella asiatica for, 5:87
Citrus bergamia for, 1:240
Cnidium monnieri for, 5:87
Comium maculatum for, 1:241
Echinacea spp. for, 1:241
Eucalyptus globulus for, 1:242
Galium aparine for, 1:242
Ginkgo biloba for, 1:243; 5:90
Gymnema sylvestre for, 1:243
 from Henoch-Schönlein purpura, 5:74, 75
 herbs for, 1:237
Hippophae rhamnoides for, 1:244
Hypericum perforatum for, 1:244; 5:91
Lavandula angustifolia for, 1:244
Lonicera japonica for, 1:245
Nigella sativa for, 5:92
 propolis for, 1:246
Rhamnus purshiana for, 1:247
Sambucus canadensis for, 1:247
Sanguinaria canadensis for, 1:247
Thuja spp. for, 1:249
 topical protocols, 5:55
Urtica spp. for, 5:94
Viola spp. for, 1:249
 skin pain
Aloe vera for, 4:203
Chelidonium majus for, 4:206
Conium maculatum for, 4:207
Curcuma longa for, 4:207
 formulas for, 4:188–193
Hamamelis virginiana for, 4:209
 herbs for, 4:166t
Hypericum perforatum for, 4:210
Lavandula angustifolia for, 4:210
Mentha piperita for, 4:211
Myristica fragrans for, 4:212
Ocimum tenuiflorum for, 4:212
 skin protection
 formulas for, 1:228–230
Fucus vesiculosus for, 1:242
 herbs for, 1:228, 241
Hippophae rhamnoides for, 1:244
Lonicera japonica for, 1:245
Matricaria chamomilla for, 1:245
 skin ulcers
Calendula officinalis for, 1:239
Centella asiatica for, 5:87
Conium maculatum for, 1:241
Echinacea spp. for, 1:241
 formulas for, 1:230–32
Forsythia suspensa for, 1:242
Ginkgo biloba for, 1:243
Grindelia squarrosa for, 1:243; 5:91
Hamamelis virginiana for, 1:243
 herbs for, 1:231
Hydrastis canadensis for, 1:244
Phytolacca spp. for, 1:246
Quercus spp. for, 1:247
Stillingia sylvatica for, 1:248; 5:94
Trifolium pratense for, 1:249
 skullcap. *See* *Scutellaria* spp.
 skunk cabbage (*Symplocarpus foetidus*), 2:117, 181
 sleep apnea, 2:88–89
 sleep difficulties
Conium maculatum for, 4:207
Corydalis cava for, 2:162
Eleutherococcus senticosus for, 3:57, 93
Eschscholzia californica for, 2:95, 164; 3:57, 169
Leonurus cardiaca for, 3:172
Nepeta cataria for, 2:173
 observing, 1:9; 2:11; 3:11; 4:13; 5:13
Piscidia piscipula for, 4:213
Scutellaria lateriflora for, 3:177
Valeriana officinalis for, 3:179
Withania somnifera for, 2:184
Ziziphus jujuba for, 4:152
See also insomnia
 sleepy plant (*Mimosa pudica*), 4:31, 53
 slippery elm. *See* *Ulmus* spp.
 Slippery Elm Porridge for Acute Ulcer or
Gastritis Pain, 1:66
 slow-brainstem syndrome, 4:184
 sluggish digestion, 1:25, 29, 83
See also digestion, poor
Smallanthus sonchifolius (acon), 3:81
 for glycemic control, 3:80
 for intestinal health and glycemic control, 3:98
 specific indications, 3:98
 in Yacon Cookies, 3:80
 small intestinal bacterial overgrowth (SIBO)
 acid-blocking drugs and, 1:40, 75
 antimicrobials for, 1:24
 increased risk with pancreatic diseases, 1:68
 relationship with gastrointestinal disorders, 1:24
 treating, 1:75–76
 small-leaved lime, small-leaved linden (*Tilia cordata*), 4:158
 small pasque flower (*Anemone pratensis*), 4:199
Smilax ornata (sarsaparilla)
 adaptogenic properties, 3:49
 adrenal-supporting qualities, 5:11t
 alternative qualities, 1:27
 for dermatitis, 1:188
 formulas containing
 arthritis, 5:122
 autoimmune disorders, 5:67
 Behçet's disease, 5:74
 headaches, 4:164
 itching skin, 1:187
 muscle weakness, 5:111
 myalgia, 5:109
 pelvic inflammatory disease, 3:108
 peripheral neuropathy, 4:46
 psoriasis, 1:211
 for itching skin, 1:187
 for muscle weakness, 5:110
 for myositis conditions, 5:70
 for pelvic inflammatory disease, 3:108
 for poor circulation, 2:63
 for skin eruptions, 1:190
 for skin infections, 1:176
 specific indications, 1:88, 248; 3:62, 98, 177; 4:86; 5:93–94
Smilax regelii (sarsaparilla), 1:190
 Smith, Richard, 5:1
 smoking cessation
 formulas for, 4:133, 134–35
Laburnum anagyroides for, 4:144
Lobelia inflata for, 4:145
 Smoothie, Anti-Inflammatory, 4:173
 smoothies
 for constipation in children, 1:47
 for inflammation, 4:173
 for inflammatory bowel diseases, 1:35
 for leaky gut syndrome, 1:79
 snakebites
Echinacea spp. for, 1:241
 formulas for, 1:172
 overview, 1:170
 snakeroot. *See* *Polygonum* spp.

- snowball bush. *See Viburnum opulus* (crampbark)
- snowdrop. *See Galanthus* spp.
- snow lotus (*Saussurea pulvinata*), 4:31
- snow parsley. *See Cnidium monnieri* (osthole, snow parsley)
- snuff
- for nasal polyps, 5:173, 174
 - for Parkinson's disease, 4:63
- social signal transduction hypothesis, 4:90
- sodium citrate, for alkalinizing the urine, 1:150
- sodium-iodide symporter disruptors, 3:38–39
- Solanaceae herbs
- antispasmodic qualities, 1:135, 141
 - joint pain associated with, 5:116
 - myalgia associated with, 5:105
 - tropine alkaloids in, 1:128, 136, 141
- Solanum xanthocarpum* (yellow-fruit nightshade), 5:31t
- Solidago* spp. (goldenrod)
- formulas containing, 1:130
 - for overactive bladder, 1:129
 - for prostate health, 1:150
 - for prostatitis, 1:151
 - for renal failure, 1:154t
 - specific indications, 5:201
 - for urinary conditions, 1:115
 - for urinary tract reactivity, 5:58
- Solidago canadensis* (goldenrod)
- formulas containing
 - prostate cancer, 1:149
 - prostatitis, 1:151
 - renal failure, 1:155
 - urinary conditions, 1:111, 112, 115
 - for renal failure, 1:154t
 - specific indications, 1:165
 - for urinary retention, 1:142
- Solidago chilensis* (goldenrod), 3:164
- Solidago odora* (goldenrod)
- formulas containing
 - prostatitis, 1:151
 - renal failure, 1:155
 - specific indications, 1:165
- Solidago virgaurea* (goldenrod), 1:165
- sonic-hedgehog-function-inducing mutations, 4:191
- Sophora alopecuroides* (kudouzi), 5:79
- Sophora flavescens* (shrubby sophora), 5:45
- sopite syndrome, 5:167
- soreness
- Actaea racemosa* for, 4:202
 - Eupatorium perfoliatum* for, 4:208
 - herbs for, 4:170t
- sore throat
- Althea officinalis* for, 2:157
 - Anemopsis californica* for, 2:158
 - Baptisia tinctoria* for, 5:193
 - Berberis aquifolium* for, 2:160
 - Calendula officinalis* for, 5:194
 - Capsicum annuum* for, 2:160; 5:194
 - Cinnamomum camphora* for, 2:161
- Coptis trifolia* for, 3:56, 92
- Eupatorium perfoliatum* for, 5:196
- formulas for, 5:188–191
- with GERD, 1:40
 - hydrotherapy for, 5:188
- Ligusticum porteri* for, 2:169
- Ligusticum striatum* for, 2:169
- Lomatium dissectum* for, 5:198
- Lonicera japonica* for, 2:170
- Marrubium vulgare* for, 2:171
- Mentha piperita* for, 2:172
- Morella cerifera* for, 2:172; 5:199
- Phytolacca americana* for, 2:176; 3:175
- Polygala* spp. for, 2:177
- Rumex crispus* for, 2:179
- Salvia officinalis* for, 2:179
- Siraitia grosvenorii* for, 3:98
- Spilanthes acmella* for, 5:201
- Syzygium aromaticum* for, 2:181
- therapies for, 5:190
- See also* throat pain
- sorrel, sheep. *See Rumex acetosella* (sheep sorrel)
- soups
- electrolyte replacement broth, 1:57–58
 - for inflammatory bowel diseases, 1:35
 - seaweed broth, 1:80
- sour smell to the body, *Rheum palmatum* for, 1:87, 105
- southern maidenhair fern. *See Adiantum capillus-veneris* (maidenhair fern)
- southern prickly ash. *See Zanthoxylum clava-herculis* (southern prickly ash)
- southernwood (*Artemisia abrotanum*), 3:128
- soy. *See Glycine max* (soy)
- soy lecithin. *See lecithin*
- soy milk, 3:160, 164
- Spanish black radish. *See Raphanus sativus* var. *niger* (black Spanish radish)
- Spanish fly. *See Cantharis vesicatoria* (Spanish fly)
- Spanish needles (*Bidens parviflora*), 5:31t
- spastic pain
- Conium maculatum* for, 4:207
 - formula for, 4:172
 - Mentha piperita* for, 4:211
 - Petasites hybridus* for, 4:194
 - Piper methysticum* for, 4:213
- spearmint. *See Mentha spicata* (spearmint)
- specific herbs
- role in formulas, 1:9, 10–11; 2:11, 12, 13; 3:12–13, 12; 4:9, 17; 5:8–9, 16
 - in Triangle exercise, 1:9, 10–11; 2:11, 12; 4:14, 14, 15; 5:14, 14, 15
- specific indications
- choosing herbs based on, 1:3; 2:5, 12; 3:5, 6–7; 4:7, 8–9, 17; 5:7, 16
 - choosing individual *materia medica* options, 1:10, 21; 2:12–13, 23–24; 3:12–13, 23–24; 4:14, 15, 26; 5:14–15, 26
 - as term, 1:2; 2:5; 3:5; 4:6; 5:6
- spermatogenesis and sperm motility
- Alpinia galanga* for, 3:165
 - antiandrogenic herb concerns, 3:148, 173–74
 - Astragalus membranaceus* for, 3:166
 - Epimedium grandiflorum* for, 3:169
 - Eurycoma longifolia* for, 3:169
 - Lepidium meyenii* for, 3:163
 - Panax ginseng* for, 3:174
 - Tribulus terrestris* for, 3:178
- Sphaeranthus indicus* (East Indian globe thistle), 3:162
- spices, 3:69
- spider bites, formula for, 1:172
- spider veins. *See telangiectasias* (spider veins)
- Spigelia anthelmia* (pinkroot), 5:177
- spikemoss. *See Selaginella uncinata* (spikemoss)
- spikenard (*Valeriana jatamansi*), 4:87
- Spilanthes acmella* (paracress)
- antimicrobial qualities, 1:61
 - antiparasitic qualities, 1:54
 - for herpetic neuralgia, 4:40
 - for migraines, 4:165
 - specific indications, 5:141, 201–2
- spilanthol, 5:141, 201
- spinal trauma, neurogenic bladder from, 1:126, 158
- spirulina (*Arthrospira maxima*), 4:49
- spit poultices, 1:170
- spleen disorders
- alterative herbs for, 1:27
 - Ceanothus americanus* for, 1:82, 103
 - herbal therapies for, 4:197
 - Quercus* spp. for, 1:247
 - Scutellaria baicalensis* for, 1:106
 - Silybum marianum* for, 1:88, 106
- spotting, formula for, 3:120, 122
- sprains and strains
- acute treatments for, 5:98
 - Arnica montana* for, 4:203; 5:133
 - bromelain for, 5:108
 - formulas for, 5:96–97, 98, 99
 - Hamamelis virginiana* for, 4:209; 5:138
 - Hypericum perforatum* for, 3:95–96
 - overview, 5:96
 - Symphytum officinale* for, 5:142
- sprouts, for heavy metal toxicity, 4:51
- spurge. *See Euphorbia* spp.
- squalene, 1:160
- squamous cell carcinoma, 1:131, 230, 236
- squill. *See Drimia maritima* (sea squill)
- SSRIs (selective serotonin reuptake inhibitors), 4:90, 92, 93
- stabbing pain, herbs for, 4:171t
- staff vine, staff tree. *See Celastrus aculeatus* (staff vine, staff tree)
- stamina
- Arctium lappa* for, 3:54
 - Eleutherococcus senticosus* for, 3:57, 93
 - Lepidium meyenii* for, 3:96, 162, 172
 - Rhodiola rosea* for, 3:49
 - Withania somnifera* for, 3:63

- standardized medicines, indications for, 1:20; 2:22; 3:22; 4:25; 5:25
- Staphylococcus aureus* infections, 1:114, 177–79
- Staphylococcus saprophyticus* infections, 1:114
- staphylokinase, 2:64
- star anise (*Illicium verum*), 4:20
- stasis ulcers
- Berberis aquifolium* for, 2:91
 - Centella asiatica* for, 2:92
 - Echinacea* spp. for, 2:94
 - formulas for, 2:59, 60
 - herbs for, 2:60
 - Hydrastis canadensis* for, 2:97
 - Hypericum perforatum* for, 2:97
- status epilepticus, *Panax ginseng* for, 4:84
- steam cakes, with *Poria*, 4:106–7
- steam inhalation
- for emphysema, 2:136–37
 - for pneumonia, 2:141
- steatorrhea
- alteratives for, 1:90
 - Iris versicolor* for, 1:85, 104, 244
 - pancreatic enzymes for, 1:68
 - from pancreatic insufficiency, 1:68
- steeping herbs, 1:20; 2:22–23; 3:23; 4:25; 5:25
- Stellaria media* (chickweed)
- alterative qualities, 1:27
 - formulas containing
 - anemia, 2:70
 - arthritis, 5:119
 - bites and stings, 1:170 - for hormone-related infertility, 3:130
 - iron in, 2:70
 - for liver support, 1:90
 - specific indications, 2:104; 5:141
- Stemona* spp. (bai bu), 2:180–81; 5:49
- Stephania* spp., for withdrawal symptoms, 4:129
- Stephania tetrandra* (han fang ji), 5:80
- steroid regulation of cells, 3:102–3
- steroids
- avoiding use of, 5:30
 - formula to support weaning from, 5:36
 - Glycyrrhiza glabra* for weaning from, 5:90
 - Oenothera biennis* for weaning from, 5:92
 - withdrawal from, 1:188; 4:46–47
- Stevens–Johnson syndrome, 1:219–220; 5:50
- Stevia rebaudiana* (stevia, sweet leaf), 3:79
- in aphrodisiac tea, 3:153
 - chromium in, 3:80t
 - formulas containing
 - attention deficit hyperactivity disorder, 4:120
 - cellulite, 1:233
 - hyperlipidemia, 2:36
 - hypertension, 2:43
 - retinopathies, 5:157 - in High Chromium Summer Tea for
 - Metabolic Support, 3:87
 - hypoglycemic effects, 3:73
 - as noncaloric sweetener, 3:79, 98
- specific indications, 2:104; 3:98
- for vascular support, 2:30
- Sticta pulmonaria* (lungwort)
- for bronchitis, 2:131
 - for coughs, 2:117
 - formulas containing, 2:141
 - for pain, 4:166t
 - specific indications, 2:181; 4:215
- stigmasterol, 1:144
- Stillingia sylvatica* (queen's root)
- alterative qualities, 1:27
 - for coughs, 2:117
 - as counterirritant, 2:132
 - formulas containing
 - arthritis, 5:120
 - hemoptysis, 2:126
 - laryngitis, 5:190, 191
 - lung conditions, 2:123
 - Paget's disease, 5:130
 - pompholyx, 5:55
 - seborrhea, 5:55
 - stridor, 2:121
 - vocal strain, 5:191 - liniments containing, 2:113
 - for malabsorption, 1:74
 - for seborrheic dermatitis, 1:190
 - for skin eruptions, 1:190
 - specific indications, 1:88, 106, 248; 2:181; 5:94, 141–42
 - for throat pain, 5:191t
- stimulant diuretics, 1:109
- stimulants
- for attention deficit hyperactivity disorder, 4:118, 119
 - avoiding, with overactive bladder, 1:129
 - digestive, 1:25, 51, 88
 - warming, 1:18, 19t; 2:20, 21t; 3:20–21, 21t; 4:23, 23t; 5:23, 23t
- stinging nettle. *See Urtica dioica* (stinging nettle)
- stinging pain, herbs for, 4:170t
- stings. *See bites and stings*
- stomach acid
- acid pockets, 1:42
 - association with ulcers, 1:29, 63
 - See also* hypochlorhydria
- stomach flu
- antimicrobials for, 1:24
 - formula for, 1:54
- stomach pain
- Chelidonium majus* for, 1:82, 103; 4:206
 - Conium maculatum* for, 4:207
 - formulas for, 1:28
 - Matricaria chamomilla* for, 1:86
 - Morella cerifera* for, 1:86
 - Rheum palmatum* for, 4:214
 - Syzygium aromaticum* for, 4:216
- stomach ulcers. *See* gastric ulcers
- stomatitis
- allergic, 5:181, 186
 - Angelica sinensis* for, 5:192
- Capsicum annuum* for, 5:194
- Colchicum autumnale* for, 5:88
- formulas for, 5:51
- Glycyrrhiza glabra* for, 5:197
- Hydrastis canadensis* for, 5:189
- Origanum vulgare* for, 5:199
- overview, 5:179–181
- Pimpinella anisum* for, 5:200
- Piper methysticum* for, 5:200
- Sanguinaria canadensis* for, 5:201
- Spilanthes acmella* for, 5:202
- supportive therapies for, 5:50
- Zingiber officinale* for, 5:203
- stonebreaker. *See* *Phyllanthus niruri* (stonebreaker)
- stoneroot. *See* *Collinsonia canadensis* (stoneroot)
- stoneseed. *See* *Lithospermum ruderale* (stoneseed)
- stool abnormalities
- Asclepius tuberosa* for, 1:81
 - Chelidonium majus* for, 1:82–83, 103
 - Chionanthus virginicus* for, 1:83, 103
 - Morella cerifera* for, 1:86, 105
 - Ricinus communis* for, 1:87
 - Silybum marianum* for, 1:106
 - See also* bloody stools; diarrhea; steatorrhea
- straining with bowel movements. *See* bowel movement straining
- strains and sprains. *See* sprains and strains
- strangury, *Elymus repens* for, 1:160
- Strassman, Rick, 4:4–5
- strawberry tongue, *Atropa belladonna* for, 5:178t, 193
- streptococcal infections
- formulas for, 1:179, 180
 - herbs for, 1:180, 241
- streptokinase, 2:64
- stress
- Avena sativa* for, 3:166
 - Eleutherococcus senticosus* for, 1:84; 3:57, 93, 169
 - Eschscholzia californica* for, 3:57
 - formulas for, 1:33; 4:182–83
 - Glycyrrhiza glabra* for, 1:85; 4:143
 - herpes outbreaks and, 3:109
 - HPA axis and, 4:112
 - Humulus lupulus* for, 1:85; 3:171
 - hyperventilation with, 2:140
 - Lavandula* spp. for, 2:97; 4:210
 - link to unopposed estrogen, 3:102
 - Matricaria chamomilla* for, 4:146
 - Melissa officinalis* for, 3:173; 4:82, 146
 - Nelumbo nucifera* for, 4:147
 - Ocimum tenuiflorum* for, 3:173; 4:148
 - Panax ginseng* for, 1:86; 4:148
 - Passiflora* spp. for, 2:175; 4:148
 - Perilla frutescens* for, 4:149
 - Piper methysticum* for, 3:175
 - Poria cocos* for, 4:149
 - Rhodiola rosea* for, 3:61
 - role in allergies, 5:28
 - Taraxacum officinale* for, 3:62

- stress (*continued*)
Tilia × europaea for, 2:105
tonics for, 3:48
Valeriana officinalis for, 4:152; 5:143
Withania somnifera for, 2:184; 3:63; 4:152; 5:143
See also posttraumatic stress disorder (PTSD)
- stress-related diarrhea, 1:56–57
See also diarrhea
- stress sensors, 4:124
- stretch marks
Aloe vera for, 1:238
formulas for, 1:233
Hypericum perforatum for, 1:244
- stridor
formulas for, 2:121
herbs for, 2:118
overview, 2:115–16
- strokes
Angelica sinensis for, 2:90
Astragalus membranaceus for, 2:91
Atractylodes spp. for, 2:91
caffeine for, 4:120
dysphagia associated with, 1:44
Epimedium brevicornu for, 2:95
Leonurus cardiaca for, 4:144, 145
Ligusticum striatum for, 2:98; 4:145
nutraceuticals for, 2:63
Ophiopogon japonicus for, 2:99
overview, 2:61
Paeonia lactiflora for, 2:100
Poria cocos for, 2:101
Salvia miltiorrhiza for, 4:151
Schisandra chinensis for, 4:151
Scutellaria baicalensis for, 2:103
thrombolytic agents for, 2:64
traditional Chinese herbs for, 2:65
Ziziphus spinosa for, 2:106
- Strophanthus hispidus* (*strophanthus*)
for angina, 2:38
for arrhythmias, 2:57
for congestive heart failure, 2:48t
specific indications, 2:104
- strychnine, 4:215
- Strychnos nux-vomica* (*poison nut, azraqi*), 4:168
for depression, 4:103t
formulas containing
neuralgia, 4:36
pain, 4:167
as nerve tonic, 4:168
for pain, 4:171t
safety concerns, 4:35–36, 152, 167, 168, 215
specific indications, 4:152, 215
- stytes
Apis mellifica for, 5:192
Arctium lappa for, 1:239
Centella asiatica for, 5:194
Euphrasia officinalis for, 5:89
formula for, 5:153
overview, 5:153
Thuja spp. for, 1:248
- styptics. *See* hemostatics
suan zao ren. *See* *Ziziphus spinosa* (suan zao ren)
- Substance Abuse and Mental Health Services Administration, 4:2
- sugar cravings, with substance cessation, 4:131
- sugar destroyer. *See* *Gymnema sylvestre* (sugar destroyer, cow plant)
- Sugar-Free Hibiscus Syrup, 3:78
- suicide, increasing rates of, 4:2
- sulfated polysaccharides, 1:78, 122, 205–6
- sulfotransferase enzymes, 3:155
- sulfur
for the bladder, 1:122, 123
for eczema and allergic dermatitis, 1:188
formulas containing
alopecia, 1:215
psoriasis, 1:211
scabies, 4:189
for fungal skin infections, 1:195
for heavy metal detoxification, 4:51
for painful itching, 4:189t
sulfur gasotransmitters, 2:143
su mu. *See* *Caesalpinia sappan* (su mu)
sundew. *See* *Drosera rotundifolia* (sundew)
sunflower (*Helianthus annuus*), 4:69, 69
sunflower seeds, for intestinal parasites, 1:55
sunscreen recommendations, 1:204
superficial pain
Syzygium aromaticum for, 4:215
topical protocol for, 4:191–92
- Superfood Dressing against Dementia, 4:57–58
- supplements
for attention deficit hyperactivity disorder, 4:118, 119
for baldness, 1:217
for bladder mucosal lesions, 1:123
for bowel reactivity, 5:39t
for connective tissue support, 5:104
for contractures, 5:104
for eczema and allergic dermatitis, 1:188
for fatty liver, 1:96
for heavy metal detoxification, 4:51
for heavy metal neuropathy, 4:50
for HPV, 1:200
for inflammation, 5:29
for leaky gut syndrome, 1:79
for multiple sclerosis, 5:82
for osteoporosis, 5:127
for Parkinson's disease, 4:60
for restless legs syndrome, 4:33
for retinopathies, 5:156
for stomatitis, 5:50
for toxin-induced neuropathy, 4:47, 50
for traveler's diarrhea prevention, 1:53
for vitiligo, 1:226
for withdrawal symptoms, 4:128
See also specific types
- suppositories
for bacterial vaginosis, 1:117–18
for HPV, 1:200
- urethral, 1:140, 142
for warts, 1:200
- suppression of natural medicine, 5:1–6
- surgical recovery
Ananas comosus for, 5:132
Angelica sinensis for, 5:133
bromelain for, 5:108
Calendula officinalis for, 5:134
Centella asiatica for, 1:82
Equisetum arvense for, 4:208
Grifola frondosa for, 1:104; 5:138
Hypericum perforatum for, 4:210; 5:138
Matricaria chamomilla for, 4:211
Medicago sativa for, 1:86
Tinospora cordifolia for, 1:106
swallowing difficulties, formulas for, 1:44
swamp lily (*Crinum glaucum*), 2:93; 5:31t, 33t
sweating, excessive. *See* hyperhidrosis
Sweet and Sour Alginate "Cordial"
for GERD, 1:39
sweet Annie. *See* *Artemisia annua* (sweet Annie)
sweet basil. *See* *Ocimum basilicum* (sweet basil)
sweet clover. *See* *Melilotus* spp.
sweetener alternatives
Siraitia grosvenorii, 3:77, 78, 79, 85, 98
Smallanthus sonchifolius, 3:98
Stevia rebaudiana, 3:79, 98
xylitol, 3:82, 88
sweet flag. *See* *Acorus calamus* (sweet flag, vacha)
sweet leaf. *See* *Stevia rebaudiana* (stevia, sweet leaf)
sweet potato (*Ipomoea batatas*), 4:30
sweet sumac. *See* *Rhus aromatica* (sweet sumac)
sweet vernal grass (*Anthoxanthum odoratum*), 2:79, 90
swimmer's ear. *See* otitis externa
Symphytum officinale (comfrey)
for bladder mucosal lesions, 1:123
for bruising, 2:66
for bursitis and tendinitis, 5:102
for coughs, 2:117
demulcent qualities, 1:52
for dermatitis, 1:189
for dry mouth, 5:185
for eye conditions, 5:147t
for eye injuries, 5:154
for eye pain, 4:174
formulas containing
anal fissures, 1:235
burns, 1:172–73
connective tissue support, 5:99, 100, 121
corneal ulcers, 5:152
dental extractions, 4:177
dermatitis, 1:186
ear pain, 4:175
esophageal disorders, 1:46
fracture-related pain, 4:184, 185
gastritis, 1:60
GERD, 1:42
herpes lesions, 1:232

Symphytum officinale (comfrey) (*continued*)

- leaky gut syndrome, 1:78
- musculoskeletal trauma, 5:96, 97, 98
- neuralgia, 4:35
- oral allergic reactivity, 5:52
- oral ulcers, 5:184
- otitis externa, 5:163
- otitis media, 5:161
- pain, 4:187
- painful mucous membranes, 4:167
- skeletal fractures and bone injuries, 5:101
- skin lesions, 5:55t
- skin protection, 1:228
- skin trauma, 1:174
- stasis ulcers, 2:60
- ulcerated skin, 1:232
- ulcers, 1:66
- vaginitis, 3:107
- wounds, 1:173
- for GERD, 1:39, 42
- for heart infections, 2:72
- immunomodulating qualities, 1:78
- for malabsorption, 1:73
- minerals in, 5:100t
- for mouth conditions, 5:146
- mucous-enhancing qualities, 1:64
- for muscle pain, 4:183t
- for musculoskeletal trauma, 5:96, 98
- for nerve pain, 4:180t
- for neuralgia, 4:34
- for otitis externa, 5:163
- for pain, 4:154
- for peripheral neuropathy, 4:43t
- safety concerns, 5:142
- for skin fissures, 1:235
- specific indications, 1:248; 2:181; 5:142
- for stasis ulcers, 2:60
- for topical skin products, 1:228
- for weak fingernails, 1:236
- for wound healing, 4:192t
- Symplocarpus foetidus* (skunk cabbage), 2:117, 181
- symptoms
 - choosing herbs based on, 1:3, 7–8; 2:5, 9–10, 114; 3:6, 7, 12–13; 4:7, 8–9; 5:7, 8–9
 - concomitant, 1:9; 2:11; 3:11; 4:13; 5:13
 - importance of, 1:7–8; 2:9–10; 3:9–10; 4:11–12; 5:11–12
 - totality of, 1:4; 2:7; 3:7; 4:8; 5:8
- synergist herbs
 - for pain, 4:17
 - for peripheral neuropathy, 4:43t
- role in formulas, 1:9, 10–11; 2:11, 12, 13; 3:12–13, 12; 4:17; 5:16
- in Triangle exercise, 1:9, 10–11; 2:11, 12; 3:11–13, 12; 4:14–15, 14; 5:14, 14, 15
- syrups
 - hibiscus, 3:78
 - yacon, 3:81
- systemic lupus erythematosus (SLE). *See* lupus
- Syzygium spp.*, specific indications, 2:104

Syzygium aromaticum (cloves)

- for COPD, 2:149t
- for dental conditions, 5:175
- for dental procedures, 5:177
- formulas containing
 - arthritis, 5:119
 - dental conditions, 5:176, 177
 - dental extractions, 4:177
 - muscle pain, 4:183; 5:109
 - musculoskeletal trauma, 5:97
 - neuralgia, 4:182
 - oral pain, 4:176
 - peripheral neuropathy, 4:44
 - stomatitis and gingivitis, 5:183
 - throat pain, 4:178, 179
 - thrush, 5:182
 - trigeminal neuralgia, 4:39
- for fungal skin infections, 1:196
- for itching skin, 1:187
- liniments containing, 2:111
- in Mouthwash for Halitosis, 1:51
- for pain, 4:170t
- for peripheral neuropathy, 4:43t
- for poor circulation, 2:58
- for skin eruptions, 1:194
- for skin fissures, 1:235
- for skin hypersensitivity, 1:232
- for skin infections, 1:183
- specific indications, 1:88, 248; 2:181–82; 3:98; 4:86, 215–16; 5:202
- in topical antipruritics, 5:54
- Syzygium cumini* (jambul, jambolan), 1:230; 3:98–99
- Syzygium jambos* (roseapple)
 - formulas containing, 2:35
 - PAF inhibiting properties, 2:77
 - for poor circulation, 2:63
- Szechuan lovage. *See* *Ligusticum striatum* (Chinese lovage root, Szechuan lovage, chuanxiong)
- Szechuan peppercorns. *See* *Zanthoxylum piperitum* (Japanese pepper)

T

- T3 (triiodothyronine), 3:26
- T4 (thyroxine), 3:26
- Tabebuia impetiginosa* (pau d'Arco)
 - antimicrobial qualities, 1:61
 - antiparasitic qualities, 1:54
 - formulas containing
 - fungal skin infections, 1:195
 - oral allergic reactivity, 5:51
 - for glossitis, 5:179
 - specific indications, 1:88, 248; 5:202
 - for tongue conditions, 5:178t
- Tabernanthe iboga* (iboga)
 - opiate agonist qualities, 4:134
 - serotonin-promoting qualities, 4:92
 - for substance abuse disorders, 4:137
- Tabex* (cytisine), 4:135
- tablets, use of, 1:20; 2:22; 3:22; 4:24–25; 5:24–25
- tachycardia
- Crataegus* spp. for, 3:93
- Foeniculum vulgare* for, 3:94
- formulas for, 2:53; 3:140–41
- herbs for, 2:55
- Leonurus cardiaca* for, 3:59, 139
- Lobelia inflata* for, 3:60
- Lycopus europaeus* for, 3:43
- Lycopus virginicus* for, 3:60
- Melissa officinalis* for, 3:60
- Rauvolfia serpentina* for, 3:61
- Senna* spp. for, 2:103
- Strophanthus hispidus* for, 2:104
- Viscum album* for, 2:106
- taheeo. *See* *Tabebuia impetiginosa* (pau d'Arco)
- tamarind paste, in eye drops, 5:149
- Tamarindus indica* (tamarind)
 - for GERD, 1:43
 - specific indications, 3:99
 - for stomatitis, 5:50
 - in Sweet and Sour Alginate "Cordial" for GERD, 1:39
- tamsulosin, 1:136, 142, 151
- Tanacetum parthenium* (feverfew), 4:163; 5:56
 - for angioedema, 5:56
 - antiallergic qualities, 1:33; 2:127; 5:34t
 - for arthritis, 5:115
 - for colds, 5:170t
 - for dermatologic conditions, 1:169
 - for eczema and allergic dermatitis, 1:188
 - for enuresis, 1:131
 - for eye conditions, 5:147t, 149t
 - formulas containing
 - arthritis, 5:117, 118, 120, 122
 - asthma, 2:145
 - attention deficit hyperactivity disorder, 4:120
 - autoimmune disorders, 5:66
 - blepharitis, 5:153
 - colds, 5:169
 - conjunctivitis, 5:148, 150
 - dermatitis, 1:190, 191
 - diarrhea, 1:58
 - eczema, 1:184, 185
 - erythema multiforme, 1:220
 - gastrointestinal hypersensitivity, 5:38, 39
 - hives, 1:185
 - inflammatory bowel diseases, 1:36
 - irritable bowel syndrome, 1:33
 - lower urinary epithelial dysfunction, 1:125
 - lupus, 5:76
 - migraines, 4:160–61, 162, 163; 5:61
 - nasal polyps, 5:173
 - otitis externa, 5:163
 - otitis media, 5:160, 161
 - pain, 4:172
 - peripheral neuropathy, 4:47
 - pneumonia, 2:142
 - premenstrual syndrome, 3:127
 - psoriasis, 1:210

- Tanacetum parthenium* (feverfew) (continued)
- Raynaud's syndrome, 2:67
 - respiratory allergies, 5:44
 - schizophrenia, 4:125
 - sinus pain, 4:177
 - skin pain, 4:190
 - vascular support, 2:29, 30
 - GABAergic qualities, 4:110
 - for headaches, 4:158, 159, 163, 178
 - histamine-blocking qualities, 5:32, 32t
 - for interstitial cystitis, 1:123
 - for itching skin, 1:185
 - mast-cell stabilizing effects, 2:144t
 - for Ménière's disease, 5:164
 - for nasal polyps, 5:172
 - for neuralgia, 4:34
 - for otitis externa, 5:162
 - for otitis media, 5:159
 - for pain, 4:154
 - for peripheral neuropathy, 4:42, 43t
 - for respiratory allergies, 5:41
 - for schistosomiasis, 1:119
 - specific indications, 1:248; 2:104, 182; 4:86, 216; 5:56, 94, 142, 202
 - for vascular headaches, 2:27
 - for vascular reactivity, 5:60
 - tangeretin, 3:157
 - tannins, for stomatitis, 5:50
 - tanshinones, 4:85
 - Taraxacum officinale* (dandelion)
 - for allergies, 5:34
 - alterative qualities, 1:25, 27, 46, 47, 48, 90; 3:21t
 - antimicrobial qualities, 1:91
 - for anxiety, 4:16, 17; 5:17
 - for arthritis, 5:115
 - biliary support qualities, 1:52, 72
 - for breast cysts, 3:143
 - in broth for electrolyte imbalance, 2:86
 - chromium in, 3:80t
 - for cor pulmonale, 2:155
 - for dermatologic conditions, 1:169
 - for digestion of fats, 1:13
 - diuretic qualities, 1:112
 - in Dr. Stansbury's General Alterative Tea, 1:27
 - for eye conditions, 5:147
 - formulas containing
 - anemia, 2:68, 69, 70
 - biliousness, 4:105
 - breast conditions, 3:143
 - cardiopulmonary disease, 2:84
 - cholelithiasis, 1:98
 - congestive heart failure, 2:50
 - constipation, 1:47, 48
 - cor pulmonale, 2:155
 - depression and anxiety, 4:100
 - diabetes, 3:74
 - diverticulitis and diverticulosis, 1:71
 - dysfunctional uterine bleeding, 3:117
 - dyspepsia, 1:28, 29
 - fatty liver, 1:96 - gastritis, 1:61
 - halitosis, 1:51
 - hemorrhoids, 1:49
 - hepatitis, 1:93, 94
 - hyperhidrosis, 1:227
 - irritable bowel syndrome, 1:33
 - malabsorption, 1:75
 - osteoporosis, 3:141
 - pancreatitis, 1:70
 - premenstrual backache, 4:196
 - premenstrual syndrome, 3:126, 127, 128
 - urinary conditions, 1:110
 - venous congestion, 2:76
 - for GERD, 1:39
 - for halitosis, 1:50
 - for heavy menses, 3:115
 - for hormone-related infertility, 3:130
 - for inflammatory bowel diseases, 1:34
 - iron in, 2:70
 - for liver support, 1:13, 90
 - for malabsorption, 1:73, 74
 - minerals in, 5:100t, 112
 - for pain, 4:166t
 - for poor circulation, 2:63
 - for premenstrual syndrome, 3:125, 126, 127
 - for reproductive endocrine conditions, 3:101–2
 - for restless insomnia, 1:15; 2:17; 3:18; 4:20; 5:20
 - specific indications, 1:88, 106, 166, 248; 2:104, 182; 3:62, 99; 5:142, 202
 - for tongue conditions, 5:178t
 - for urinary lithiasis, 1:137
 - for varicosities, 2:74
 - for viral infections, 2:131
 - for warts, 1:199
 - Tarentula hispanica* (tarantula), 1:171t
 - tarragon (*Artemesia dracunculus*), 4:204
 - taurine
 - for congestive heart failure, 2:48t
 - for liver support, 1:93
 - for toxin-induced neuropathy, 4:47 - Taxus brevifolia* (Pacific yew), 3:112
 - T cells
 - Rehmannia glutinosa* balancing effects, 5:67
 - role in autoimmune disorders, 5:63–64, 65 - TCM. See Traditional Chinese Medicine (TCM)
 - teas, herbal. See herbal teas
 - tea tree. See *Melaleuca alternifolia* (tea tree)
 - teething
 - Matricaria chamomilla* for, 5:198
 - Rheum palmatum* for, 5:200
 - Syzygium aromaticum* for, 5:202 - telangiectasias (spider veins)
 - Arctostaphylos uva ursi* for, 1:239
 - Crataegus* spp. for, 1:241
 - Daucus carota* for, 1:241 - formulas for, 2:65–67
 - Helichrysum angustifolium* for, 1:244
 - herbs for, 2:66t
 - Hypericum perforatum* for, 1:244
 - overview, 2:65
 - therapies for, 1:208 - tendonitis
 - apitherapy for, 5:86
 - formulas for, 5:102–3
 - Harpagophytum procumbens* for, 5:138
 - overview, 5:102
 - Salix alba* for, 5:140
 - Stellaria media* for, 5:141 - tenesmus. See cramping pain in the bladder (tenesmus)
 - Tephrosia purpurea* (wild indigo)
 - bronchodilating properties, 2:108t
 - mast-cell stabilizing effects, 2:144t; 5:31t
 - specific indications, 2:182 - Terminalia* spp. (sea almond)
 - for liver support, 1:90
 - for opportunistic lung infections, 2:134
 - specific indications, 1:106 - Terminalia arjuna* (arjuna)
 - for coronary artery disease, 2:40
 - specific indications, 2:104; 3:177–78
 - for wound healing, 4:192t - Terminalia bellirica* (bibhitaki)
 - for arthritis, 4:185
 - for muscle pain, 4:183t
 - neuroprotective effects, 4:31 - Terminalia chebula* (black myrobalan, chebulic myrobalan)
 - antiallergic qualities, 5:34t
 - for cognition, 4:53
 - for dementia, 4:52
 - mast-cell stabilizing effects, 2:144t; 5:31t
 - for muscle pain, 4:183t
 - specific indications, 2:182
 - for viral infections, 2:131 - terrain
 - biochemical, 1:7–8; 2:9–10; 3:9–10; 4:11–12; 5:11–12
 - interactions with commensal microbes, 5:34 - testicular conditions
 - Alcea rosea* for, 1:156
 - Hamamelis virginiana* for, 1:161 - testicular varicocele, tincture for, 2:75
 - testosterone
 - antiandrogen mechanisms of action, 1:216
 - Coffea arabica* effects on, 1:215
 - elevated, in women, 1:213, 214, 216, 217
 - Lepidium meyenii* effects on, 1:162
 - proliferative effects on the prostate, 1:142, 147
 - Pygeum africanum* effects on, 1:165
 - Serenoa repens* effects on, 1:165, 201, 214, 248
 - testosterone-reducing herbs for women, 3:145, 147
 - Tetradium ruticarpum* (euodia), 4:125
 - tetrahydrocannabinols (THC), 4:77, 180, 205
 - tetrahydropalmatine, 4:78, 129, 141
 - tetramethylpyrazine, 4:145
 - Teucrium polium* (mountain germander), 3:109
 - Thai galangal. See *Alpinia galanga* (Thai galangal)
 - THC. See tetrahydrocannabinols (THC)
 - L-theanine, 4:120, 121

- Thea sinensis*. See *Camellia sinensis* (green tea)
- T helper cells, 5:28, 29–30
- Theobroma cacao* (cacao), 2:104–5
- theobromine, 4:28, 120
- theophylline
- for allergic airway disorders, 5:44, 46–47
 - for cognition, 4:120
- thiazide diuretics, 1:110
- thick and cloudy urine. See urine, thick and cloudy
- thiocyanates, endocrine-disrupting concerns, 3:38–39
- thionamide drugs, for thyrotoxicosis, 3:28
- throat conditions
- herbs for, 5:191t
 - Mentha piperita* for, 5:199
 - Morella cerifera* for, 5:199
 - overview, 5:145–46
 - See also specific conditions*
- throat infections
- Berberis aquifolium* for, 5:194
 - Commiphora myrrha* for, 5:195
 - formulas for, 4:45; 5:170
 - herbs for, 5:191t
- throat pain
- Aconitum napellus* for, 4:202
 - Eupatorium perfoliatum* for, 5:196
 - formulas for, 4:177–78
 - Gelsemium sempervirens* for, 5:197
 - herbs for, 5:191t
 - Juglans cinerea* for, 5:198
 - Mentha piperita* for, 4:211
 - Phytolacca americana* for, 4:213; 5:200
 - Piper methysticum* for, 5:200
 - Thymus vulgaris* for, 5:202
 - Ulmus rubra* for, 5:202
 - See also* pharyngitis; sore throat; tonsillitis
- throat sprays, 5:189, 190
- throbbing pain
- Atropa belladonna* for, 4:204
 - formula for, 4:200
 - Gelsemium sempervirens* for, 4:209
 - herbs for, 4:171t, 200t
- thrombolytic agents
- nattokinase as, 2:80
 - for strokes, 2:64
- thrush
- Allium sativum* for, 5:192
 - formulas for, 5:181, 182
 - Sanguinaria canadensis* for, 5:93
 - Tabebuia impetiginosa* for, 5:202
- Thuja* spp.
- for enuresis, 1:131
 - for human papillomavirus, 3:112, 113
 - specific indications, 1:248–49
 - for urinary conditions, 1:114
 - for vaginitis, 3:105
- Thuja occidentalis* (northern white cedar)
- 5 α -reductase inhibition, 1:218; 3:162
 - antimicrobial qualities, 1:61
 - antiparasitic qualities, 1:54
 - for digestive pain, 1:26
 - formulas containing
 - alopecia, 1:215
 - itching skin, 1:187
 - peripheral vascular insufficiency, 2:58
 - for seborrheic dermatitis, 1:190
 - for skin eruptions, 1:190
 - specific indications, 1:166; 2:105; 3:178; 5:202
 - for warts, 1:199, 200
 - for wound healing, 1:181
- Thuja plicata* (western red cedar)
- antimicrobial qualities, 1:61
 - antiparasitic qualities, 1:54
 - for congestive heart failure, 2:50
 - formulas containing
 - alopecia, 1:215
 - genital warts, 3:113
 - human papillomavirus, 3:114
 - pelvic inflammatory disease, 3:108
 - pigmentation disorders, 1:225
 - prostatic diseases, 1:147
 - prostatitis, 1:151
 - for genital warts, 3:12
 - for skin fissures, 1:235
 - for skin lesions and cancers, 1:237
 - specific indications, 1:166; 3:178
 - for tongue conditions, 5:178t
 - for urinary pain, 4:154
 - in vag packs, 3:114
- thujone
- antimicrobial qualities, 1:114
 - in *Artemisia* spp., 1:81
- thunder god vine. See *Tripterygium wilfordii* (thunder god vine)
- thwarted belonging, as term, 4:2
- thymol, 5:175
- thymoquinone
- for allergies, 5:48
 - chemopreventive effects, 3:157
 - for headaches, 5:92
 - for Parkinson's disease, 4:64
- Thymus vulgaris* (thyme)
- for altered breath sounds, 2:118
 - antimicrobial qualities, 1:61; 3:21t
 - for colds, 5:170t
 - for COPD, 2:148
 - for coughs, 2:117
 - for dental conditions, 5:175
 - as drying agent, 2:133
 - for eye conditions, 5:147
 - formulas containing
 - allergic airway disorders, 5:49
 - allergic rhinosinusitis, 2:128
 - asthma, 2:145, 146, 147
 - bronchitis, 2:132, 133
 - chest pain, 4:193
 - colds, 5:169, 170, 171
 - COPD, 2:151
 - coughs, 2:117, 119, 120, 121
 - cystitis, 1:114
- depression and anxiety, 4:102
- dyspnea, 2:125
- emphysema, 2:138
- Helicobacter pylori* infections, 1:65
- hemoptysis, 2:126, 127
- laryngitis, 5:190
- nasal polyps, 5:173
- otitis media, 5:160, 161
- pneumonia, 2:141
- respiratory allergies, 5:43, 44
- SIBO, 1:76
- sinusitis, 5:172
- sinus pain, 4:177
- upper respiratory infections, 2:119
- for fungal skin infections, 1:196, 197
- for hay fever, 5:17, 32, 42
- for nasal polyps, 5:172
- nebulized form, 2:137
- for opportunistic infections, 2:134, 151
- for pleurisy, 2:138
- for respiratory allergies, 5:41
- for respiratory infections, 2:121, 130, 134
- for seabies and lice, 1:198
- specific indications, 1:249; 2:182; 5:202
- for throat pain, 5:190, 191t
- for warts, 1:199
- thyroid bone disease, 3:41–42
- thyroid cancer, association with Hashimoto's disease, 3:29, 31–32
- thyroid disorders
- adrenal support for, 3:41
 - Fucus vesiculosus* for, 3:58, 170
 - Ganoderma lucidum* for, 3:58
 - Iris versicolor* for, 3:59
 - Leonurus cardiaca* for, 3:59, 172
 - Lithospermum* spp. for, 3:59–60
 - Lycopus virginicus* for, 3:172
 - Melissa officinalis* for, 3:60, 173
 - overview, 3:25, 26–28
 - Verbena* spp. for, 3:179
 - Vitex agnus-castus* for, 3:63
 - See also* specific disorders
- thyroid gland
- nutrients for, 3:30
 - overview, 3:25–26
 - vulnerability to endocrine-disruptors, 3:38–39
- thyroid hormones, 3:25–26, 29
- thyroiditis
- Andrographis paniculata* for, 3:54
 - Astragalus membranaceus* for, 3:55
 - Berberis aquifolium* for, 3:55
 - Camellia sinensis* for, 3:55
 - Curcuma longa* for, 3:57
 - formulas for, 3:28–32
 - Glycyrrhiza glabra* for, 3:58
 - herbs for, 3:31
 - Hypericum perforatum* for, 3:59
 - Melissa officinalis* for, 3:60
 - overview, 3:28–29
 - Silybum marianum* for, 3:62

- thyroid-stimulating hormone (TSH), 3:26
- thyroid-stimulating immunoglobulins (TSIs), 3:29, 39
- thyroid storm, 3:40, 61
- thyrotoxicosis, 3:40, 61
- thyrotoxic substances, 3:29
- thyroxine (T4), 3:26
- tian ma. *See Gastrodia elata* (tian ma)
- TIA (transient ischemic attacks), 2:61
- tics and twitching
- Atropa belladonna* for, 5:133
 - formulas for, 4:63, 132; 5:105–6
 - herbs for, 4:60, 68, 180t
 - overview, 5:105
 - Scutellaria lateriflora* for, 4:151; 5:141
 - Valeriana officinalis* for, 5:143
 - Veratrum viride* for, 5:143
- tigecycline, 1:61
- tigernut. *See Cyperus rotundus* (nutgrass, tigernut)
- Tigernut Horchata, 4:107, 142
- Tilia* spp.
- for epilepsy and seizure disorders, 4:66
 - nervine qualities, 4:91
 - for restless legs syndrome, 4:32
- Tilia americana* (American linden, American basswood), 4:86–87
- Tilia cordata* (small-leaved lime, small-leaved linden), 4:158
- Tilia × europaea* (common lime, common linden)
- for depression and anxiety, 4:101t
 - formulas containing
 - amphetamine cessation, 4:135
 - depression and anxiety, 4:98
 - hypertension, 2:42, 46
 - panic disorder, 4:110
 - seizures, 4:72
 - for hypertension, 2:44
 - specific indications, 2:105
 - for tempering adrenaline surges, 4:109
- tinctures
- dosage strategy, 1:21; 2:23; 3:23; 4:25; 5:25
 - glycerine-based, 4:136
 - pros, cons, and indications, 1:20; 2:22; 3:22; 4:24; 5:24
- Tinea* infections, 1:194–97, 247
- tinnitus
- formulas for, 5:166
 - Ginkgo biloba* for, 5:165, 197
 - overview, 5:164–66
- Tinospora cordifolia* (guduchi, amrita)
- for biliary disorders, 1:97
 - for depression and anxiety, 4:103t
 - formulas containing
 - arthritis, 5:117
 - hemoptysis, 2:126
 - respiratory allergies, 5:42
 - tuberculosis, 2:156
 - for liver support, 1:89, 96
- mast-cell stabilizing effects, 2:144t; 5:31t
- specific indications, 1:106; 2:182
- tissue congestion
- Juglans cinerea* for, 5:198
 - Phytolacca americana* for, 5:139, 200
 - Veratrum viride* for, 5:143
- tobacco. *See Nicotiana tabacum* (tobacco)
- todok. *See Codonopsis lanceolata* (todok)
- tola (*Parastrephia quadrangularis*), 4:134
- tongkat ali. *See Eurycoma longifolia* (tongkat ali)
- Tongsai granules, 2:153
- tongue, coated
- Arctium lappa* for, 1:239
 - Berberis aquifolium* for, 1:85, 105, 245
 - Chelidonium majus* for, 1:82, 103, 240
 - Eupatorium perfoliatum* for, 1:242
 - Leptandra virginica* for, 1:104
 - Rumex crispus* for, 1:105
 - Silybum marianum* for, 1:106
 - Taraxacum officinale* for, 1:88, 106
- tongue, observing, 1:9; 2:11; 3:11; 4:13; 5:14, 146
- tongue conditions
- Artemisia absinthium* for, 5:193
 - Azadirachta indica* for, 5:193
 - Baptisia tinctoria* for, 5:193
 - Berberis aquifolium* for, 5:194
 - Chelidonium majus* in, 5:194
 - Chionanthus virginicus* for, 5:178t, 194
 - Convallaria majalis* for, 5:195
 - Echinacea purpurea* for, 5:196
 - Eupatorium perfoliatum* for, 5:196
 - formulas for, 5:181–86
 - Gelsemium sempervirens* for, 5:197
 - Hamamelis virginiana* for, 5:197
 - herbs for, 5:178t
 - Lycopodium* spp. for, 5:198
 - Morella cerifera* for, 5:199
 - Origanum vulgare* for, 5:199
 - overview, 5:178–181
 - Phytolacca americana* for, 5:200
 - Spilanthes acmella* for, 5:201
 - Taraxacum officinale* for, 5:202
 - Thuja occidentalis* for, 5:202
 - Veratrum album* for, 5:203
- tonsillitis
- Baptisia tinctoria* for, 5:193
 - Cinnamomum camphora* for, 2:161
 - colds with, 5:171
 - Commiphora myrrha* for, 2:162; 5:195
 - Echinacea purpurea* for, 5:196
 - formula for, 5:189–190
 - herbs for, 5:188, 191t
 - Hydrastis canadensis* for, 2:167
 - Juglans cinerea* for, 5:198
 - Pelargonium sidoides* for, 2:175
 - Phytolacca americana* for, 2:176; 5:200
 - Salvia officinalis* for, 2:179; 5:201
 - Sanguinaria canadensis* for, 5:201
 - therapies for, 5:190
- toothache. *See dental pain*
- toothache tree. *See Zanthoxylum* spp.
- tooth decay
- fluoride and, 5:176
 - Lycopodium* spp. for, 5:198
 - Momordica charantia* for, 5:199
 - overview, 5:175
 - Thuja occidentalis* for, 5:202
- topical protocols
- for abdominal inflammation, 4:196
 - for acne rosacea, 1:205
 - for arthritis, 5:117, 119
 - for asthma, 5:47
 - Atropa belladonna* in, 1:82
 - for Bell's palsy, 4:36
 - for bursitis and tendinitis, 5:102, 103
 - capsaicin in, 4:38, 39
 - for carpal tunnel syndrome, 4:48
 - for contractures, 5:105
 - for COPD, 2:151–52
 - for dental extractions, 4:177
 - for ear pain, 4:175t, 176
 - for folliculitis, 1:193
 - for fungal skin infections, 1:195–96
 - for gout, 5:124
 - for headaches, 4:165
 - for hemorrhoids, 2:78; 4:198
 - for Henoch-Schönlein purpura, 5:75
 - for hereditary hemorrhagic telangiectasia, 2:127
 - for herpetic neuralgia, 4:40, 41
 - for joint pain, 4:187
 - for lung conditions, 2:109–14
 - for muscle spasms and myalgia, 5:109
 - for neuralgia, 4:35, 38
 - for pain, 4:156, 166, 169, 170–71
 - for peripheral neuropathy, 4:43t, 44–45
 - for phlebitis, 2:81
 - for pleurisy, 2:138, 139
 - for pneumonia, 2:141
 - for polymyositis, 5:71
 - for shingles, 4:41, 182
 - for skin lesions, 5:55
 - for stasis ulcers, 2:60
 - for superficial pain, 4:191–92
 - for trigeminal neuralgia, 4:37, 39
 - for varicosities, 2:75
 - for venomous bites and stings, 4:188–89
 - for warts, 1:199–201
- See also specific types*
- totality of symptoms, 1:4; 2:7; 3:7; 4:8; 5:8
- toxemia
- alternatives for, 1:26
 - dental and oral health importance, 5:146
 - halitosis associated with, 1:50–51
 - otitis media with, 5:161
 - Rumex crispus* for, 5:140
- toxic herbs, 1:5, 18; 2:8, 20; 3:8, 20; 4:9, 22–23; 5:9, 22–23
- See also safety concerns; specific herbs*

- toxin-related peripheral neuropathy
 formulas for, 4:46
 herbs for, 4:34
 supplements for, 4:47, 50
- toxins
 environmental, 3:67–68
 formula for bowel reactivity from, 5:37
 immune reactivity triggered by, 5:32, 68
- Trachyspermum ammi* (ajwain), 2:105
- Traditional Chinese Medicine (TCM)
 asthma formulas, 5:44–46, 49
 for Behçet's disease, 5:72, 74
 cold sensitivity treatments, 5:59–60
 energetic state of patient, 1:12; 2:14; 3:14;
 4:17; 5:17
 evidence-based formulas from, 1:3–4; 2:6–7;
 3:7; 4:7–8; 5:7
 for hepatitis, 1:90
 for hyperlipidemia, 2:36
 for inflammatory bowel diseases, 5:80
 link between bone and kidney health,
 5:127
 liver symptoms, 1:15; 2:17; 3:17; 4:20;
 5:20, 95
 lupus formulas, 5:78
 royal terms in herbal formula triangle, 1:10;
 2:12; 3:12; 4:14; 5:14
 stroke recovery herbs, 2:65
 tongue and mouth examinations, 5:146
 use of adaptogens for allergies, 5:28
 use of tonics, 3:48
- transdermal drug delivery, 2:109, 115
- transient ischemic attacks (TIAs), 2:61
- transient receptor potential (TRP) channels,
 1:32, 125; 4:178
- trauma recovery
Equisetum arvense for, 3:57, 93
Hypericum perforatum for, 3:95–96
- traumatic brain injury
 formula for, 4:55
Hypericum perforatum for, 4:93
- MCTs for, 4:57
- traumatic injuries
Achillea millefolium for, 4:201
Aloe vera for, 4:203
Ananas comosus for, 5:132
Arnica montana for, 4:76, 203; 5:193
 bromelain for, 4:75
Centella asiatica for, 5:134, 194
Curcuma longa for, 5:136
Eschscholzia californica for, 4:142
 of the eye, 5:154
 formula for, 4:187
Hamamelis virginiana for, 4:209
Hypericum perforatum for, 4:81, 210; 5:138,
 198
Piscidia piscipula for, 4:213
Salix alba for, 5:140
Symphytum officinale for, 5:142
See also musculoskeletal trauma
- traumatic injuries to the skin
Arnica montana for, 1:239
Calendula officinalis for, 1:239
Centella asiatica for, 1:182, 240
Crataegus spp. for, 1:241
 formulas for, 1:174–75
Hamamelis virginiana for, 1:243
 herbs for, 4:192t
Hypericum perforatum for, 1:244
Lobelia inflata for, 1:245
 overview, 1:170
 propolis for, 1:246
Symphytum officinale for, 1:248
Vaccinium myrtillus for, 1:249
See also burns
- Traumeel ointment, 4:186; 5:131
- traveler's diarrhea
 antimicrobials for, 1:24
Berberis aquifolium for, 1:85, 105
 causes of, 1:51–52
Echinacea spp. for, 1:84
 formulas for, 1:54
Hydrastis canadensis for, 1:85
 overlap with gastroenteritis, 1:59
 preventive measures, 1:53
- tree peony. *See Paeonia × suffruticosa* (mountain, tree peony)
- T regulatory cells, 5:30, 31
- tretinoin, 1:201, 203, 204
- Triangle exercise, 1:9–11, 9; 2:11–13, 11; 3:11–13, 12;
 4:14–16, 14; 5:13–15, 14
- Triangle philosophy, 1:21; 2:23–24; 3:23–24;
 4:26; 5:26
- Trifolium pratense* (red clover)
 for erectile dysfunction, 3:161
 ergogenic effects, 5:112
 for low libido, 3:152
 specific indications, 3:178; 5:142
- trichloroacetic acid, for genital warts, 3:112
- Trichomonas* infections, 1:119
- trichomoniasis, herbs for, 3:105
- Trichosanthes kirilowii* (Chinese cucumber)
 for ARDS, 2:154
 specific indications, 2:182–83
- Trichosanthes tricuspidata* (Chinese cucumber),
 4:68
- Trifolium pratense* (red clover)
 5α-reductase inhibition, 1:218
 alternative qualities, 1:27
- formulas containing
 alopecia, 1:216, 217
 hormonal cancers, 3:158
 hormone-related infertility, 3:131
 osteoporosis, 5:128
 phlebitis, 2:81
 pigmentation disorders, 1:224, 225
 prostate cancer, 1:149
 prostatic diseases, 1:144, 146
 prostatitis, 1:151
 seborrhea, 5:55
- for hypertension, 2:42
- iron in, 2:70
- isoflavones in, 3:156, 158, 178
- opiate agonist qualities, 4:134
- for pain, 4:166t
- for prostatic diseases, 1:143
- for seborrheic dermatitis, 1:190
- specific indications, 1:249; 2:105;
 3:178–79; 5:142
- trigeminal neuralgia
Aconitum napellus for, 4:74
 formulas for, 4:37–39
Gastrodia elata for, 4:79
Gelsemium sempervirens for, 4:209
Humulus lupulus for, 4:210
Lavandula angustifolia for, 4:82
Matricaria chamomilla for, 4:82
- Trigonella foenum-graecum* (fenugreek)
 carminative qualities, 1:31
 for diabetes, 3:68
 diosgenin in, 3:121
 formulas containing
 diabetes, 3:76
 hyperlipidemia, 2:35
 tea for nursing mothers, 3:134
- hypoglycemic effects, 3:73
- lipid-lowering effects, 3:82
- for poor circulation, 2:58
- specific indications, 3:99, 179
- in Winter Tea for Metabolic Support, 3:86
- Trigonella foenum-graecum* (fenugreek)
 for endurance athletes, 5:113
 formulas containing
 cataract prevention, 5:152
 muscle weakness, 5:111
 for muscle weakness, 5:111
 for thrush, 5:181
- triiodothyronine (T3), 3:26
- tripala, for constipation, 1:47
- triptans, for migraines, 4:156, 162
- Tripterygium wilfordii* (thunder god vine)
 for antihistamine effects, 4:189
 for autoimmune disorders, 5:65
- formulas containing
 arthritic pain, 4:185–86
 inflammatory bowel diseases, 1:35
- for inflammatory bowel diseases,
 1:34; 5:79t
- for muscle pain, 4:183t
- for painful itching, 4:189t
- for renal failure, 1:153
- safety concerns, 4:216
- specific indications, 4:216
- triterpene glycosides, 2:157
- Triticum aestivum* (wheat)
 for inflammatory bowel diseases, 1:34, 35
 in smoothies, 1:35
- Tropaeolum majus* (nasturtium)
 for cystitis and pyelonephritis, 1:116
 for urinary conditions, 1:114

- tropane alkaloids
 for asthma, 2:143
 for coughs, 2:167
 for dyspnea, 2:159
 for lung conditions, 2:152
 transdermal delivery of, 2:109
 for urinary colic, 1:135, 136, 141
 for urinary retention and bladder spasm, 1:128
- trophorestoratives
Avena sativa, 1:158
 for overactive bladder, 1:129
 for prostatitis, 1:151
Pueraria spp., 1:164
 for urinary conditions, 1:115, 126
- TRP (transient receptor potential) channels, 1:32, 125; 4:178
- TRPV (transient receptor potential vanilloid) receptors, 4:38
- true meadow anemone (*Anemone pratensis*), 4:199
- truffle recipes
 High-Fiber Truffles, 3:82
 Legume Truffle Superfood for Chemotherapy Patients, 3:159–160
 psyllium powder truffles, 3:97
- tryptophan, for Parkinson's disease, 4:60
- TSH (thyroid-stimulating hormone), 3:26
- tuberculosis
Albizia lebbeck for, 2:157
Artemisia annua for, 2:159
Azadirachta indica for, 2:160
 formulas for, 2:155–56
 hemoptysis from, 2:126
Inula helenium for, 2:168
Juniperus communis for, 2:169
Lycopus virginicus for, 2:170
Morinda citrifolia for, 2:172
Stemona spp. for, 2:180
Sticta pulmonaria for, 2:181
Xanthium cavanillesii for, 2:184
- tulsi. *See Ocimum sanctum, O. tenuiflorum*
 (holy basil)
- tumor necrosing factor
Echinacea spp. effects on, 5:136
 inhibition by *Tanacetum parthenium*, 5:56
- turkey corn. *See Corydalis* spp.
- turkey rhubarb. *See Rheum officinale, R. palmatum* (Chinese rhubarb, turkey rhubarb)
- turmeric. *See Curcuma longa* (turmeric)
- Turnera diffusa* (damiana)
 alterative qualities, 1:27
 for benign prostatic hypertrophy, 1:147
 formulas containing, 1:130
 for low libido, 3:153, 154
 specific indications, 1:166; 3:179
- Turska's Formula for Ovarian Neuralgia, 4:196
- turtlehead. *See Chelone glabra* (turtlehead)
- Tussilago farfara* (coltsfoot)
 for altered breath sounds, 2:118
 for coughs, 2:117, 130
 formulas containing
- asthma, 2:146
 bronchitis, 2:133
 chest pain, 4:193
 coughs, 2:117, 120
 hemoptysis, 2:126, 127
 pneumonia, 2:141
 scratchy throat, 5:191
 stridor, 2:121
 specific indications, 2:183
- tu yuan hu (*Corydalis humosa*), 4:129
- twisting pain, herbal therapies for, 4:1977
- Tylophora asthmatica, T. indica* (Indian ipecac)
 bronchodilating properties, 2:108t, 183
- formulas containing
 asthma, 2:147
 contact dermatitis, 5:54
 histamine-blocking qualities, 5:32t
 mast-cell stabilizing effects, 2:144t; 5:31t
 specific indications, 2:183
- type 1 and type 2 diabetes, 3:65
See also diabetes
- tyramine, 4:159
- tyrosinase inhibitors, 1:222–23, 224
- tyrosinase promoters, 1:226
- tyrosine, 3:30
- U**
- ukira* (*Atractylodes japonica*), 4:61
- ulcerative colitis
 definition of, 1:34
 formulas for, 5:80
Fucus vesiculosus for, 5:90
 potential whipworm treatment for, 5:79
 soups for, 1:35
 supplements for, 5:39
See also inflammatory bowel diseases (IBD)
- ulcerative lesions
Aloe vera for, 1:101; 5:180, 192
Apium graveolens for, 1:238; 5:86
Calendula officinalis for, 1:158
 digestive pain associated with, 1:26
Galium aparine for, 1:242
Hydrastis canadensis for, 5:189
Tabebuia impetiginosa for, 5:202
- ulcerative pain
Aloe vera for, 4:203
Baptisia tinctoria for, 4:204
Chelidonium majus for, 4:206
Harpagophytum procumbens for, 4:209
- ulcers
Aloe spp. for, 1:81; 4:75
 antimicrobials for, 1:24
 demulcents for, 1:24
Echinacea spp. for, 1:241
 formulas for, 1:62–66
Hemidesmus indicus for, 2:167
Hydrastis canadensis for, 2:97
 overview, 1:62–63
Rubia cordifolia for, 4:215
Ulmus spp. for, 1:88
- See also* gastric ulcers; stasis ulcers
- Ulmus* spp.
 demulcent qualities, 1:51, 52
 formulas containing
 esophageal disorders, 1:45
 oral lesions, 1:38
 for GERD, 1:39
 for hot symptoms, 1:13
 for malabsorption, 1:73
 mucous-enhancing qualities, 1:63
 for pyelonephritis, 1:119
- Ulmus fulva* (slippery elm), 1:65
 for anxiety, 4:17; 5:17
 for arthritis, 5:114
 for bladder mucosal lesions, 1:123
 demulcent qualities, 1:24, 31; 3:21t; 5:34
 for eye injuries, 5:154
 formulas containing
 anorexia, 1:37
 arthritis, 5:116
 constipation, 1:48
 depression and anxiety, 4:96
 dermatitis, 1:191
 diarrhea, 1:53, 54, 55, 57
 diverticulitis and diverticulosis, 1:71, 72
 dyspepsia, 1:29
 gastritis and gastroenteritis, 1:60, 62
 gastrointestinal bleeding, 1:67
 inflammatory bowel diseases, 1:36; 5:81
 irritable bowel syndrome, 1:32, 33
 myositis conditions, 5:71
 oral allergic reactivity, 5:51
 Paget's disease, 5:130
 peptic ulcer pain, 4:197
 SIBO, 1:76
 Sjögren's syndrome, 5:69
 stridor, 2:121
 ulcers, 1:64, 66
 minerals in, 5:100t
 for mouth conditions, 5:146
 mucous-enhancing qualities, 1:64, 65
 in porridge, 1:66
 as restorative, 1:43
 specific indications, 1:88, 166; 2:183; 5:142
 for ulcers, 1:65
 for wound healing, 4:192t
- Ulmus rubra* (slippery elm)
 for gastrointestinal hypersensitivity, 5:38
 mucous-enhancing qualities, 1:64
 specific indications, 1:88; 5:202
- ultraviolet therapy
 for fungal skin infections, 1:196
 for psoriasis, 1:209, 210
- ulvan, 1:78, 206
- umbel family. *See Apiaceae herbs*
- umbilicus muscle spasms
Dioscorea for, 1:11, 84
Rheum palmatum for, 1:87, 105
- uña de gato. *See Uncaria tomentosa* (cat's claw, uña de gato)

- Uncaria rhynchophylla* (cat's claw, choto-ko, gou teng)
 antiallergic qualities, 5:34t
 for dementia, 4:57
 neuroprotective effects, 4:31
 specific indications, 4:87
- Uncaria sessiliflora* (gou teng), 4:217
- Uncaria tomentosa* (cat's claw, uña de gato)
 for COPD, 2:149t
 for depression and anxiety, 4:101t
 formulas containing
 arthritis, 5:117
 cystitis, 4:199
 schizophrenia, 4:127
 for schizophrenia, 4:124
 serotonin-promoting qualities, 4:92
 specific indications, 1:166; 2:105, 183; 4:216–17
- Undaria pinnatifida* (wakame), 3:27
- United States Pharmacopeia*, 1:1; 5:4
 unity of disease, in naturopathy, 1:4; 2:7; 3:7;
 4:8; 5:8
- Universal Electrolyte Replacement Beverage, 1:57
- unopposed estrogen. See estrogen dominance
 (unopposed estrogen)
- upper respiratory infections (URIs)
Achillea millefolium for, 2:156
Allium cepa for, 2:157
Allium sativum for, 2:157
Andrographis paniculata for, 2:158
Anemopsis californica for, 2:158
Angelica sinensis for, 2:158
Armoracia rusticana for, 2:158, 159; 5:193
Berberis aquifolium for, 2:160
Dracocephalum rupestre for, 2:163
Echinacea angustifolia for, 2:163
Eucalyptus globulus for, 2:164
Foeniculum vulgare for, 2:165, 166
 formulas for, 2:119
 herbs for, 2:121; 5:170t
Hydrastis canadensis for, 2:167
Hyssopus officinalis for, 2:168
Juniperus communis for, 2:169
Lomatium dissectum for, 2:170
Lophatherum gracile for, 2:170
Lycopus virginicus for, 2:170
Matricaria chamomilla for, 2:171
Mentha piperita for, 2:172
Morella cerifera for, 2:172
Nepeta cataria for, 2:173; 5:199
Ocimum sanctum for, 2:173
Ophiopogon japonicus for, 2:174
Panax ginseng for, 2:174
Pelargonium sidoides for, 2:175
Perilla frutescens for, 2:175
Persicaria tinctoria for, 2:175
 pharyngitis with, 5:188–89
Prunus serotina for, 2:177
Punica granatum for, 2:178
Rosmarinus officinalis for, 2:179
Sambucus canadensis for, 2:179
- Schisandra chinensis* for, 2:180
Sticta pulmonaria for, 2:181
Thymus vulgaris for, 2:182
Tinospora cordifolia for, 2:182
Usnea barbata for, 2:183
Verbascum thapsus for, 2:184
 See also colds
 urease, 1:63
 uremic frost, 1:152
 urethral pain and irritation
 Cantharis vesicatoria for, 1:159
 Eupatorium purpureum for, 1:161
 Hedeoma pulegioides for, 1:162
 Hydrangea arborescens for, 1:162
 therapies for, 1:136
 Turnera diffusa for, 1:166
 Zingiber officinale for, 1:167
 urethral pain syndrome, 1:121
 urethral suppositories, 1:140, 142
 urethral warts, 1:166
 urethritis, *Arctostaphylos uva ursi* for, 1:157
Urginea maritima (sea squill), 2:48t, 105
 uric acid, gout linked to, 5:122
 urinary allergies, 1:109
 urinary atony
 Medicago sativa for, 1:163
 Serenoa repens for, 1:165
 Solidago spp. for, 1:165
 urinary colic
 formulas for, 1:135–142
 herbs for, 1:138t
 therapies for, 1:136
 See also renal colic
 urinary conditions
 Apium graveolens for, 1:157
 Apocynum cannabinum for, 1:157
 Arctium lappa for, 1:157
 Asparagus racemosus for, 3:166
 Avena sativa for, 1:158
 Berberis vulgaris for, 1:158
 Capsicum annuum for, 1:159
 Collinsonia canadensis for, 1:159
 common types, 1:108–9
 Convallaria majalis for, 1:160
 Crataegus spp. for, 1:160
 Elymus repens for, 1:160
 Equisetum spp. for, 1:113; 3:57
 Ginkgo biloba for, 1:161
 herbs for, 1:156–167
 Hydrangea arborescens for, 1:162
 Hyoscyamus niger for, 1:162
 Juniperus communis for, 2:97; 3:172
 listing of formula types, 1:107
 Petroselinum crispum for, 3:174
 Piper methysticum for, 1:164; 2:13; 3:13–14, 175
 Podophyllum peltatum for, 1:164
 Populus tremuloides for, 1:164
 Prunus africana for, 3:175
 Punica granatum for, 1:164
 Taraxacum officinale for, 1:166
 teas for, 1:108, 112
Thuja spp. for, 1:166; 2:105
Urtica spp. for, 3:179
 See also specific conditions
 urinary edema
Apium graveolens for, 1:157
Apocynum cannabinum for, 1:157
Armoracia rusticana for, 1:158
 urinary frequency
Hedeoma pulegioides for, 1:162
Medicago sativa for, 1:163
Thuja spp. for, 1:166
Zingiber officinale for, 1:167
 urinary gravel
Agathosma betulina for, 1:156
Collinsonia canadensis for, 1:159
Equisetum arvense for, 1:113
 See also urinary lithiasis
 urinary inflammation
Ammi visnaga for, 5:85
Ganoderma lucidum for, 1:161
Levisticum officinale for, 1:163
Petasites hybridus for, 1:163
Serenoa repens for, 1:165
Urtica spp. for, 5:94
 urinary irritants, 5:59
 urinary irritation
Arctostaphylos uva ursi for, 1:157
Elymus repens for, 1:160
 enuresis and incontinence from, 1:130–31
 formulas for, 1:127–130
Rhus aromatica for, 1:165
 urinary lithiasis
Aesculus hippocastanum for, 1:156
Ammi visnaga for, 1:157
Arctostaphylos uva ursi for, 1:157
Armoracia rusticana for, 1:158
Berberis aquifolium for, 1:163
Equisetum spp. for, 1:160
Eupatorium purpureum for, 1:161
 formulas for, 1:135–142; 4:199
Hydrangea arborescens for, 1:162
Hydrangea macrophylla for, 2:167
Lepidium latifolium for, 2:98
Phyllanthus amarus for, 2:100; 4:212
Piper methysticum for, 1:164
Rubia cordifolia for, 4:214
Rubia tinctorum for, 1:165
Serenoa repens for, 1:165
Solidago spp. for, 1:165
 therapies for, 1:136
Urtica spp. for, 1:166
Viburnum opulus for, 4:217
Zea mays for, 1:167
 urinary mucosa
Althea officinalis for, 1:156
Asparagus racemosus for, 1:158
Centella asiatica for, 1:159
Chimaphila umbellata for, 1:159
Glycyrrhiza glabra for, 1:161

- urinary mucosa (*continued*)
Hypericum perforatum for, 1:162
Piper cubeba for, 1:164
Ulmus fulva for, 1:166
Vaccinium macrocarpon for, 1:166
- urinary muscle tone, 1:137
- urinary pain. *See* dysuria
- urinary parasites, 1:119
- urinary retention
Apis mellifera venom for, 1:157
Apium graveolens for, 1:157
Atropa belladonna for, 1:158
Chimaphila umbellata for, 1:159
Conium maculatum for, 1:159
Gelsemium sempervirens for, 1:161
herbs for, 1:142
- urinary spasms
Aesculus hippocastanum for, 1:156
Ammi visnaga for, 1:156–57
antispasmodics for, 1:135
Atropa belladonna for, 1:158
Conium maculatum for, 1:159
Eschscholzia californica for, 1:160
Hyoscyamus niger for, 1:162
Levisticum officinale for, 1:163
Lobelia inflata for, 1:163
Piper methysticum for, 1:11, 164
Serenoa repens for, 1:165
Uncaria tomentosa for, 1:166
- urinary system
Equisetum spp. for, 1:113
as organ of elimination, 1:2
overview, 1:107
- urinary tract infections (UTIs)
formula for, 3:135–36
overview, 1:112
Rosmarinus officinalis for, 1:165
Solidago spp. for, 1:165
See also cystitis
- urinary tract reactivity
Allium sativum for, 5:85
Angelica sinensis for, 5:85
Apium graveolens for, 5:86
formulas for, 5:57–59
herbs for, 5:58
overview, 5:57
- urination, burning. *See* burning urination
- urination, painful. *See* dysuria
- urine, blood in. *See* hematuria
- urine, mucousy. *See* mucous in the urine
- urine, thick and cloudy
Agrimonia eupatoria for, 1:156
Collinsonia canadensis for, 1:159
Equisetum spp. for, 1:160
Eupatorium purpureum for, 1:161
herbs for, 1:116, 139
Rhus toxicodendron for, 1:165
Zingiber officinale for, 1:167
- urine, thick and red
Berberis aquifolium for, 1:163
- Berberis vulgaris* for, 1:158
Solidago spp. for, 1:165
- URIs. *See upper respiratory infections (URIs)*
- uroepithelium disorders
Armoracia rusticana for, 1:158
Calendula officinalis for, 1:158
Centella asiatica for, 1:159
- urothelium, role in urinary tract reactivity, 5:57, 58
- ursodeoxycholic acid, 1:98, 99
- Urtica* spp.
5α-reductase inhibition, 1:145, 216; 3:162
for arthritis, 5:115
for benign prostatic hyperplasia, 3:162
for congestive heart failure, 2:50
for COPD, 2:148
for cop pulmonale, 2:155
diuretic qualities, 1:112; 5:123
for erectile dysfunction, 3:15
formulas containing
arthritis, 5:116
cardiopulmonary disease, 2:84
congestive heart failure, 2:50
COPD, 2:151
hyperthyroidism, 3:42
malabsorption, 1:74
peripheral vascular insufficiency, 2:59
polycystic ovarian syndrome, 3:147
premenstrual syndrome, 3:126
prostatic diseases, 1:146
respiratory allergies, 5:40
tea for nursing mothers, 3:134
urinary lithiasis, 1:140
minerals in, 5:100t, 112
mineral tonic diuretic qualities, 1:110
in Nettle Truffles, 5:123
for ovarian cysts, 3:144
phytosterols in, 3:155
for polycystic ovarian syndrome, 3:145
for prostate cancer, 1:147
for prostatic diseases, 1:143
for prostatitis, 1:151
for pyelonephritis, 1:119
for reproductive endocrine conditions, 3:103
specific indications, 5:142
testosterone-reducing effects, in women,
3:145, 147
- Urtica dioica* (stinging nettle), 1:144
5α-reductase inhibition, 1:218; 3:162
for benign prostatic hypertrophy, 1:144, 147
for carpal tunnel syndrome, 4:42
formulas containing
alopecia, 1:218
benign prostatic hyperplasia, 3:164
cardiopulmonary disease, 2:84
conjunctivitis, 5:149
contact dermatitis, 5:53–54
corneal ulcers, 5:152
dental conditions, 5:175
osteoporosis, 3:141
prostate cancer, 1:149
- prostatitis, 1:151
pyelonephritis, 1:119
for hormone-related infertility, 3:131t
nourishing qualities, 1:37
for pyelonephritis, 1:119
renal depurant qualities, 5:123
for skin allergic conditions, 5:54t
for skin fissures, 1:235
specific indications, 1:166, 249; 2:105; 3:179;
4:87; 5:94, 203
for urinary retention, 1:142
for weak fingernails, 1:236
- urticaria. *See hives*
- urtication, as term, 5:142
- Urtica urens* (nettle)
for arthritis, 5:114
for benign prostatic hypertrophy, 1:147
for bites and stings, 1:171t
for burns, 1:173t
for bursitis and tendinitis, 5:102
for carpal tunnel syndrome, 4:42
for connective tissue support, 5:105
for dermatitis, 1:188
in electrolyte beverages, 5:113
formulas containing
alopecia, 1:216
anorexia, 1:38
arthritis, 5:120
cardiopulmonary disease, 2:84
connective tissue weakness, 5:99, 100
gout, 5:123, 124
gouty arthritic pain, 4:185
hirsutism, 1:214
hormonal cancers, 3:158
muscle pain, 5:107
osteoporosis, 3:141
premenstrual fluid retention, 4:195
prostate cancer, 1:149
prostatitis, 1:151
pyelonephritis, 1:119
urinary tract reactivity, 5:59
venous congestion, 2:76
for hormone-related infertility, 3:131t
for itching skin, 1:185, 187
for muscle pain, 4:183t
for pyelonephritis, 1:119
for schizophrenia support, 4:123
for skin fissures, 1:235
specific indications, 1:166, 249; 3:179; 4:87; 5:94
for urinary retention, 1:142
for weak fingernails, 1:236
- US Food and Drug Administration, 4:70; 5:4–5
- Usnea* spp., 2:141
- Usnea barbata* (old man's beard)
formulas containing
hemoptysis, 2:126
vaginitis, 3:106
for respiratory infections, 2:121
specific indications, 1:249; 2:183
for vaginitis, 3:105

- Usnea hirta* (old man's beard), 2:121
 uterine emmenagogues, 3:128
 uterine fibroids
 formulas for, 3:150–51
Glycyrrhiza glabra for, 3:170
Hydrastis canadensis for, 3:171
 link to unopposed estrogen, 3:102
 overview, 3:150
 vag packs for, 3:114
Vitex agnus-castus for, 3:151, 180
 uterine hemostatics
 list of, 3:133t
 for menstrual cycle disorders, 3:116, 117–120
 for uterine fibroids, 3:150, 151
 uterine muscle spasms, *Viburnum* spp. for, 1:11, 88
 uterine pain
 Achillea millefolium for, 4:201
 Caulophyllum thalictroides for, 4:206
 Dioscorea villosa for, 4:207
 formulas for, 4:195–96
 Viburnum spp. for, 4:16, 217, 218
 uterine sedatives, 3:124
 uterine tonics, 3:119, 153, 173, 179
 uterine vascular decongestants, 3:128
 uva ursi. *See Arctostaphylos uva ursi* (uva ursi)
 uveitis
 with Behçet's disease, 5:72
Curcuma longa for, 5:195
Echinacea purpurea for, 5:64
 from herpes viruses, 5:150
 secondary glaucoma from, 5:155
- V**
- Vaccine Adverse Event Reporting Site (VAERS), 4:70
 vaccines, possible link to seizures, 4:70
Vaccinium spp.
 astringent qualities, 1:51
 formulas containing
 skin trauma, 1:174
 vascular reactivity, 5:62
 histamine-blocking qualities, 5:32t
 powders of, 1:44
 for urinary conditions, 1:114
Vaccinium macrocarpon (cranberry), 1:17
 for bladder cancer, 1:132
 specific indications, 1:166
 for urinary conditions, 1:117
Vaccinium myrtillus (bilberry, blueberry), 3:72
 in Agar-Agar "Jell-O" Squares, 3:86
 for arthritis, 5:115
 for bone density, 5:125
 for capillary fragility, 2:67
 for diabetic retinopathy, 3:72, 73
 for digestive pain, 1:26
 dressing and marinade, 3:76–77
 for erectile dysfunction, 3:16
 for eye conditions, 5:147, 147t
 flavones in, 3:87
 flavonoids in, 2:33
- formulas containing
 acne rosacea, 1:205, 207, 208
 aphthous ulcers, 5:184
 cardiopulmonary disease, 2:84, 85
 cataract prevention, 5:152
 corneal ulcers, 5:152
 CREST, 5:84
 dementia, 4:55
 eye irritation, 5:149
 gingivitis, 5:184
 glaucoma, 5:155, 156
 hyperlipidemia, 2:36
 hyperthyroidism, 3:45
 hypothyroidism, 3:36
 macular degeneration, 5:158
 metabolic conditions, 3:71
 pain, 4:172
 pigmentation disorders, 1:223
 retinopathies, 5:157
 vascular reactivity, 5:62
 for glossitis, 5:179
 for leaky gut syndrome, 1:79
 for microvascular fragility, 2:66t
 PAF inhibiting properties, 2:77
 for retinopathies, 5:156
 specific indications, 1:249; 2:105, 183–84;
 3:99; 4:87; 5:94, 143, 203
 for telangiectasias, 1:208
 for varicosities, 2:75
 for vascular support, 2:65
 vacha. *See Acorus calamus* (sweet flag, vacha)
 vaginal dryness
 Asparagus racemosus for, 3:166
 postmenopausal, 3:134, 152
 vaginal estrogen, 1:118
 vaginitis
 Berberis aquifolium for, 3:167
 Ceanothus americanus for, 3:167
 Cinnamomum spp. for, 3:167
 formulas for, 3:105–7
 Hamamelis virginiana for, 3:171
 Hydrastis canadensis for, 3:171
 vag packs for, 3:114, 171
 vaginosis, bacterial, 1:117–18
 vag packs, 3:114, 171
Valeriana jatamansi (jatamansi, spikenard, muskroot), 4:87
Valeriana officinalis (valerian)
 anti-inflammatory qualities, 4:128
 for attention deficit hyperactivity disorder, 4:119
 for depression and anxiety, 4:101t
 for epilepsy and seizure disorders, 4:66
 formulas containing
 amphetamine cessation, 4:135
 angina, 2:39
 arrhythmias, 2:55
 attention deficit hyperactivity disorder, 4:122
 depression and anxiety, 4:98
- hypertension, 2:44, 46
 hyperthyroidism, 3:44
 insomnia, 4:114, 115
 menopausal insomnia, 3:138
 miscarriage, 3:133
 muscle pain, 5:106
 neuralgia, 4:36
 seizures, 4:72
 tics and twitching, 5:106
 withdrawal symptoms, 4:136
 GABAergic qualities, 4:114, 152
 for headaches, 4:158
 for hypertension, 2:41, 44, 46
 for menopausal symptoms, 3:136t, 138t
 for muscle pain and spasms, 5:105
 neuroprotective effects, 4:31
 for overactive bladder, 1:129
 for pain, 4:154, 155, 171t
 for restless insomnia, 1:14, 15; 2:16, 17; 3:17, 18;
 4:19, 20; 5:19, 20
 for restless legs syndrome, 4:32
 specific indications, 2:106; 3:62, 179;
 4:87, 152, 217; 5:143
 for tinnitus, 5:165
 for trigeminal neuralgia, 4:37
 as uterine sedative, 3:124
 for withdrawal symptoms, 4:128
Valeriana sitchensis (Sitka valerian)
 antispasmodic qualities, 5:97, 109
 for depression, 4:92
 GABAergic qualities, 4:110
 for headaches, 4:165t
 for hypertension, 2:44
 for menopausal symptoms, 3:136t, 138t
 for muscle pain and spasms, 5:105
 nervine qualities, 4:91
 specific indications, 4:152
 valve disease
 Adonis vernalis for, 2:89
 Convallaria majalis for, 2:93
 Selenicereus grandiflorus for, 2:103
 Viscum album for, 2:106
 varicoceles
 formation of, 2:73
 Hamamelis virginiana for, 1:161; 2:96
 varicose ulcers, herbs for, 4:200t
 varicose veins
 Aesculus hippocastanum for, 1:81; 2:89
 Collinsonia canadensis for, 1:159; 2:93
 formulas for, 2:73–81; 4:200
 Hamamelis virginiana for, 1:161; 2:96
 herbs for, 4:200t
 with phlebitis, supportive measures for, 2:81
 Ruscus aculeatus for, 2:102
 Silybum marianum for, 1:106; 2:103
 vascular congestion
 Aesculus hippocastanum for, 1:156; 5:109
 Angelica sinensis for, 1:81, 238; 2:90;
 3:90, 165; 5:132
 Anthoxanthum odoratum for, 2:90

- vascular congestion (*continued*)
Atropa belladonna for, 1:239; 4:159, 204; 5:133, 176
Ceanothus americanus for, 1:82, 103, 240; 3:91
Cnidium monnieri for, 2:92
Collinsonia canadensis for, 1:83; 2:93, 161; 5:195
 formulas for, 3:126, 127–29; 4:172, 196
Hamamelis virginiana for, 2:96; 3:171; 5:138, 197
 herbs for, 3:128
 hyperpigmentation on the shins from, 1:224
Lycopus virginicus for, 3:172
Salvia miltiorrhiza for, 5:201
Sambucus nigra for, 5:201
 uterine, 3:126, 128–29
Veratrum viride for, 4:217
- vascular damage, formula for, 3:74
- vascular dementia
Ginkgo biloba for, 4:80
Huperzia serrata for, 2:97
Ligusticum striatum for, 2:98
 overview, 4:52
Panax ginseng for, 2:100
Piper methysticum for, 4:85
Salvia miltiorrhiza for, 2:102
Vaccinium myrtillus for, 4:87
Vinca minor for, 4:59, 88
See also dementia
- vascular disorders
 gingivitis from, 5:184, 185
Ginkgo biloba for, 5:90
Gymnema sylvestre for, 3:95
Rauvolfia serpentina for, 3:61
Salvia miltiorrhiza for, 5:93
 tea for, 3:78
Vaccinium myrtillus for, 5:94
- vascular endothelial growth factor (VEGF), 3:72
- vascular excitation, *Lycopus virginicus* for, 3:60
- vascular infections
Echinacea spp. for, 2:94
 formulas for, 2:72
- vascular inflammation
Achillea millefolium for, 2:89
Angelica sinensis for, 2:90; 4:173, 203
Astragalus membranaceus for, 2:91
Atractylodes spp. for, 2:91
Cinnamomum verum for, 5:195
Cornus officinalis for, 2:162
Crataegus spp. for, 5:89, 136, 195
Curcuma longa for, 2:93
Equisetum spp. for, 2:95
Glycyrrhiza glabra for, 2:96
Hamamelis virginiana for, 5:91
Hippophae rhamnoides for, 2:96
Hypericum perforatum for, 1:85; 2:97; 5:91
Ligusticum striatum for, 4:210
Petasites hybridus for, 1:163
Punica granatum for, 2:178
Ribes spp. for, 2:102
Rosa canina for, 2:102
Salvia miltiorrhiza for, 1:247; 2:102–3
- Tanacetum parthenium* for, 1:248; 5:94
- vascular insufficiency
Convallaria majalis for, 1:160
Ginkgo biloba for, 1:243; 2:95
Hypericum perforatum for, 2:97
Punica granatum for, 1:164
- vascular pain
Angelica sinensis for, 4:203
 formulas for, 4:200–201
Hamamelis virginiana for, 4:209
 herbs for, 4:200t
- vascular reactivity
Angelica sinensis for, 5:132
 formulas for, 5:59–63
 herbs for, 5:60
 overview, 5:59
Salvia miltiorrhiza for, 3:62, 97
Tanacetum parthenium for, 5:142
- vascular smooth muscle proliferation, 2:41
- vascular support
Arctium lappa for, 2:90
Astragalus membranaceus for, 2:91
Calendula officinalis for, 2:91
Castanospermum australe for, 2:92
Coleus forskohlii for, 2:101
Cornus officinalis for, 2:162
Crataegus spp. for, 2:93
Cynara scolymus for, 2:94
 flavonoids for, 2:26
 formulas for, 2:27–31
Ginkgo biloba for, 2:95
Gymnema sylvestre for, 2:96
Huperzia serrata for, 2:97
Hydrastis canadensis for, 2:97
Hypericum perforatum for, 2:97
Leonurus cardiaca for, 2:98
Melilotus suaveolens for, 2:171
Nigella sativa for, 2:99
Olea europaea for, 2:99
Ophiopogon japonicus for, 2:174
Ruscus aculeatus for, 2:102
Salvia miltiorrhiza for, 2:102
Stevia rebaudiana for, 2:104
Tanacetum parthenium for, 2:104
Terminalia arjuna for, 2:104
Trachyspermum ammi for, 2:105
Trifolium pratense for, 2:105
Urtica dioica for, 2:105
Vinca minor for, 2:106
- vascular wounds, herbs for, 4:192t
- vasculitis
Ammi visnaga for, 2:90
Colchicum autumnale for, 5:88
Crataegus spp. for, 5:89
 formulas for, 2:82; 5:62–63
Henoch-Schönlein purpura, 5:74–75
Ruscus aculeatus for, 2:102
Salvia miltiorrhiza for, 5:93
Tanacetum parthenium for, 5:142
Vaccinium myrtillus for, 5:143
- vasodilators
Achillea millefolium as, 2:89
Ammi visnaga as, 2:90
 for angina, 2:38
 for cold extremities, 2:76
Valeriana officinalis as, 2:106
 warming stimulants, 1:19t; 2:21t; 3:21t; 4:23t; 5:23t
 for weak circulation, 2:61
- vegetable juices, 2:31
- vegetable mercury. *See Iris versicolor* (wild iris, blue flag, vegetable mercury)
- VEGF (vascular endothelial growth factor), 3:72
- veins, painful, formulas for, 4:200–201
- velvet bean. *See Mucuna pruriens* (velvet bean, cowage, cow-itch)
- venereal warts. *See* genital warts
- venomous bites and stings
 homeopathic remedies for, 1:171t
 topical protocol for, 4:188–89
- venous congestion
Aesculus hippocastanum for, 1:81, 101
Convallaria majalis for, 1:160
 formulas for, 2:73–81
Hamamelis virginiana for, 1:85, 161
- venous insufficiency
Ginkgo biloba for, 2:95
 overview, 2:57–58
Pinus pinaster for, 2:100
Ruscus aculeatus for, 2:102
- Veratrum* spp. (hellebore)
 in calming formulas, 1:18
 for pain, 4:171t
 safety concerns, 1:18; 4:22
- Veratrum album* (white hellebore)
 formulas containing
 head injury-related seizures, 4:72
 herpes lesions, 1:232
 scabies, 4:189
 for pain, 4:190–91
 for painful itching, 4:189t
 safety concerns, 4:189, 190; 5:22
 for skin eruptions, 1:194
 for skin infections, 1:176
 specific indications, 5:203
 for vascular pain, 4:200t
- Veratrum nigrum* (black false hellebore), 4:67
- Veratrum viride* (false hellebore), 4:190
 formulas containing
 herpes lesions, 1:232
 pain, 4:171, 172
 psoriasis, 1:210
 throat pain, 4:178
 tics and twitching, 5:105, 106
 for hypertension, 2:44
 for pain, 4:166t, 190–91
 for painful itching, 4:189t
 safety concerns, 4:87–88, 171, 172, 178, 190, 217; 5:22, 106, 143

- Veratrum viride* (false hellebore) (*continued*)
 specific indications, 1:249; 4:87–88, 217; 5:143
 for vascular pain, 4:200t
- Verbascum thapsus* (mullein)
 for bladder mucosal lesions, 1:123
 for coughs, 2:117
 formulas containing
 anemia, 2:69, 70
 asthma, 2:146
 hemoptysis, 2:126
 otitis media, 5:161
 pneumonia, 2:141
 scratchy throat, 5:191
 urinary and prostatic pain, 4:196
 iron in, 2:70
 for otitis externa, 5:163
 specific indications, 1:166–67; 2:184; 4:217
- Verbena* spp.
 for headaches, 4:159
 for restless legs syndrome, 4:32
- Verbena hastata* (verbain)
 for breast conditions, 3:142
 formulas containing
 dermatitis, 1:192
 premenstrual syndrome, 3:126
 for menopausal symptoms, 3:138t
 nervine qualities, 1:30
 for premenstrual syndrome, 3:125, 126
 specific indications, 1:249; 3:179; 5:143
- Verbena officinalis* (vervain)
 for depression, 4:92
 nervine qualities, 4:91
 for panic disorder, 4:109
 for schizophrenia, 4:125
- vermifuges
Chenopodium ambrosioides as, 1:83
Ricinus communis with, 1:87
- Veronicastrum virginicum*. See *Leptandra virginica* (Culver's root)
- vertigo
Conium maculatum for, 4:184
 formulas for, 5:166–68
Gastrodia elata for, 4:79; 5:90
Ginkgo biloba for, 5:165
Leonurus cardiaca for, 4:144
Ligusticum striatum for, 2:98
 overview, 5:166
Vinca minor for, 2:106
 vervain. See *Verbena* spp.
- Vetiveria zizanioides*. See *Chrysopogon zizanioides* (vetiver)
- Viburnum opulus* (cramp bark), 3:133
 antispasmodic qualities, 1:11, 135; 2:13; 3:14;
 4:16; 5:16, 109
 for biliary pain, 1:100t
 for dysmenorrhea, 3:115
 formulas containing
 biliary colic and pain, 1:99
 dysfunctional uterine bleeding, 3:117
 endometriosis, 3:149
- hormone-related infertility, 3:130
 menopause-related muscle pain and stiffness, 3:141
 menorrhagia, 3:118, 119
 menstrual cramps, 3:117, 123–24
 miscarriage, 3:132, 133
 parturition, 3:132
 postpartum hemorrhage, 3:133
 spotting, 3:122
 uterine fibroids, 3:151
 uterine prolapse, 3:153
 for hormone-related infertility, 3:131t
 for menorrhagia, 3:118
 for muscle pain and spasms, 4:183t; 5:105
 for pain, 4:154, 171t
 specific indications, 3:179; 4:217; 5:143
 for uterine fibroids, 3:150
 as uterine sedative, 3:124
 as uterine tonic, 3:131t, 133
 for withdrawal symptoms, 4:128
- Viburnum prunifolium* (blackhaw)
 antispasmodic qualities, 1:11; 2:13; 3:14; 4:16;
 5:16, 97
 for biliary pain, 1:100t
 carminative qualities, 1:31
 formulas containing
 biliary colic and pain, 1:99
 hypertension, 2:46
 miscarriage, 3:132
 muscle cramps, 5:106
 for hormone-related infertility, 3:131t
 for hypertension, 2:44
 for menorrhagia, 3:118
 for muscle pain and spasms, 4:183t; 5:105
 for pain, 4:154, 171t
 specific indications, 1:88; 3:179–180;
 4:217–18; 5:143
 as uterine tonic, 3:119, 131t, 133
 for withdrawal symptoms, 4:128
- Vicia faba* (fava bean), 4:32
- vincamine, 4:31, 52, 88
- Vinca minor* (lesser periwinkle), 4:59
 for dementia, 4:52–53
 for depression, 4:103t
 formulas containing
 cerebral vascular insufficiency, 2:64
 dementia, 4:57
 depression and anxiety, 4:102
 schizophrenia, 4:124
 vertigo, 5:167
 for neurological conditions, 4:27, 28
- neuroprotective effects, 4:31
 specific indications, 2:106; 4:88
 for vascular dementia, 4:59, 88
 for wound healing, 4:192t
- Vinegar, High-Mineral, 5:100
 vinegars
 for fungal skin infections, 1:195
 high-mineral herbs in, 5:100
 for malabsorption, 1:74
- sipping, 3:89
 for weak fingernails, 1:236
- vinpocetine, 4:53, 59, 88
- Viola* spp. (violet)
 for seborrheic dermatitis, 1:190
 specific indications, 1:249
- viral exanthems, 1:193
- viral hepatitis, 1:91
See also hepatitis
- viral infections
Andrographis paniculata for, 3:90
 autoimmune disorders linked to, 5:63–64, 68
- Azadirachta indica* for, 2:160
 basis protocol for, 1:201
- Eleutherococcus senticosus* for, 1:242
- Eupatorium perfoliatum* for, 5:196
- gastroenteritis from, 1:59
- Glycyrrhiza glabra* for, 2:96; 5:197
- Grifola frondosa* for, 1:104, 243
- Hypericum perforatum* for, 2:168; 3:59
- Isatis tinctoria* for, 2:168
- link to autoimmune thyroid disease, 3:30
- Lomatium dissectum* for, 2:170
- Lonicera japonica* for, 2:170
- Lophatherum gracile* for, 2:170
- Melissa officinalis* for, 2:172; 3:60; 5:199
 myalgia from, 5:108
- Nepeta cataria* for, 2:173; 5:199
- Pelargonium sidoides* for, 2:175
- Phellodendron amurense* for, 3:174
- Phytolacca americana* for, 3:175
- Phytolacca* spp. for, 3:61
- Pinus pinaster* for, 2:176
- Podophyllum peltatum* for, 3:175
 role in gastrointestinal disorders, 1:24
- Sambucus nigra* for, 5:160, 201
- Scutellaria baicalensis* for, 2:180
 skin eruptions from, 1:194
- Terminalia arjuna* for, 3:177
- Terminalia chebula* for, 2:182
 of the throat, 1:45
- Thuja* spp. for, 1:248
 traveler's diarrhea from, 1:51–52
- Trichosanthes kirilowii* for, 2:182
- visceral pain
 herbs for, 4:154
- Hyoscyamus niger* for, 4:210
- Phyllanthus amarus* for, 4:212
See also pain
- Viscum album* (mistletoe), 2:54
 for arrhythmias, 2:55
 for atherosclerosis, 2:32
 for bladder cancer, 1:132
 for congestive heart failure, 2:48
 for epilepsy and seizure disorders, 4:68
- formulas containing
 angina, 2:38
 arrhythmias, 2:55
 bites and stings, 1:172
 bladder cancer, 1:132

- Viscum album* (mistletoe) (*continued*)
 - congestive heart failure, 2:50
 - menopausal cardiac symptoms, 3:141
 - oral leukoplakia, 5:186
 - Sjögren's syndrome, 5:69
 - for heart disease, 2:54
 - for myositis conditions, 5:70
 - specific indications, 1:167; 2:106; 4:88
- Viscum articulatum* (leafless mistletoe), 2:48
- Viscum flavens*. *See Phoradendron chrysocladon*
- vision disorders. *See eye conditions; specific disorders*
- vital force, 1:12; 2:14; 3:14; 4:16; 5:16
- vitamin A
 - for contractures, 5:104
 - for dry eyes, 5:150
 - for fungal skin infections, 1:196
 - for genital warts, 3:112, 113
 - for pain, 4:156
 - for psoriasis, 1:209
 - for stomatitis, 5:50
 - for warts, 1:200
- vitamin B₁₂ deficiency anemia, formulas for, 2:68–70
- vitamin B₆, 4:119, 124
- vitamin B family
 - for Bell's palsy, 4:36, 37
 - for cheilosis and cheilitis, 5:183
 - for endometriosis, 3:149
 - formulas containing, 4:37; 5:183
 - for glossitis, 5:179
 - for low libido, 3:151
 - for nerve pain, 4:180t
 - for Parkinson's disease, 4:60
 - for PCOS, 3:132
 - for peripheral neuropathy, 4:42–43
 - for premenstrual syndrome, 3:125
 - for restless legs syndrome, 4:32
 - for stomatitis, 5:182
 - for withdrawal symptoms, 4:128
- vitamin C
 - for antiviral support, 1:201
 - for cystitis, 1:112
 - for detoxification, 3:68
 - formulas containing, 5:183
 - for herpetic neuralgia, 4:40
 - for oral leukoplakia, 5:187
 - for pain, 4:156
 - for stomatitis, 5:182
 - for throat pain, 5:190
 - for warts, 1:200
- vitamin D
 - for benign prostatic hyperplasia, 1:144
 - for contractures, 5:104
 - for dry eyes, 5:150
 - formulas containing, 5:105
 - for healthy hormone regulation, 3:87
 - immunoregulating properties, 5:30
 - for insulin sensitivity, 3:77
 - for psoriasis, 1:209, 210
- for schizophrenia, 4:124
- for supporting fertility, 3:132
- vitamin D₃, 1:209
- vitamin E
 - for contractures, 5:104
 - for detoxification, 3:68
 - for eczema, 1:186
 - for fatty liver, 1:96
 - formulas containing, 5:105
 - for glossitis, 5:179
 - for herpetic neuralgia, 4:40
 - for pain, 4:156
 - for renal failure, 1:152
- vitamin K, in *Medicago sativa*, 3:87
- Vitellaria paradoxa* (shea), 5:48
- Vitex agnus-castus* (chaste tree), 3:148
 - for acne, 1:202t
 - for amenorrhea, 3:122, 123
 - anti-inflammatory actions, 4:178
 - for breast conditions, 3:142, 143
 - for breast cysts, 3:143, 180
 - for depression and anxiety, 4:92, 96, 101t
 - formulas containing
 - acne, 1:201
 - amenorrhea, 3:122, 123
 - anovulatory cycles, 3:123
 - breast conditions, 3:143
 - Cushing's syndrome, 3:52
 - depression and anxiety, 4:98, 100
 - dysfunctional uterine bleeding, 3:117
 - headaches, 4:164
 - hirsutism, 1:214
 - hormone-related infertility, 3:131
 - hot flashes, 3:135
 - hyperhidrosis, 1:226
 - hypothyroidism, 3:37
 - menopausal symptoms, 4:110, 115
 - menorrhagia, 3:118, 119, 120
 - polycystic ovarian syndrome, 3:145, 147
 - premenstrual acne, 3:129
 - premenstrual syndrome, 3:126, 127
 - prostate cancer, 1:148
 - short menstrual cycles, 3:118
 - spotting, 3:122
 - uterine fibroids, 3:151
 - for headaches, 4:159
 - for hormone-related infertility, 3:129, 131, 131t
 - for insomnia, 4:114
 - for menorrhagia, 3:118
 - for menstrual cycle disorders, 3:115
 - for ovarian cysts, 3:144
 - for pain, 4:166t
 - for polycystic ovarian syndrome, 3:145, 147
 - for premenstrual syndrome, 3:125, 126, 127
 - as prolactin inhibitor, 1:216
 - for prostate cancer, 1:147
 - for reducing elevated prolactin, 3:122, 123
 - for reproductive endocrine conditions, 3:148, 180
 - for restless legs syndrome, 4:32
- serotonin-promoting qualities, 4:92
- specific indications, 1:249; 3:63, 180; 4:152, 218
- as uterine tonic, 3:119
- vitexin, 4:178
- Vitex negundo* (Chinese chaste tree)
 - antiallergic qualities, 5:34t
 - antiandrogenic qualities, 3:148
 - bronchodilating properties, 2:108t
 - mast-cell stabilizing effects, 5:31t
 - specific indications, 2:184
- vitiligo
 - Ammi visnaga* for, 1:238
 - Angelica sinensis* for, 1:238
 - Apium graveolens* for, 1:238
 - Citrus bergamia* for, 1:240
 - Cnidium officinale* for, 1:240
 - Coriandrum sativum* for, 1:241
 - Foeniculum vulgare* for, 1:242
 - formulas for, 1:225–26
 - Lomatium dissectum* for, 1:245
 - Medicago sativa* for, 1:245
 - overview, 1:222
 - Picrorhiza kurroa* for, 1:246
- Vitis vinifera* (grapes), 2:31
 - for benign prostatic hyperplasia, 1:144–45
 - for capillary fragility, 2:67
 - flavones in, 3:87
 - iron chelation properties, 2:71
 - mast-cell stabilizing effects, 2:144t
 - for multiple sclerosis, 5:82
 - neuroprotective effects, 4:31
 - PAF inhibiting properties, 2:77
 - specific indications, 2:184; 3:99
- vocal strain
 - Collinsonia canadensis* for, 5:195
 - formula for, 5:191
- volatile oils. *See essential oils*
- vomiting
 - Cannabis sativa* for, 1:32; 5:167
 - Cinnamomum* spp. for, 3:167
 - Hydrastis canadensis* for, 1:104
 - Iris versicolor* for, 1:104, 244
 - Matricaria chamomilla* for, 5:92
 - Podophyllum peltatum* for, 1:105
 - ruling out food allergies and intolerances, 1:24
 - Rumex acetosella* for, 1:87
 - Silybum marianum* for, 1:106
 - as symptom of healing crises, 1:8
 - Syzygium aromaticum* for, 1:88
 - Terminalia* spp. for, 1:106
 - Zingiber officinale* for, 5:162, 164, 168
 - See also* nausea
- vulneraries
 - for aphthous ulcers, 5:183
 - for eye injuries, 5:154
 - for Henoch-Schönlein purpura, 5:75
 - for peripheral neuropathy, 4:43t
 - for wound healing, 4:192t
 - See also* wound healing

W

wakame (*Undaria pinnatifida*), 3:27
 walnut. *See Juglans* spp.
 warming stimulants, 1:18, 19t; 2:20, 21t;
 3:20–21, 21t; 4:23, 23t; 5:23, 23t
 warts
Allium sativum for, 1:238
Astragalus membranaceus for, 1:239
Echinacea spp. for, 1:241
Eleutherococcus senticosus for, 1:242
 formulas for, 1:199–201
Hypericum perforatum for, 1:244
Lomatium dissectum for, 1:245
Melissa officinalis for, 1:245
Panax ginseng for, 1:246
Phytolacca spp. for, 1:246
Podophyllum peltatum for, 1:246; 3:175
Thuja spp. for, 1:248; 3:178
See also genital warts
 water mint (*Mentha aquatica*), 4:110
 wax gourd (*Benincasa hispida*), 3:162
 wax myrtle. *See Myrica cerifera*
 (wax myrtle)
 weak circulation. *See circulation, poor*
 weak heart
Adonis vernalis for, 2:89
Convallaria majalis for, 2:93
Crinum glaucum for, 2:93
Glycyrrhiza glabra for, 2:96
Panax ginseng for, 2:100
Selenicereus grandiflorus for, 2:103
Strophanthus hispidus for, 2:104
 weak muscles. *See muscle weakness*
 weakness
Albizia julibrissin for, 4:139
Avena sativa for, 3:166
Eleutherococcus senticosus for, 3:169
Glycyrrhiza glabra for, 3:94
Panax ginseng for, 4:148
Strychnos nux-vomica for, 4:152
Withania somnifera for, 3:63
 weight loss
Chionanthus virginicus for, 3:91
Coleus forskohlii for, 3:56, 92
Foeniculum vulgare for, 3:94
Galega officinalis for, 3:94
Glycyrrhiza glabra for, 3:58, 94
Panax ginseng for, 3:61, 96
Plantago spp. for, 3:61, 97
Rosmarinus officinalis for, 3:61
Smilax ornata for, 3:98
Stevia rebaudiana for, 3:98
Syzygium cumini for, 3:99
 Weiss, Rudolf F., 1:165; 2:44; 4:35, 74
 Western herbalism, four-elements theory, 1:12;
 2:14; 3:14; 4:17; 5:17
 western red cedar. *See Thuja plicata* (western
 red cedar)
 wet atopic dermatitis, herbs for, 1:188
See also atopic dermatitis

wheat. *See Triticum aestivum* (wheat)
 wheezing
Apium graveolens for, 5:86
Astragalus membranaceus for, 5:86
Atropa belladonna for, 2:159
Cornus mas for, 5:88
Euphorbia spp. for, 2:165
Foeniculum vulgare for, 2:165
 formulas for, 5:49
 herbs for, 2:118
Justicia adhatoda for, 2:169
Lobelia inflata for, 5:32, 43, 92
Magnolia officinalis for, 2:171
 overview, 2:115–16
Passiflora incarnata for, 2:175
Stemona spp. for, 2:180
Tanacetum parthenium for, 2:182
 whey powder, for leaky gut syndrome, 1:79
 white atractylodes. *See Atractylodes ovata*
 (white atractylodes)
 white bryony. *See Bryonia alba* (white bryony)
 white button mushrooms. *See Agaricus bisporus*
 (white button mushrooms)
 white hellebore. *See Veratrum album*
 (white hellebore)
 white kwoa krua. *See Pueraria candolleana* var.
mirifica (kudzu, white kwoa krua)
 white mangrove. *See Avicennia marina*
 (white mangrove)
 white mulberry. *See Morus alba*
 (white mulberry)
 white mustard (*Sinapis alba*), 3:43
 white oak. *See Quercus alba* (white oak)
 white peony. *See Paeonia lactiflora*
 (white/red peony)
 white willow. *See Salix alba* (white willow)
 Whole Food Electrolyte Replacement Broth,
 1:57–58
 whole foods therapies
 for diabetes, 3:77
 for goiter, 3:32
 phytosterols in, 3:155, 156
 whole plant research, need for, 3:4
 whooping cough
Digitalis purpurea for, 2:163
Drosera rotundifolia for, 2:163
Inula helenium for, 2:168
Stemona spp. for, 2:181
Sticta pulmonaria for, 2:181
 wild artemisia (*Artemisia afra*), 4:110
 wild carrot. *See Daucus carota* (wild carrot)
 wild geranium. *See Geranium maculatum*
 (wild geranium)
 wild indigo. *See Tephrosia purpurea*
 (wild indigo)
 wild iris. *See Iris versicolor* (wild iris, blue flag,
 vegetable mercury)
 wild rosemary. *See Ledum palustre* (marsh tea)
 wild tobacco (*Nicotiana rustica*), 4:63, 83
 wild yam. *See Dioscorea villosa* (wild yam)

Willis-Ekbom disease. *See* restless
 legs syndrome
 willow. *See Salix* spp.
 winter-blooming bergenia. *See Bergenia*
crassifolia (winter-blooming bergenia)
 wintergreen. *See Gaultheria* spp.
 winter squash. *See Cucurbita maxima*
 (winter squash)
 Winter Tea for Metabolic Support, 3:86
 wise women, 3:104
 witch hazel. *See Hamamelis virginiana*
 (witch hazel)
Withania somnifera (ashwagandha,
 Indian ginseng), 4:64
 adaptogenic qualities, 3:47, 48, 49, 53, 63;
 4:90, 112
 for adrenal disorders, 3:46, 48, 50; 5:111t
 alterative qualities, 1:27
 anti-inflammatory qualities, 4:128
 for anxiety, 4:16
 for bladder cancer, 1:132
 for childhood immunization support, 4:71
 for depression and anxiety, 4:92, 101t
 for epilepsy and seizure disorders,
 4:66, 72
 for erectile dysfunction, 3:161
 formulas containing
 adrenal disorders, 3:48, 50
 attention deficit hyperactivity disorder,
 4:120
 Cushing's syndrome, 3:52
 dementia, 4:57
 depression and anxiety, 4:98
 diarrhea, 1:57
 dissociative disorders, 4:108
 fibromyalgia, 5:110
 head injury-related seizures, 4:71
 hemoptysis, 2:126
 hypertension, 2:42, 46
 hyperthyroidism, 3:41, 44
 hypothyroidism, 3:37
 insomnia, 4:114, 115
 interstitial cystitis, 1:124
 menopausal symptoms, 3:136; 4:100
 migraines, 4:163
 multiple sclerosis, 5:83
 pain, 4:169
 panic disorder, 4:110
 Parkinson's disease, 4:61, 63, 65
 polycystic ovarian syndrome, 3:147
 restless legs syndrome, 4:33
 traumatic brain injury, 4:55
 tuberculosis, 2:156
 vertigo, 5:168
 withdrawal symptoms, 4:130, 135
 GABAergic qualities, 4:110, 114
 for gout, 5:123
 for hypothyroidism, 3:34
 for insomnia, 4:114
 for low libido, 3:153

Withania somnifera (ashwagandha, Indian ginseng) (*continued*)
 for menopausal symptoms, 3:136, 136t, 138t
 for nerve pain, 4:91, 180t
 for neurological conditions, 4:28
 neuroprotective effects, 4:31
 for opiate addiction, 4:129
 for panic disorder, 4:109
 for Parkinson's disease, 4:64
 for reproductive endocrine conditions, 3:102
 for restless legs syndrome, 4:32
 for schizophrenia, 4:125
 specific indications, 2:106, 184; 3:63; 4:88, 152, 218; 5:143
 for thyroid disorders, 3:41
 for tuberculosis, 2:156
 for withdrawal symptoms, 4:88, 128
 for wound healing, 4:192t
 withdrawal symptoms
Avena sativa for, 4:140
Bupleurum falcatum for, 4:140
Cannabis sativa for, 4:140
Eschscholzia californica for, 4:79
 formulas for, 4:130, 132–36, 185
 herbs for, 4:128
Hypericum perforatum for, 4:93
Nelumbo nucifera for, 4:147
Passiflora incarnata for, 4:97
Pueraria montana var. *lobata* for, 4:150
Rhodiola rosea for, 4:151
Withania somnifera for, 4:88, 128
See also drug addiction
 woad. *See Isatis tinctoria* (woad)
 wogonin, for hepatitis, 1:93
 wolf berry. *See Lycium chinense* (goji berry, wolf berry)
 wolfsbane. *See Aconitum napellus* (aconite, wolfsbane)
 wolf spider. *See Tarentula hispanica* (tarantula)
 women's health
 honoring rhythms of, 3:115–16
 wise women, 3:104
See also specific conditions
 Women's Health Initiative, 4:100
 World Health Organization (WHO), 4:2, 52, 127
 wormseed. *See Chenopodium ambrosioides* (wormseed)
 wormwood. *See Artemisia absinthium* (wormwood)
 wormwood, capillary. *See Artemisia capillaris* (capillary wormwood)
 wound healing
Achillea millefolium for, 1:237
Allium cepa for, 1:181, 238
Aloe spp. for, 1:238; 4:75; 5:132
Avena sativa for, 1:239
Berberis aquifolium for, 1:245
Butea monosperma for, 4:205
Calendula officinalis for, 1:239; 3:55; 5:134

Centella asiatica for, 4:77; 5:134
Cinnamomum verum for, 5:87
Echinacea spp. for, 1:241
Equisetum arvense for, 1:242; 3:57, 93
Eschscholzia californica for, 4:142
 formulas for, 1:173–75, 176, 181–83
Ginkgo biloba for, 1:243
Hamamelis virginiana for, 1:243; 5:138
Helichrysum angustifolium for, 1:244
 herbs for, 4:192t
Hibiscus sabdariffa for, 1:203
Hippophae rhamnoides for, 5:91
Hypericum perforatum for, 3:95–96; 4:143
Jasminum grandiflorum for, 4:81
Matricaria chamomilla for, 5:198
Medicago sativa for, 1:245; 5:139
Melaleuca alternifolia for, 1:245
Phyllanthus amarus for, 4:212
Picrorhiza kurroa for, 1:246
Symphytum officinale for, 1:248
Uncaria tomentosa for, 1:166
See also vulneraries
 wrinkles
Aloe vera for, 1:238
 formula for, 1:229
 Wu Mei Wan, 5:39–40
 wu wei zi. *See Schisandra chinensis* (magnolia vine)
X
Xanthium cavanillesii (cocklebur), 2:144t, 184
 xanthohumol, 4:210
Xanthoxylum americanum, 2:123
 xenoestrogens, 3:102, 154
 xerostomia. *See* dry mouth
 Xiao-Qing-Long-Tang, 5:46
 xi hong hua. *See Crocus sativus* (saffron crocus, xi hong hua)
 xin yi qing fei tang (Shin'iseihaito), 2:174
 Xuanbai Chengqi decoction, 2:153, 154
 xylitol
 as alternative sweetener, 3:82, 88
 in Flor de Jamaica Iced Tea, 3:79
 in Peanut Butter Blondies, 3:83
 for plaque inhibition, 5:175, 176
 xylitol chewing gum, 1:41
Y
 yacon. *See Smallanthus sonchifolius* (yacon)
 Yacon Cookies, 3:80
 yagé (*Banisteriopsis caapi*), 4:137
 yam, wild. *See Dioscorea villosa* (wild yam)
 yangonin, 1:125
 yarrow. *See Achillea millefolium* (yarrow)
 yeast infections, 1:197
 yellow clover. *See Melilotus officinalis* (sweet clover)
 yellow dock. *See Rumex crispus* (yellow dock)
 yellow jessamine. *See Gelsemium sempervirens* (yellow jessamine)
 yellow nutgrass. *See Cyperus esculentus* (nutgrass, yellow nutgrass)
 yellow wild indigo. *See Baptisia tinctoria* (wild indigo)
 yerba de tago. *See Eclipta prostrata* (eclipta, bhringraj, yerba de tago)
 yerba mansa. *See Anemopsis californica* (yerba mansa)
 yerba santa. *See Eriodictyon californicum* (yerba santa)
 yin yang huo. *See Epimedium brevicornu* (horny goatweed, yin yang huo, bishop's hat)
 yohimbe. *See Pausinystalia johimbe* (yohimbe)
 Yokukansan, for dementia with aggression, 4:54, 57
 yuan zhi. *See Polygala tenuifolia* (yuan zhi)
Yucca spp., 5:71
Yucca filamentosa (Adam's needle and thread)
 anti-inflammatory qualities, 5:97
 for peripheral neuropathy, 4:46
Yucca schidigera (yucca)
 for arthritis, 5:114
 formulas containing, 5:116
 specific indications, 5:143
 YunNan BaiYao, 5:80
 Yu Ping Feng San, 2:150
Z
Zanthoxylum americanum (northern prickly ash), 1:38, 61
Zanthoxylum bungeanum (Chinese prickly ash), 5:40
Zanthoxylum clava-herculis (southern prickly ash)
 as counterirritant, 2:132
 formulas containing
 anorexia, 1:38
 arthritis, 5:122
 autoimmune disorders, 5:66, 67
 bursitis and tendinitis, 5:103
 dry mouth, 5:185
 dyspepsia, 1:29
 herpetic neuralgia, 4:41
 irritable bowel syndrome, 1:32
 muscle pain, 5:108
 sciatica, 5:131
 for herpetic neuralgia, 4:40
 specific indications, 1:88; 2:184; 5:143, 203
Zanthoxylum piperitum (Japanese pepper), 1:29; 4:61
 Zappin, Ben, 1:47
Zea mays (maize)
 for bladder mucosal lesions, 1:123
 diuretic qualities, 1:109, 112
 for pyelonephritis, 1:119
 specific indications, 1:167
 zhe bei mu. *See Fritillaria thunbergii* (zhe bei mu)
 zhi mu. *See Anemarrhena asphodeloides* (zhi mu)

- zinc**
- for attention deficit hyperactivity disorder, 4:118, 119
 - for eczema and allergic dermatitis, 1:188
 - formulas containing
 - alopecia, 1:218
 - ulcerated veins, 4:201
 - for fungal skin infections, 1:196
 - for genital herpes, 3:109
 - for glossitis, 5:179
 - for herpetic neuralgia, 4:40
 - for prostate health, 1:149, 151
 - for psoriasis, 1:209
 - in pumpkin seeds, 3:162, 168
 - as restorative, 1:43
 - for stomatitis, 5:50
 - for throat pain, 5:190
- zinc chloride, in escharotic treatments, 3:115, 177
- Zingiber officinale** (ginger), 5:168
- for allergic pain in the gut, 5:39t
 - for altered breath sounds, 2:118
 - anti-inflammatory actions, 1:62, 71
 - antimicrobial qualities, 1:56, 71, 88
 - for arthritis, 5:114, 115, 117
 - for atherosclerosis, 2:32
 - carminative qualities, 1:31, 46
 - for COPD, 2:148
 - for cor pulmonale, 2:155
 - for CREST, 5:84
 - for dental procedures, 5:177
 - for digestive pain, 1:26
 - digestive stimulant qualities, 1:25
 - for dysuria, 1:116
 - for epilepsy and seizural disorders, 4:68
 - for erectile dysfunction, 3:161
 - fibrinolytic properties, 2:73
 - formulas containing
 - adrenal disorders, 3:49
 - allergic airway disorders, 5:44, 46
 - allergic rhinosinusitis, 2:130
 - angina, 2:38
 - anorexia, 1:36, 38
 - arthritis, 5:117, 119, 122
 - asthma, 2:147
 - autoimmune disorders, 5:66, 67
 - Behçet's disease, 5:74
 - biliousness, 4:105
 - bronchitis, 2:134
 - constipation, 1:48
 - COPD, 2:150
 - coughs, 2:117
 - CREST, 5:84
 - cystic fibrosis, 2:135
 - depression and anxiety, 4:100
 - diarrhea, 1:54, 55, 58
 - digestive pain, 4:198
 - dyspepsia, 1:29, 30
 - emphysema, 2:138
 - endometriosis, 3:149
 - esophageal disorders, 1:44
 - fibromyalgia, 5:110
 - food allergies, 5:40
 - gastritis and gastroenteritis, 1:61, 62
 - gastrointestinal hypersensitivity, 5:37, 38
 - gastroparesis, 1:77, 78
 - GERD, 1:40, 41, 42
 - gout, 5:124
 - headaches, 4:165
 - hepatitis, 1:93
 - hyperlipidemia, 2:35, 47
 - inflammatory bowel diseases, 5:80
 - irritable bowel syndrome, 1:32
 - labyrinthitis, 5:162
 - malabsorption, 1:73, 74, 75
 - Ménière's disease, 5:164
 - menstrual nausea, 3:120
 - metabolic conditions, 3:71
 - migraines, 4:160–61, 162
 - multiple sclerosis, 5:83
 - muscle pain, 5:108
 - muscle weakness, 5:111
 - myositis conditions, 5:71
 - nausea of pregnancy, 3:132
 - neuropathic pain, 4:179
 - osteoarthritis, 5:116
 - pain, 4:172
 - Parkinson's disease, 4:61
 - peripheral vascular insufficiency, 2:58, 61
 - phlebitis, 2:81
 - premenstrual syndrome, 3:126, 129
 - pyelonephritis, 1:120
 - Raynaud's syndrome, 2:67
 - retinopathies, 5:157
 - schizophrenia, 4:125
 - skin infections, 1:178
 - trigeminal neuralgia, 4:39
 - urinary lithiasis, 1:140
 - vaginitis, 3:107
 - vascular reactivity, 5:61
 - vascular support, 2:27, 28, 29, 30
 - venous congestion, 2:76
 - for headaches, 4:159
 - for *Helicobacter pylori* infections, 1:43
 - for hepatitis, 1:90
 - for hypertension, 2:46
 - in iced tea, 3:79
 - for impetigo, 1:179
 - for increasing deficient adrenergic tone, 4:95
 - for inflammatory bowel diseases, 1:34
 - for insomnia with exhaustion, 1:14; 2:16; 3:16; 4:18, 23; 5:18, 23
 - in juice cleanses, 5:117
 - lipid-lowering effects, 3:82
 - for malabsorption, 1:73, 74
 - for Ménière's disease, 5:164
 - for motion sickness, 5:168
 - for multiple sclerosis, 5:82
 - for neuralgia, 4:34
 - neuroprotective effects, 4:31
 - PAF inhibiting properties, 2:77
 - for pain, 4:154, 166t
 - for peripheral neuropathy, 4:42, 43t, 44
 - for poor circulation, 2:58, 63
 - in porridge, 1:66
 - for premenstrual syndrome, 3:125, 126, 129
 - for pyuria, 1:115
 - for renal failure, 1:154t
 - for respiratory conditions, 2:108
 - for skin infections, 1:183
 - for skin protection, 1:230
 - specific indications, 1:88, 106, 167, 249; 2:106, 184; 3:63, 99–100; 4:88; 5:94, 143–44, 203
 - stimulant qualities, 1:51; 3:21t
 - strong energy of, 1:18; 2:20; 3:20; 4:22, 23; 5:22, 23
 - syrup of, 1:120
 - for tinnitus, 5:165
 - for vascular reactivity, 5:60
 - for vascular support, 2:31
 - warming qualities, 1:59; 3:21t
 - for wound healing, 1:181
- Zi Shen Qing**, 5:78
- Ziziphora clinopodioides** (blue mint bush), 3:109
- Ziziphus jujuba** (Chinese date, jujube)
- for arthritis, 5:120
 - for Behçet's disease, 5:74
 - for colds, 5:170
 - for depression and anxiety, 4:101t, 103t, 106
- formulas containing
- depression and anxiety, 4:106
 - gastroparesis, 1:77, 78
- GABAergic qualities**, 4:110
- for hepatitis, 1:90
 - in mocktail syrup base, 4:136
 - serotonin-promoting qualities, 4:92
 - specific indications, 2:106; 4:152
 - for vascular reactivity, 5:61
- Ziziphus spinosa** (suan zao ren)
- for arrhythmias, 2:53
 - specific indications, 2:106
 - for strokes, 2:65